

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte
Band: 70 (1993)

Artikel: Automatic monitoring of buildings deterioration
Autor: Almesberger, Dario / Rizzo, Antonio / Fabbro, Federico / Tonicich, Milenko
DOI: <https://doi.org/10.5169/seals-53303>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 01.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Automatic Monitoring of Buildings Deterioration
Surveillance automatique de la détérioration de bâtiments
Automatische Überwachung der Schadensbildung an Bauten

Dario ALMESBERGER
Eng.

Antonio RIZZO
Eng.

Federico FABBRO
Arch.

SER.CO.TEC
Trieste, Italy

Milenko TONICICH
Eng.

SUMMARY

The time control of structural failures should be accomplished by monitoring systems which can provide data in real time. Using such a system we are able to follow the evolution of structural cracking, thermohygrometric conditions, structural yielding and other sources of material and structural deterioration occurring within a time domain.

The data acquisition unit connected to the measuring transducers is based on an intelligent system endowed with a programmable microprocessor which received analogic signals transforms into digital values. This unit, using a modem, submits the data by phone to a central control point where the received data are read and processed by a personal computer. The central control point can be located in a designer office or any other place where monitoring data are required. This acquisition data system is fully automatic permitting remote control of data readings. The system, once installed, permits monitoring continuously in time without staff assistance at the control point both for receiving and processing of data.

Autors examine the real possibility of monitoring today and present the last significant applications they made in Italy.

1. INTRODUCTION

Step 1. Find the Deterioration


In practise, this apparently obvious and simple statement may present a very subtle problem when defects are not visible. For example, timbers and timber piling can be damaged by insects or other organisms, virtually to the point of collapse, without exhibiting any external evidence; corrosion of steel can be difficult to detect because it occurs, principally, in the most inaccessible parts of the structure.

Step 2. Determining the Cause

This is, by far, the most difficult and important step. There are no rules or procedures for determining the cause or causes of deterioration, each case is an individual problem. However the analysis of cracks, the appearance of the surface of concrete, the inspection of timber and steel structures, furnishes an idea for further investigations. It is important to study the structure in bad weather as well as in good. Also it is important to investigate the problem sufficiently deeply to discover any hidden or latent defect.

Step 3. Evaluating the Strength

Usually, the building being investigated is in active use, and it is necessary to determine, as quickly as possible, if it is safe to continue to use it, or if the facility should be restricted to some less severe usage.



All the difficulties encountered in the steps for detection and diagnostic can obtain a powerful aid by monitoring the main parameters of the structure with non destructive techniques.

The modern technique and technology of measurements made the controls and monitoring easy. Electrical transducers transform every important parameter in numeric digital signal, data-loggers can retain for further manipulation, computers and suitable software elaborate data in real time, modems diffuse every information or data requested all over the world.

This acquisition data system is fully automatic permitting remote control of data readings.

The system, once installed, permits monitoring continuously in time without staff assistance at the control point both for receiving and processing of data.

Although this system and the corresponding software are very sophisticated they are permanently upgraded and further developed.

In the example (Figure 1) we examine the actual possibilities to control a church tower. Transducers continuously measure the variations of: width of cracks, temperature, moisture content, global and partial verticality, stresses, strains, relative displacements. All the transducers are connected to a central controller that by modem release actual values of measured parameters.

This arrangement of instrumentation allows to evaluate the evolving of deterioration in the time and also to study the importance of the cyclic variation of temperature and moisture content of the walls and foundations.

The last application we made in Italy concern the evolution of cracks in the upper part of Castel S. Angelo in Rome, Chiesa S. Paragorio in Noli and Chiesa S. Lorenzo Maggiore in Naples.