Zeitschrift:	IABSE reports = Rapports AIPC = IVBH Berichte
Band:	70 (1993)
Artikel:	Simulation of the design schemes for architectural monuments
Autor:	Semenets, Gennady L. / Kirichenko, Marina A.
DOI:	https://doi.org/10.5169/seals-53333

## Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. <u>Mehr erfahren</u>

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. <u>En savoir plus</u>

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. <u>Find out more</u>

# Download PDF: 10.08.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

# Simulation of the Design Schemes for Architectural Monuments

Simulation de projets d'études pour des monuments architecturaux

Simulation von Entwurfsmodellen für architektonische Bauten

Gennady L. SEMENETS Civil Eng. Kharkov Inst. of Railway Eng. Kharkov, Ukraine Marina A. KIRICHENKO Civil Eng. Kharkov Inst. of Railway Eng. Kharkov, Ukraine

The purpose of this paper is to propose of the general ideas on simulation of the historical architectural constructions (destroyed buildings as well) design schemes, also recommendations on their analysis and a more precise definition.

The simulation of the design schemes allows to obtain an obvious situation of the construction stress and deformation state both nowadays and originally. Besides it allows to reveal the reasons of the destruction and to forecast durability and reliability with a definite degree of approximation.

The simulation is implemented in such a sequence: 1. according to the remained part of the construction a space rod design scheme is created as being the most visual one; 2. the geometrical characteristics of the conventional rods are specified so as to bring the work of this design scheme to the work of the real construction as near as possible; 3. the massive parts of the construction are simulated by volume finite elements.

The finite element method and the superelement method are used for the analysis of constructions. It is recommended to use separate parts of the construction as superelements. These parts can be separated out of the construction according to the definite sign and calculated by any method indepedently.

It is proposed to consider the following kinds of superelements: 1. base superelements - the parts of the structure having sufficient strength and degree of stability;

 unstable superelements - the parts of the structure working under unfavourable conditions, having heavy damages and increased value of the flexibility;

3. cantilivers - various parts of the structure, being in breakdown state, partly destroyed, having different cross sections, representing themselves as handing down parts of structure at different angles. They may be destroyed parts of archs, frames, plates and continuous beams, separately standing columns and other elements.

The cantilivers may be classified and reduced into several types for which research work can be done and recommendations can be



### made to determine their carrying capacity.

The analysis of constructions may be performed in two directions: by carring out strength verification of construction parts and by finding out possible reasons of its destruction. While realizing the first direction of analysis besides static calculations great attention is paid to dynamic and seismic calculations. It acquires especial significance if calculated constructions are located in seismic dangerous region such as Mediterranean, Transcaucasus, Middle Asia and other regions.

In the second case analysis is made by defining the possible variants of the foundation settling or by the strength factors application. According to these data theoretical situation of destruction is defined and these results are compared with real situation.

The paper presents analysis of continuous beams, frames and cantilivers with axis in the form of a broken space line, taking into account that geometrical characteristics are changed according to arbitrary law. Stiffness matrixis are determined for these cases.