

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte
Band: 77 (1998)

Artikel: Investigation and repair of old culturally valuable concrete structures
Autor: Günter, Martin / Müller, Harald S. / Hilsdorf, Hubert K.
DOI: <https://doi.org/10.5169/seals-58248>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 05.09.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



Investigation and Repair of Old Culturally Valuable Concrete Structures

Martin GÜNTER

Dipl.-Ing.

University of Karlsruhe
Karlsruhe, Germany

Harald S. MÜLLER

Prof. Dr.-Ing.

University of Karlsruhe
Karlsruhe, Germany

Hubert K. HILSDORF

Prof. Dr.-Ing.

University of Karlsruhe
Karlsruhe, Germany

Summary

The preliminary investigation and the repair of culturally valuable concrete structures is determined by the demand for preserving the original architectural appearance and surface texture of the altered concrete structure as well as for meeting the technical requirements for a durable structure. The characteristics of such an investigation and corresponding repair strategies are described and illustrated by two examples, the music center "Liederhalle Stuttgart" and the concrete dam "Schluchseesperre" in the Black Forest.

Keywords: investigation methods, concrete surfaces, architectural aspects, preserving the surface texture, repair strategies

1. Introduction

In almost all conventional measures of protection and repair of concrete structures where the surfaces are damaged due to various deterioration mechanisms the repair consists of applying surface coatings or overlays made of polymer or mineral materials to the entire surface of the structure. Sometimes, this is indeed the only method to preserve the load carrying capacity and the functioning of the structure. But in many cases this is not necessary at all, and the only purpose of such a measure is to give the building an immaculate appearance.

In the full paper it will be shown, that, on the basis of accurate and detailed investigations of the structure and its materials, it may be possible to repair old concrete buildings much more carefully. In this context we limit ourselves to the repair of concrete and reinforced concrete structures which have gained historical importance due to their architectural appearance or due to special technical qualities.

2. Investigations

The objective of such investigations is to create a solid basis for the prediction of the progress of the deterioration and corrosion of the old structure so that a restoration concept can be developed which preserves the original concrete surface whenever possible. Furthermore, such investigations are necessary to derive measures for a suitable restoration of the deteriorated parts of the concrete surface as well as to develop and specify repair mortars or concretes which are compatible with the old concrete surface in technological as well as in architectural



respects. Finally on the basis of the investigations strategies for the maintenance and the inspection of a particular member or building have to be derived.

3. Repair work

The method of repair of the structure depends on the results of the comprehensive investigation and may differ from conventional methods. In some cases, repair mortars or concretes have to be used which are not commercially available, and which have to be optimized in its particular technological and visual properties. In the full paper the investigation and the repair of two culturally valuable buildings under the aspects described above are illustrated.

4. Conclusions

The preservation and repair of monuments and historical buildings made of plain or reinforced concrete should be designed such that the original appearance and the original surface texture is preserved as far as possible. To accomplish this, preliminary investigations and strategies are required which differ from those usually applied in the conventional repair of concrete surfaces. Hence, special methods and planning tools have to be developed and used to take into account particular architectural and technological aspects. The detailed scientific based investigations create the basis to minimize the extent to which the original surfaces had to be altered in order to preserve the overall impression of the structure. Further damage, which also has to be expected in conventional repair work, should occur only to a very limited extent and may be repaired within the regular maintenance work.

Further Literature

Günter, M.: Technologie der Instandsetzung historischer Beton- und Stahlbetonkonstruktionen. Beitrag zum Fortbildungsseminar der Ingenieurkammer Baden-Württemberg: „Ingenieurleistungen an historischen Bauwerken“, 1992

Hilsdorf, H.K.; Günter, M.: Beton- und Stahlbetonkonstruktionen - Möglichkeiten und Grenzen der Instandsetzung. ICOMOS 1997, im Druck

Müller, H.S.; Günter, M.; Hilsdorf, H.K.: Erfahrungen mit Instandsetzungsmaßnahmen bei historischen Stahlbetonbauwerken. In: Tagungsband der internationalen Fachtagung „Betoninstandsetzung '97 - Innovation und Dauerhaftigkeit“, Innsbruck-Igls, 30. und 31. Januar 1997. Institut für Baustofflehre und Materialprüfung, Universität Innsbruck

Günter, M.; Hilsdorf H.K.: Technologie der Instandsetzung der Stahlbetonaußenfassaden des Beethovensaals der Liederhalle Stuttgart. Jahrbuch Sonderforschungsbereich 315 „Erhalten historisch bedeutsamer Bauwerke.“ Universität Karlsruhe, 1994