

Zeitschrift: IABSE reports = Rapports AIPC = IVBH Berichte
Band: 82 (1999)

Artikel: A method for the creep analysis of composite cable-stayed bridges
Autor: Xia, Gan / Kindmann, Rolf
DOI: <https://doi.org/10.5169/seals-62147>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 07.02.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>



A Method For The Creep Analysis Of Composite Cable-Stayed Bridges

Gan XIA

Civil Engineer
Ruhr-Universität
Bochum, Germany

Rolf KINDMANN

Professor Dr. -Ing.
Ruhr-Universität
Bochum, Germany

Gan Xia, born 1963, received his Master degree in civil engineering from Southeast Univ., Nanjing, P.R. China. He is currently a research assistant at Ruhr-University Bochum. His research interests include the time-dependent behaviour of composite structures.

Rolf Kindmann, born 1947, worked for one of the greatest German companies for 10 years. He was head of the technical departments for the design and construction of structures. Since 1990 he is professor for steel and composite structures at the University in Bochum.

Abstract

In general, as an internally heterogeneous structure with external elastic restraints the 'exact' creep analysis of composite cable-stayed bridges has to be performed by using numerical step-by-step techniques with more than 100 calculation steps. The so-called one-step method which is presently based on some solutions by using dischinger method (rate of creep method) or based on the age-adjusted effective modulus (AAEM), is apparently applicable for most practical designs. The solutions for composite cross sections obtained by using dischinger method or the usual AAEM method, however, inevitably have errors, which in some cases are negligible, but in other cases unnegligible. This paper proposes a one-step method for the creep analysis of complex composite structures including composite cable-stayed bridges which is based on a method newly developed for the creep analysis of composite sections. The creep analysis of composite sections by using the new method is mathematically exact on the usual hypotheses. Therefore, the accuracy of the results by using the new method is better than ones by using the AAEM method or the dischinger method.




Fig. 1 a) Original cross section b) Fictitious cross section for elastic analysis c) Fictitious cross section for creep analysis

In order to perform the creep analysis of statically indeterminate composite structures, a fictitious transformed section for creep analysis which is similar to the transformed cross section for elastic analysis of composite structures is introduced (see Fig.1) and equivalent loading vectors for sustained loads are derived from the results of creep analysis of composite sections. The calculation of the properties of the fictitious transformed sections and equivalent loading vectors

can be easily implemented in a usual finite element program for the elastic analysis of structures. The creep effects can be then evaluated by using the finite element program by means of the properties of the fictitious transformed sections. It should be noted that the structure for creep analysis has a system line which is different from that for elastic analysis(i.e. a remove of a_ϕ).

To show its application, redistribution of internal forces due to creep in a cable-stayed bridge with composite cross section shown in Fig. 2 is evaluated by using the presented method. The elastic internal forces $N(t_0)$, $M(t_0)$ and the change of internal forces N_ϕ , M_ϕ due to creep for sustained load $g=300$ kN/m are illustrated in Fig.3.




Fig. 2 Cross section




Fig. 3 Example