**Zeitschrift:** Bauen + Wohnen = Construction + habitation = Building + home :

internationale Zeitschrift

**Herausgeber:** Bauen + Wohnen

**Band:** 10 (1956)

Heft: 7

**Rubrik:** Summary

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

### **Conditions d'utilisation**


L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

**Download PDF: 29.10.2025** 

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch



### Mies van der Rohe 70 years old Buildings from the years 1938—1953 and new plans (pages 217-218)

Mies van der Rohe, one of the most important architects of our age, can look back over 70 years of a productive life. In conveying our best wishes to him on the occasion of his birthday we present in this number some of his finest and most perfect buildings from the years 1938-1953. His work has had a purifying and clarify-

ing effect everywhere on all who are con-cerned with building.

After his years of apprenticeship with Bruno Paul and Peter Behrens, in whose studio he worked with Le Corbusier and Walter Gropius he was active as architect, publicist and organizer of exhibi-tions, especially of the "November Group" in Berlin. Under his direction was built in 1926 the Weissenhofsiedlung in Stuttgart; his pavilion at the International Exhibition of 1929 in Barcelona

national Exhibition of 1929 in Barcelona for the first time brought him world fame as an architect. Haus Tugendhat in Brünn and the leaders of Bauhaus represent the final stage of his European activity.

America calls him in 1938 as director at the Illinois Institute of Technology in Chicago, the new plan of which consequently becomes one of his chief projects. His design for the Mannheim Theater is a new milestone in his development.

a new milestone in his development.
Mies van der Rohe pushes the principle
of "Less is More" to the point where architecture as such completely disappears. No one takes architecture more seriously, no one works out details with more precision than he does. For him architecture is not so much "Queen of the Arts" as it is Servant of Life.

The Editors

### Mies van der Rohe Chicago School 1938-1956

The Theoretical Basis

Technology should yield an effect of familiarity.

We should learn with it how to work from

the material of the present. It is the material basis of our buildings. For we are children of the technological

Chicago built wholly in the spirit of this technological age.
The steel industry determines from the

very beginning the pearance of Chicago. architectural

In the Eighties the architect Louis Sullivan founded the Chicago School.
There arose the first skyscrapers in the

world with steel skeleton frameworks.

A phrase describing Mies van der Rohe's approach to building is "skin and skeleton." This formula defines a method of architecture wherein a sharp distinction is drawn between the purely structural and the merely superficial elements in building.
Hence it became possible to open up the

solid walls which had been necessary in traditional stone and timber construction. Ludwig Mies van der Rohe bases his program on this purely material supposi-

### His program:

The structure as an architectural factor; its possibilities and limitations.

Space as a means of architectural expression.

The expression value of materials

Painting and sculpture in their relation-ship to architecture and the application of these principles by means of free creative work. His program therefore is the solution of

all architectural problems in line with

In the primary conception is included the general lines of all possibilities and all limitations.
The nature of space is not determined

by the mere presence of limiting surfaces, but by the intellectual principle behind this limitation.

The formal disposition of space proceed-

The formal disposition of space proceeding from structure itself is the essential task of architecture.

The achieved work is not the building, but the ordered space.

There is a law of proportion at the basis of all art, as indication of the ordering power of the human mind.

In the proportions the formless medium takes on form: Witness to the mastery of the human mind. Proportion therefore has to be the decisive means of architectural expression. But no form without relationship to medium.

relationship to medium.

The expressive value of the medium is not inferior to that of design.

There arises the necessity of finding the ideal medium for the design or the ideal design for the medium.

The artistic statement is a statement of the unity of form and medium. From this arises the further necessity of creatively integrating, from the start, the art of the painter or of the sculptor with the emerging spatial form.

This was a self-evident fact in the great artistic periods—although probably the great builders were not conscious of it. It is up to our generation, in full consciousness to forge anew an intellectual-artistic unity.

sciousness to forge anew an intellectual-artistic unity.

The mind is a unity, and this unity has to be striven for again.

The intellectual unity, form, has to be integrated into the cultural life of society as a whole, just as the person is in private life.

Ludwig Mies van der Rohe's great service is to have shown architecture again.

vice is to have shown architecture again the way into the heights of the mind and therewith into its unity.

We, his pupils, have the task of recognizing the intellectual character of architectural problems and of solving

them in creative freedom.

Ludwig Mies van der Rohe wished to
point out to us not the What in architec-

ture, but the How. His achievements in Chicago between 1938 and 1956 carry on the tradition of the "Chicago School."

Werner Blaser

Our views are provided by Werner Blaser, Basle, who took them on the occasion of his stay in Chicago from 1951 to 1953. The Instanting the statements of Mies van der Rohe published as quotations come from personal notes made by Blaser. His intensive analysis of the architectural principles of Mies van der Rohe brought Blaser subsequently to Japan, where, enriched by his activity in Chicago, he wrote the work on Temple and Teahouse in Japan.

#### Lake Shore Drive Apartments (pages 218-221)

In most attractive part of Chicago near Lake Michigan not far from center, two apartment houses, north building con-taining 5-room apartments, south building 2½-room apartments. Elevation elements suspended from top of steel skeleton, each element comprising 4 windows. In addition standard sections were welded in front of main columns and corner supports as well as in front of intermediate columns between individual

windows.
"It is very important to preserve and extend the rhythm which the profile section set up on the rest of the building. We looked at it on the model without the steel section attached to the corner column and it did not look right. Now the other reason is that this steel section was needed to stiffen the plate which covers the corner column so this plate would not ripple, and also we needed it for strength when the sections were hoisted into place. other reason is that this steel section was

### MacCormick House in Elmhurst, Illinois (pages 222—223)

Single house, type designed for serial production, with same steel frame con-struction as 860 Lake Shore Drive Apartments. Roof supported entirely by outer skeleton. Steel frames prefabricated and erected on building site. Elevations in yellow brick. Unspoiled park landscape forms integral part of new living sphere.

## Illinois Institute of Technology (pages 224—225)

An the world of Mies van der Rohe: The side entrance to the Chemical Building leads onto the inner patio. Door and window framings are in aluminium, door panels in natural oak. Brick walls

and grey terrazzo floors.
"It was the greatest decision I ever had to make. It is more than ten years since we started building and by now it was all supposed to be finished — but of course, supposed to be infished — but of course, it will be another twelve years yet. If you build one building, you can go away and leave it. But 25 years is a long time these days — and I know our way of building had to reach across this time and not be out of style."

out or style.

And:

"Architecture should be concerned with
the epoch, not the day. These buildings
will not grow old... they are of noble
character, constructed of good materials
and have beautiful proportions... they
are done as things should be done today:

taking advantage of our technological

They were meant to be simple and in fact, they are simple. But in their simplicity they are not primitive but noble — in fact, monumental."

### Farnsworth House, Fox River, Illinois (pages 226—227)

The architec's own words:
"I have always wanted to express a building as it really is. I don't want to hide its
structure. It is hopeless to try to use structure. It is nopeless to try to use forms of the past in our architecture. It is not possible to move foreward and to look backwards, he who lives in the past cannot advance. Architecture is the will of an epoch translated into space, living, changing. And not yesterday, not to-morrow, only today can be given form."

# The moral influence of the architecture of Mies van der Rohe (pages 228–229)

There are people sustained by the con-There are people sustained by the confidence infused in them by an inner vocation who have the courage, cost what it will, to remain steadfast in their principles. It makes no difference whether they are religious fanatics, politicians, scientists or artists. Some architects are an exception to this rule. To be sure, they can be counted on the fingers of one hand. By this we do not mean to say hand. By this we do not mean to say anything against lesser talents; on the contrary, they are indispensable. If only and let us insist on this—the major voices of architectural creativity of a country are not drowned out, as is so often the case in democartic societies. The influence which an uncompromising architect can exert upon the conscience of architecture I call his moral influence. The phenomenon of Mies van der Rohe and his work is a confirmation of the fact that an independent man, ever rejecting banality, can nevertheless prevail pro-vided, I repeat, provided that the creative atmosphere is not vitiated by the rule of

mediocrity. The influence of Mies van der Rohe on The influence of Mies van der Rohe on the huge architectural projects in the USA can almost be described as magic, and his magic formula runs: "Less is More." His example has brought about a radical reformation of American architecture by his meticulous attention to detail and by his inexorable hostility to everything that he regards as aesthetic compromise

### Mies van der Rohe builds

Our period is scarcely more negligent Our period is scarcely more negligent about anything than artistic creativity. This attitude is given an edge by the hatred displayed in modern times by political dictatorships to everything artistic that lacks a reactionary orientation. If Mies van der Rohe, to whom peacefulness and quietude are second nature, had not been brought to Chicago in 1938, what would have become of him? The fate of the German architects and of German architecture generally, one of the German architecture generally, one of the most depressing spectacles of our age, provides the answer.

provides the answer. Now his tall apartment houses are multiplying on the finest sites in Chicago and since 1939 he has been working on the buildings of the Illinois Institute of Technology, completion of which might take a quarter of a century. That is usually the length of time it takes an American skyscraper to pay for itself. Mies van der Pohe seems to have instilled some of his Rohe seems to have instilled some of his innate quietude into the American big business men.

The spatial grouping of the 24 college buildings is best clarified if we go back to his country house plans of 1923. There arises from them, through the relationship among the single wall sections, the feeling of an interpenetration of all elements fruit as in a wilford prace without reeing of an interpeneuration of an elements fusing in a unified space, without this being directly visible. The same is true of the buildings on the Chicago Campus. Like the walls of those early plans the buildings stand in a rational right-angled relationship to one another; they are, however, arranged in such a way that there is formed among them an all-embracing, but not palpably visible spacial unity, a space that only in relation to the given instant—i. e. to movement through it—slowly impinges upon the consciousness. Proceeding exactly as did the Egyptian sculptors with their cliff carv-ings, Mies van der Rohe has super-imposed upon all buildings of the Campus a square system of co-ordinates. His modulus amounts to 24 feet. Every distance between supports in the buildings impresses it unconscolusiv upon the

Along with Le Corbusier, Mies van der Rohe is one of the few architects who consciously base their buildings on pro-portions, and in fact in the Pythagorean sense, in which number signifies not number simply but in which are inherent qualitative as well as quantitative properties.

Care in establishing proportions is united with care in the treatment of materials. In the buildings for the Illinois Institute of Technology there are no onyx walls and chrome columns as in the early days. All the more cautiously are proportion, structure and materials here interwoven.

The lateral walls of a laboratory or of a factory with their visible skeleton and their panel walls—usually unnoticed in-cidentals—are here made to fulfil the highest artistic function.

The indifferent observer may not become conscious of all this. In spite of this fact there is no doubt that such surroundings there is no doubt that such surroundings make their influence felt even without his knowing it. Just as the Weissenhof-siedlung project of 1927 was a manifesto of his subsequent development, the buildings on the Chicago Campus constitute an appeal for the artistic purity of architecture.

Three decades after his skyscraper plans Mise van der Robe brings to completion.

Mies van der Rohe brings to completion in 1949 his skyscrapers by Lake Michigan. One of them, Promontory Apartments, is situated on the south side of Chicago. The view out of the large studio windows on to the open expanse of Lake Michigan on to the open expanse of Lake Michigan is overwhelming. Twenty-two storeys. Ferro-concrete skeleton. U-shaped plan like the Marquette Building of Holabird and Roche, Chicago, 1894. Promontory Apartments really constitute a dual building—separated lift shafts and stairwells. The fittings are almost monastically severe. cally severe.

In these skyscrapers there is achieved a remarkable symbiosis: a harmony be-tween the formal creative power of the artist and the enormous mechanism of

arrist and the enormous mechanism of industrialized construction.

Around 1880 Adler and Sullivan still carried their plans into execution themselves, not to mention William le Baron Jenny, engineer and building contractor. This is no longer possible today. The list of those who contribute to the construction of a large building is longer even than that for a present-day film. But just as a film is good or bad depending on the intensity of the director, a big construction project depends on the capability of the architect who conceives the design. He has to infuse into it that imponderable something which we call expression. The fact that—in rare cases—even the industrial construction company in America has confidence in an artist and not only in routine builders, may be an indication that a symbiosis between artist and a high stage of mechanization is possible. Should the creative architect succeed in mastering the enormous keyboard of mechanization and understanding how to play on it, we need have no fears for the future of architecture.

The emigration brought about by events in Germany had more far-reaching effects on the scientific and artistic culture of the USA than almost any previous emigra-tion. Prof. Cook, who had developed out of nothing the Institute of Art History of New York University so that it has become one of the most important in America, used to say:

rica, used to say:
"I am very much obliged to Hitler. He shakes the trees and I gather the apples."
This applies to many fields, not least to architecture. The appointment of Walter Gropius by Harvard in 1937 and that of Mies van.der Rohe by the Illinois Institute of Technology in 1938 resulted in an influence on the younger generation which even today cannot be fully estimated. Once more it was shown how important it is not to entrust training of students tant it is not to entrust training of students to clever men of routine, rather to really creative figures.

However, the most important function of Mies van der Rohe is the setting-up of examples in the form of his buildings. He came to the great metropolis of the Middle West: Chicago. After an archi-tectural development (Chicago School) which was unique for the period between 1883 and 1893, there followed a dormant period of more than four decades. It is no exaggeration to say that is was the activity of Mies van der Rohe that put an end to this dormancy and made Chicago aware of itself. Hence even the statement of Gordon Bunshaft made to me recently is understandable: Don't you think that Mies van der Rohe is of all architects the most American?"

By that the architect of Lever House meant that passion for the pure surface

which is deeply rooted in American architecture. But things develop more slowly in America than is generally imagined. Even Mies van der Rohe had to walt until he could make his entry into the building market of the real estate promo ters. This he succeeded in doing with Promontory Apartments on the south side of Chicago in 1949. This was followed by the two Lake Shore Apartments in 1951. They constituted a kind of manifesto of purity in architectural form. Their influence spread with striking rapidity and was creative. New York's purest sky-scraper, Lever House, on Park Avenue, in 1952, comes immediately after the Lake Shore Apartments.

In 1956 two more apartment houses are under construction next to the Lake Shore Houses. Somewhat farther north, also with a view over Lake Michigan, there are going up at the same time four new apartment houses arranged like a court of honour. They were originally planned with steel skeletons, but short supply owing to boom conditions led to the adoption of ferro-concrete.

In New York in 1955 on Park Avenue, just opposite Lever House, is the Admini-stration Building of the Seagram Whisky Co. with its exterior walls of bronze unde construction, an undertaking carried out by Mies van der Rohe in co-operation with Philipp Johnson.

The interesting design for the Theater in Mannheim, 1952/53, was much too un-compromising for present-day German taste to be carried into execution. Of much greater importance perhaps is the in many respects still incalculable influence of Mies van der Rohe upon the younger generation. It can develop into a dangerous obsession. What attracts these young architects is the uncompromisingness with which Mies van der Rohe aspires to integrity of design and is willing to sacrifice everything to it. It is by no means the only possible solution to present-day architectural problems. It is worth noting, however, that in Mies van der Rohe's manipulation of the pure sur-face and the structural elements, an extreme avant-garde spirit emerges hand in hand with the most recent production methods, indeed, it spurs them on to still more far-reaching solutions: Magic and Materials! S. Giedion

#### Store in Sydney (pages 230-231)

A small store for a private company on a small irregular site. On the ground floor along the one fire wall runs the entrance hall with lift and stairwell. Office rooms extend over entire floor for the most part without any divisions. On the fifth floor the Management. Entire west elevation protected against sun by system of adjustable sun shields one storey high, of aluminium. Supports recessed behind elevations, ceilings project. Continuous glass wall along west side of rooms. Architecture clearly conceived and une-

### "Pelikan" Apartment and office build-ing on Langstrasse in Zurich (pages 232-233)

An office building erected within the scope of district zoning requirements and elevation of which is adapted to impor-tance of Langstrasse, one of the most important thoroughfares of Zurich.

On ground floor, in addition to a shop and news stand, there is planned a café-restaurant. Unfortunately interior con-struction not part architect's plans but turned over to a furniture factory, which worked it out in the current style and so kept to requirements of general bad taste. Four upper floors house offices, doctors consultation rooms etc. Fifth upper floor, containing apartments, with continuous terrace on quiet courtyard side with flower stands.

Ferro-concrete slab construction rests on two ceiling joists running along corridor and suspended from supporting ferroconcrete parapets. In this way offices have continuous ceilings not broken up by ceiling joists. Window rows broken by masonry surfaces to facilitate erection of office partitions as desired and to introduce the required freedom into disposition of office space. Entire building rests on columns, street as well as courtyard elevations wholly glazed. Corridors with demountable suspended ceilings of plaster slab elements behind which are installed water, gas, light and power

#### **Dunlop Building in Munich** (pages 234-235)

Within scope of building program of German Dunlop Rubber Co. AG, assignment comprises storerooms for tires, foam rubber products and flooring slabs, office, sales and personnel rooms, three flats, garages as well as good loading and

unloading facilities.
A corner site with separate approach and exit for cars, about 300 m. from central station on a main thoroughfare. Four-street front elevation with 45 m. display window accented by third upper floor being recessed on side facing side street and also faced with dark asbesto-cement. Nearly entire basement floor taken up by large garage connected by tunnel with nearby service station. Main entrance hall on ground floor contains reception, agency, main stairs and access to tire sales. First upper floor houses personnel rooms, cloakrooms, sales rooms for special appliances.
Ferro-concrete skeleton. Axial dimension

about 7 m. square. Solid ceilings provided with floating floor, floors paved with Dunlopan flooring slabs in 33 different patterns. Ytong parapets faced with terracotta coloured asbestos-cement.

### Factory Buildings near Glesshübel Station in Zurich (pages 236—240)

Site: 6000 sq. m. in industrial area near Giesshübel Station. Plan had to be

Glesshuber Station. Plan had to be flexible because at time of drafting actual buyers or tenants not yet known. In plan of these factory buildings presented here various advantages are combined: Available for unloading of goods, forwarding and storage large intercemental flow recent interconnected ground floor areas at level of truck and railway loading ramps.

level of truck and railway loading ramps. Basement floor accessible by drive-in and exit ramps. Thorough are runs through entire basement floor, can also be used as parking space for trucks. Central interior courtyard above 1st floor distributes daylight uniformly over ground floor areas; also solves lighting and ventilation problem for uper floor areas with large, interconnected workshops and facilitates supdivision into small rooms.

Racilitates subdivision into small rooms. Subdivision also facilitated by concentration of stairs, lift, and WC. Construction: Ceillings, columns, ceiling joists and walls and parapets respectively concrete with an axial distance of 6 x 6 m., has turned out to be very economical. Also for reasons of economy there was selected a concrete-encased ceiling heating system. Window elevations faced with concrete and in part utilized structurally as suspender beams. Good ventilation assured by row of casements directly under ceiling and somewhat recessed, kept in shadow and glazed with dull panes. The transom element situated beneath houses the Venetian blinds and as Z profile is at same time a horizontal stay. Projecting upper floors provide welcome protection against rain on sides facing street and railway.

Interior construction kept simple: In basement and ground floor Duratex hard concrete flooring, on upper floors Kera-vin square-pointed flooring on under layer and insulation (ceiling heating). For the sliding partitions there was developed an element which can as desired be utilized as corridor partition or as office partition; it also contains door elements. Concrete surfaces left rough painted, projecting parts dull white, recessed line of ground floor and stairway elements gray, still farther recessed casement row dark gray. Plastic effect accentuated by this colour scheme. Built-in elements in Interior in part painted in lively colours, as are window parapets on inside. Structural elements in dull white, flooring on alternate floors gray, red, blue, yellow

# Administration Building of an Insurance Company in Winterthur (pages 249—250)

A new building to be built as annex to already existing baroque edifice which, along with stand of old trees in neigh-bouring park, is to be preserved. The main building is situated at right angles to a one storey section parallel to the main street, connected by a ground floor set back; the two upper storey comprised within one framework. Construction ma-terials: artificial stone slab facing, light metal window frames and parapets, glass and glass-concrete. Supports along elevation are steel tubular elements treated with concrete. Ceilings free of joists. Office section can be easily rearranged. Ready for occupancy at end of 1956.

#### Plan for renovation of the Laurentius Medicated Bath at Shaan (pages 251-252)

An usual building assignment and a clearly conceived up-to-date solution. For their preliminary examination the patients go to the small consultation room situated in the garden, contains consultation room, waiting room, and rest room along with WC. Large pool gives effect of spaciousness to cozy garden. In wing on street side are 18 sick rooms with baths, diet kitchens, massage rooms. with baths, diet kitchens, massage rooms. Beneath, at street level, utility and store rooms. Architecture neat, clearly cond, unequivocal. In its modesty it not pretend to be other than it actually is: a small private clinic in the