**Zeitschrift:** Bauen + Wohnen = Construction + habitation = Building + home :

internationale Zeitschrift

**Herausgeber:** Bauen + Wohnen

**Band:** 16 (1962)

Heft: 9

Inhaltsverzeichnis

## Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

## **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

## Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

**Download PDF:** 04.12.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

Hodler + Nüesch, Del Fabro + Gerosa

High-rise Building "Graphika", Zurich (pages 380-382)

The Wydäckerring-Letzigraben complex consists of five buildings containing from two to four stories and comprises 90 apartments. 24 of these enjoy public subsidies

On the basement level beneath the courtyard are situated the garages and workshops. The high-rise house contains 56 flats.

The cost of the latter breaks down as

follows: Construction: Fr. 2,166,400.-Special foundation 74,900 .--Fr. 181,200.--Landscaping Interests and fees 140,000.--Share in building site Fr. 902,500.--Fr. 3,465,000.-

128 30 Cost per cubic metre Fr.

Rents for the flats amount to: 2 rooms with kitchen-

living-room on 1st through 14th floors Fr. 180.— to 206.— 4<sup>1</sup>/<sub>2</sub> rooms on 1st through 14th floors Fr. 225.— to 264.—

The supporting element consists of special bricks for the high-rise building, thickness 25 cm on face plus

The interior walls are of identical brick 15 cm thick. The floor slabs are of solid concrete housing the radiant heating installations.

The parapets of the east and west faces are clad with corrugated Alu. The windows are double-paned with roll-up. Alu blinds mounted outside. The face walls are rendered and dispersion painted. The central heating plant for the whole complex is located in the high-rise building.

Mies van der Rohe

Lake View Apartments in Chicago (pages 383-384)

A 29-storey block of luxury flats is now being built in Chicago near Lake Michigan. The glazed ground floor,

which is identical with that of the Lakeshore Drive Apartments, consists solely of a hall leading to the lifts accessible from the car by way of a covered footpath to the vestibule. The hall contains the block for the four lifts, the installation channels and the emergency staircase. The first eleven storeys are given over to one and two-room flats set around a central core. The drawback with this lay-out is that some of the flats only look out towards the north. The entrance generally leads straight into the living-room by way of a corridor. These flats have kitchenettes that can be partitioned off with a sliding door. The bathroom and the dressing-room can be reached directly from the entrance. The three-room flats run from the 12th to the 18th floors. Generally speaking, the entrance leads directly into the The three-room flats run from the 12th to the 18th floors. Generally speaking, the entrance leads directly into the living-room behind which are separate sleeping-quarters. The fittings are sumptuous: built-in cupboards, spacious bathrooms and extremely modern kitchens. The four-room flats are on the 19th to 30th floors. They are identical with the former but in addition there is a second bathrom. These flats have their own lifts. The tenants have the use of a swimming-bath.

Prof. Hans Volkart

Library of the Stuttgart Institute of Technology (pages 389-396)

The original library was completely destroyed during the last war. The new structure is situated between the student residence and the Institute annexes, on the edge of a green zone and fronts on the municipal park. The very high buildings in the neighbourhood lack coherence. The new library was deliberately, for the sake of contrast, kept compact and low, in no case exceeding the height of the neighbourhood. case exceeding the height of the neigh-bouring trees.

The disadvantages of the site stem from the proximity of Kriegsberg-strasse on the north and Hegelplatz on the north-west, both being extreme-

The lay-out was not determined alone The lay-out was not determined alone by town-planning considerations, but, rather, the internal organization of the library rendered a horizontal disposition necessary. The need to remain flexible in order to be able to adapt to changing conditions determined the dimensions of the reading-rooms and stacks.

The different departments of the library-repositories, administration and visitors-were disposed on three floors one above the other.

The basement level contains the stacks and the technical installations. The library has a capacity of 600 000 books. The present inventory shows a figure of around 200 000 books freely circulat-

The administration offices are located on the ground floor, along with the Librarian's office, the exchange points and the dissertation room, the binding shop and photographic room.

Moreover, it was necessary to provide for 525 desks. They are distributed over the different reading-rooms.

The main entrance is approached from the south. The hall runs from east to west and contains the cloakrooms and a newspaper reading-room. The main stairs lead up to the reading-rooms on the first floor. A courtyard has been laid out to the right of the entrance; here is situated the display room, which can also be utilized as a lecture hall.

The first floor is the one open to visitors, those actually using the facilities. Here are located the various internal and external circulation services, the catalogues, with attached indexes. This area can be considered the information zone.

The reading-rooms are reached via a lateral check-point. To the south is located the main reading-room taking up two floors. It is subdivided into four special compartments. To the left of the entrance is the free library. It a vestibule between the reading-rooms and the stacks. Beside the main reading-room is the periodical section regularly containing 1800

Two stairways lead to the galleries. They connect the lower reading-rooms with the classical studies library to the general section containing periodicals covering the last ten years. Other special rooms for reading follow as well as other special purpose areas. On north are the stacks. As the need arises, they can be adapted to various uses.

The working-desks are thus arranged so that a user can choose where he wants or needs to work at any given

Finishina

The interior was kept subdued. The furnishings were worked out and finished in accordance with the latest trends for libraries.

Construction

The reinforced concrete construction rests on round pillars with diameter of 40 cm. The bays measure 5.60 metres. The thickness of the ribbed floor slabs, without stringers, is 42.5 cm. The faces have metal cladding.

Book control is effected by pneumatic communications via 14 stations. Books are transported on conveyor belts. The library is mechanically ventilated and air-conditioned. The humidity of the air in the stacks is maintained constantly between 40 and 60%. Glass walls ensure natural daylight illumination. Also sun-breaks and Alu blinds control the light.

Architekt und Soziologe

The construction cost per cubic metre: DM 120,-. That of the finished building with landscaping, special installations, furnishings, equipment, etc.: DM 170,-1/3 of the total sum was covered by the Max Kade Foundation, New York. Director of the Library and Organizing Manager: Dr. Manfred Koschlig.

361

## Inhaltsverzeichnis

Franz Füeg, Solothurn Jean Ginsberg, Paris Jean Ginsberg, Paris Eduard Helfer, Bern Stillman + Fastwick-Field. Ralph Smorczewski, Derek Stollar, London Hodler + Nüesch, Del Fabro + Gerosa, Zürich Mies van der Rohe, Chicago Marie-José Chombart de Lauwe, Paris Prof. Hans Volkart, Stuttgart Silvano Tintori

Appartements am Quai de 362-365 Boulogne-sur-Seine Appartements am Boulevard Lannes, Paris 366-369 370-374 Hochhäuser Neuhaus, Bern Hide Tower, Westminster, London 375-379 Wohnhochhaus »Graphika«, Zürich 380-382 Lake view Apartments, Chicago 383-384 Familie und Wohnen: Die Kinder 385-388 Bibliothek der Technischen 389-396 Hochschule Stuttgart 397-404 Die Vorfabrikation Chronik Konstruktionsblätter