

Zeitschrift: Candollea : journal international de botanique systématique =
international journal of systematic botany

Herausgeber: Conservatoire et Jardin botaniques de la Ville de Genève

Band: 41 (1986)

Heft: 1

Artikel: Additions to the Lichen Flora of Jordan

Autor: El-Oqlah, A.A. / Hawksworth, D.L. / Lahham, J.N.

DOI: <https://doi.org/10.5169/seals-879980>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 08.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Additions to the Lichen Flora of Jordan

A. A. EL-OQLAH
D. L. HAWKSWORTH
&
J. N. LAHHAM

RÉSUMÉ

EL-OQLAH, A. A., D. L. HAWKSWORTH & J. N. LAHHAM (1986). Additions à la flore lichéni-que de Jordanie. *Candollea* 41: 69-73. En anglais, résumé français.

Trente neuf espèces de lichens, principalement des espèces croûteuses saxicoles, sont signalées de Jordanie pour la première fois. Les récoltes ont été faites dans les provinces du Nord, de l'Est et du Sud dans les années 1981-1985.

ABSTRACT

EL-OQLAH, A. A., D. L. HAWKSWORTH & J. N. LAHHAM (1986). Additions to the Lichen Flora of Jordan. *Candollea* 41: 69-73. In English, French abstract.

Thirty-nine species of lichens, mainly crustose saxicolous species, are reported from Jordan for the first time. The collections were made in the northern, eastern and southern provinces in the years 1981-1985.

Introduction

The lichens present in Arabian countries have scarcely been investigated and no comprehensive survey of the species occurring in Jordan has been published. EL-OQLAH & LAHHAM (1985) reported on 38 species collected in the northern part of the country, but subsequent collections we have made led to the discovery of additional species present in the country which are reported on here.

The species reported on here come from three main regions; Ajloun Mountains, Azraq Oasis and the southern hilly area. Ajloun Mountains is in the northern most part of Jordan which has a mediterranean climate with 350-500 mm rain p.a. and a mean annual temperature in the range 15-20°C (ABU-KHADER & al., 1968). In contrast the Azraq Oasis is in an area with a hot desert climate, where the precipitation does not exceed 150 mm p.a. and the maximum temperatures reach 35°C; this Oasis is frequented by large numbers of birds migrating between Africa and Europe, a factor which may be important in understanding the reasons for the occurrence of some species in that locality. In the southern hilly area, the climate is again mediterranean with the mean rainfall in the range 250-450 mm p.a. while the temperature can exceed 35°C (ZOHARY, 1973).

The specimens were identified during a visit to the UK in August 1985 using the literature and reference collections available at the Commonwealth Mycological Institute (Kew) and the British Museum (Natural History), (London). However, it must be remembered that species in some of the groups reported on are in need of critical taxonomic work and that in some cases authentic material for comparison was unavailable. While it is therefore inevitable that some of the determinations given here will require re-consideration in the light of future work, the names employed here will provide a much sounder basis for future studies in Jordan than any currently available.

The specimens on which this contribution is based are preserved in the herbarium of the Department of Biological Sciences, Yarmouk University, Irbid, Jordan.

Collecting localities

(A) Northern Province

1. Irbid, including Ajloun, Jarashad Mafraq. Alt. 600-1200 m. 32°50'-80'N, 35°18'-36°-15'E. Many collections 1981-1985.

(B) Eastern Province

2. Azraq Oasis. Alt. 600 m. 31°8'N, 36°85'E. 6 March 1984.

(C) Southern Province

3. Karak. Alt. 850 m. 31°03'N, 35°8'E. 1 April 1984.
4. Tafila. Alt. 1300 m. 30°08'N, 35°7'E. 3 April 1984.
5. Shaubak. Alt. 1200 m. 30°06'N, 35°5'E. 4 April 1984.

Specimens were collected by Drs. A. A. El-Oqlah, J. N. Lahham & Mr. M. Khudair.

New records

The species are arranged alphabetically for ease of reference. Nomenclature follows CANON & al. (1985) where appropriate.

Acarospora cervina (Pers.) Massal.

On calcareous rocks: Jarash, Kufarkhal.

Acarospora bornmuelleri B. Stein

On basalt: Irbid, Al Mansourah.

Acarospora laqueala Stizenb.

On calcareous rocks: Almafraq Umjemal; Azraq Qasir Amrah, Jarash. Qafgafa and, Alsalt Wadi Shuaib.

Acarospora strigata (Nyl.) Jatta

On calcareous rocks: Alsalt, Wadi Shuaib.

Anaptychia ulotrichoides (Vainio) Vainio

On calcareous rocks: Irbid, Alshoubak and Tafila. Det.: R. Moberg.

Aspicilia malmeana (Magnusson) Ozenda & Clauzade

On calcareous rocks: Irbid, Zobya.

Aspicilia subcircinata (Nyl.) Coppins

On calcareous rocks: Irbid, Zobya.

Caloplaca bilewskii B. de Lesd.

On calcareous rocks: Irbid, Kufarjaiez.

***Caloplaca chalybaea* (Fr.) Müll. Arg.**

On basalt rocks: Almafraq Umjemal.

***Caloplaca citrina* (Hoffm.) Th. Fr.**

On calcareous rocks: Jarash, Debeen; basalt rocks: Alazraq, Azraq oasis, pools area.

***Caloplaca erythrocarpa* (Pers.) Zwackh**

On calcareous rocks: Tafilah, 15 km south of the town, Alazraq, Gasir Amrah.

***Caloplaca lactea* (Massal.) Zahlbr.**

On calcareous rocks: Irbid, Zobya.

***Caloplaca oblitterans* (Nyl.) Blomb. & Forsskål**

On flint rocks: Irbid, Zobya.

***Candelariella aurella* (Hoffm.) Zahlbr.**

On calcareous rocks: Irbid, Zobya.

***Candelariella vitellina* (Hoffm.) Müll. Arg.**

On basalt rocks: Almafraq Umjemal.

***Collema tenax* (Swartz) Ach. var. *ceranoides* (Borrer) Degel.**

On ground: Al Azraq, Qasir Amrah.

***Dermatocarpon subcrustosum* (Nyl.) Zahlbr.**

On calcareous rocks: Al Azraq, Qasir Amrah.

***Diploschistes albescens* Lettau**

On sandstone: Jarash Sedelmanik Talal; on soil: Almafraq Umjemal.

***Lecanora albescens* (Hoffm.) Branth & Rostrup**

On calcareous rocks: Irbid, Zobya.

***Lecanora crenulata* (Dickson) Hook.**

On calcareous rocks: Irbid, Zobya.

***Lecanora dispersa* (Pers.) Sommerf.**

On flint rocks: Irbid, Zobya; on basalt rocks: Almafraq Umjemal.

***Lecanora radiosua* (Hoffm.) Schaeerer**

On calcareous rocks: Irbid, Zobya.

***Lecidea monticola* (Ach.) Schaeerer**

On calcareous rocks: Tafila, Lahdah.

***Lecidea sulphurea* (Hoffm.) Wahlenb.**

On calcareous rocks: Karak, 15 km south of the town.

Leproplaca chrysodeta (Vainio ex Räsänen) Laundon

On calcareous rocks: Irbid, Zobya.

Parmelia acetabulum (Necker) Duby

On *Quercus calliprinos* bark: Jarash, Kufurkhal.

Parmelia verruculifera Nyl.

On flint rocks: Irbid, Zobya.

Peltula euploca (Ach.) Poelt ex Ozenda & Clauzade

On basalt rocks: Alazraq, Azraq oasis, pools area.

Rinodina calcarea (Arnold) Arnold

On calcareous rock: Irbid. Det.: H. Mayerhofer.

Rinodina mediterrana Flagey

On calcareous rocks: Al Azraq, Qasir Amrah.

Solenopsora cesatii (Massal.) Zahlbr.

On calcareous rocks: Almafraq, Umjemal.

Squamaria concrescens (Müll. Arg.) Poelt

On calcareous rocks: Irbid, Torrah.

Verrucaria baldensis Massal.

On calcareous rocks: Alsalt, Wadi Shuaib.

Verrucaria glaucina Ach.

On calcareous rocks: Alazraq, Qasir Amrah.

Verrucaria muralis Ach.

On calcareous rocks: Ajloun, Rasoun, Sous Rasoun, Alsalt, Wadi Shuaib.

Verrucaria viridula (Schrader) Ach.

On calcareous rocks: Irbid, Zobya.

Xanthoria elegans (Link) Th. Fr.

On flint rocks: Karak, 15 km south of the town.

Xanthoria fallax (Hepp) Arnold

On calcareous rocks: Irbid, Almansourah.

ACKNOWLEDGEMENTS

We are grateful to Mr. P. W. James (British Museum, Natural History), for help in identifying some of our specimens; Mr. M. Khudair, Yarmouk University was of great help to us in collecting and storing our specimens. The British Council is thanked for support of A. E.-O. in the UK in 1985 to enable him to work at the Commonwealth Mycological Institute. The research grant provided by Yarmouk University is also much appreciated.

REFERENCES

- ABU-KHADER, M. & al. (1968). *Jordan Climatological Data Handbook*. Ministry of Transport, Meteorological Department, Amman, Jordan.
- CANNON, P. F., D. L. HAWKSWORTH & M. A. SHERWOOD-PIKE (1985). *The British Ascomycotina. An annotated checklist*. Commonwealth Mycological Institute, Kew.
- EL-OQLAH, A. & J. N. LAHHAM (1985). Lichens from the northern part of Jordan. *Nova Hedwigia* 40 (in press).
- ZOHARY, M. (1973). *The Geobotanical Foundation of Middle East*. G. Fischer, Stuttgart.

Address of the authors: Dr. A. A. El-Oqlah and Dr. J. N. Lahham, Department of Biology, Yarmouk University, Irbid, Jordan.

Professor D. L. Hawksworth, Commonwealth Mycological Institute, Ferry Lane, Kew, Surrey TW9 3AF, UK.