

Zeitschrift: Candollea : journal international de botanique systématique =
international journal of systematic botany

Herausgeber: Conservatoire et Jardin botaniques de la Ville de Genève

Band: 48 (1993)

Heft: 2

Register: Key-words index

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 31.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

KEY-WORDS INDEX

<i>Achillea</i>	
<i>Albania</i> — Chromosome numbers — Caryotypes — <i>Crepis rhoeadifolia</i>	437
<i>AGARICALEAE</i> s.l.	
<i>FUNGI</i> — List — Geneva — <i>BASIDIOMYCOTINA</i> — <i>PEZIZALEAE</i> — <i>HELOTIALEAE</i> — Frequency	253
<i>Akeassia</i>	
<i>ASTERACEAE</i> — Tropical Africa — <i>Microtrichia</i> — <i>Grangea</i> — Taxonomy — Chorology	331
<i>Albania</i>	
Chromosome numbers — Caryotypes — <i>Achillea</i> — <i>Crepis rhoeadifolia</i>	437
<i>Allium</i>	
Endemism — Taxonomy — <i>Rubia</i> — Balearic Islands	593
Taxonomy — Flora — Cyprus — <i>Codonoprasum</i>	279
Wild species — Central Asia — Southwest Asia — Taxonomy — Description — Nomenclature — Key for determination	417
Anatomo-taxonomy	
<i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Species endemism — Taxonomy	501
Andes	
<i>Symplocos</i> — <i>SYMPLOCACEAE</i> — Peru — Taxonomy	351
ANGIOSPERMS	
<i>Picramnia</i> — <i>SIMAROUBACEAE</i> — Inflorescence — Morphology — Taxonomy	119
<i>Anredera cordifolia</i>	
<i>Flaveria bidentis</i> — <i>ASTERACEAE</i> — <i>Capraria biflora</i> — <i>SCROPHULARIACEAE</i> — <i>BASELLACEAE</i> — Senegal — Taxonomy	339
<i>Anthoxanthum</i>	
Corsica — Floristics — Caryology — Taxonomy — <i>Thymelaea</i>	525
<i>AQUIFOLIACEAE</i>	
<i>CELASTRALES</i> — Chloroplast DNA — <i>CORNALES</i> — <i>ICACINACEAE</i> — Molecular phylogeny — <i>THEALES</i>	459
Argentina	
<i>Chara baltica</i> — <i>CHAROPHYTA</i> — Systematics — Phytogeography — Ecology — South America	297
Flora — Chaco — Paraguay — Bolivia — Itineraries — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
<i>Argyreia</i>	
<i>CONVOLVULACEAE</i> — <i>Ptyxanthus</i> — Madagascar — Ovary	449
Assam	
<i>Clerodendrum nicolsonii</i> — <i>VERBENACEAE</i> — Deomukh — India	347
<i>ASTERACEAE</i>	
<i>Akeassia</i> — Tropical Africa — <i>Microtrichia</i> — <i>Grangea</i> — Taxonomy — Chorology	331
<i>Flaveria bidentis</i> — <i>Capraria biflora</i> — <i>SCROPHULARIACEAE</i> — <i>Anredera cordifolia</i> — <i>BASELLACEAE</i> — Senegal — Taxonomy	339
<i>ASTEREAE</i>	
<i>Pingraea</i> — <i>Neomolina</i> — <i>Baccharis</i> — <i>COMPOSITAE</i> — Taxonomy	203
<i>Baccharis</i>	
<i>Pingraea</i> — <i>Neomolina</i> — <i>COMPOSITAE</i> — <i>ASTEREAE</i> — Taxonomy	203
Balearic Islands	
Endemism — Taxonomy — <i>Rubia</i> — <i>Allium</i>	593
<i>BASELLACEAE</i>	
<i>Flaveria bidentis</i> — <i>ASTERACEAE</i> — <i>Capraria biflora</i> — <i>SCROPHULARIACEAE</i> — <i>Anredera cordifolia</i> — Senegal — Taxonomy	339

BASIDIOMYCOTINA

<i>FUNGI</i> — List — Geneva — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — <i>HELOTIALEAE</i> — Frequency	253
Biodiversity	
Biogeography — <i>Hebe</i> — <i>SCROPHULARIACEAE</i> — South Pacific — New Zealand ..	19
Biogeography	
Biodiversity — <i>Hebe</i> — <i>SCROPHULARIACEAE</i> — South Pacific — New Zealand	19
<i>Chromolaena odorata</i> — <i>Eupatorium odoratum</i> — Reproduction — Phenology ...	179
Bolivia	
Flora — Chaco — Paraguay — Argentina — Itineraries — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
Brazil	
<i>POACEAE</i> — <i>Piptochaetium palustre</i>	15
<i>BROMELIACEAE</i>	
Flora — Chaco — Paraguay — Bolivia — Argentina — Itineraries — <i>CACTACEAE</i> .	173
<i>CACTACEAE</i>	
Flora — Chaco — Paraguay — Bolivia — Argentina — Itineraries — <i>BROMELIACEAE</i>	173
<i>Callicarpa moldenkeiana</i>	
Meghalaya — India	111
<i>Campanula marcenoi</i>	
Taxonomy — Flora — Sicily — <i>Campanula</i> subsect. <i>Heterophylla</i>	493
<i>Campanula</i> subsect. <i>Heterophylla</i>	
Taxonomy — Flora — Sicily — <i>Campanula marcenoi</i>	493
<i>Capraria biflora</i>	
<i>Flaveria bidentis</i> — <i>ASTERACEAE</i> — <i>SCROPHULARIACEAE</i> — <i>Anredera cordifolia</i> — <i>BASELLACEAE</i> — Senegal — Taxonomy	339
<i>Carex</i>	
<i>CYPERACEAE</i> — Europe	465
Taxonomy — Caryology — <i>CYPERACEAE</i> — <i>SPIROSTACHYAE</i> — North Africa	195
Carpology	
<i>Tricholepis infundibuliformis</i> — <i>COMPOSITAE</i> — Morphology — Palynology — Taxonomy	607
Caryology	
Corsica — Floristics — Taxonomy — <i>Thymelaea</i> — <i>Anthoxanthum</i>	525
Taxonomy — Chorology — <i>Limonium</i> — Corsica	631
Taxonomy — <i>CYPERACEAE</i> — <i>Carex</i> — <i>SPIROSTACHYAE</i> — North Africa	195
Caryotypes	
Albania — Chromosome numbers — <i>Achillea</i> — <i>Crepis rhoeadifolia</i>	437
<i>CELASTRALES</i>	
<i>AQUIFOLIACEAE</i> — Chloroplast DNA — <i>CORNALES</i> — <i>ICACINACEAE</i> — Molecular phylogeny — <i>THEALES</i>	459
<i>Centaurea caroli-henrici</i>	
<i>COMPOSITAE</i> — Morphology — Palynology — Taxonomy	245
Central Asia	
<i>Allium</i> — Wild species — Southwest Asia — Taxonomy — Description — Nomenclature — Key for determination	417
<i>Cerasus erzincanica</i>	
Cherry — <i>ROSACEAE</i> — Flora — Turkey	115
Chaco	
Classical phytosociology — Floristics groups — Numerical analysis — Vegetation — Woody communities	615
Climate — Geology — South American phytogeography — Vegetation — Woody communities	145

Chaco	
<i>Flora</i> — Paraguay — Bolivia — Argentina — Itineraries — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
<i>Chara baltica</i>	
<i>CHAROPHYTA</i> — Systematics — Phytogeography — Ecology — Argentina — South America	297
<i>CHAROPHYTA</i>	
<i>Chara baltica</i> — Systematics — Phytogeography — Ecology — Argentina — South America	297
Cherry	
<i>Cerasus erzincanica</i> — <i>ROSACEAE</i> — Flora — Turkey	115
Chloroplast DNA	
<i>AQUIFOLIACEAE</i> — <i>CELASTRALES</i> — <i>CORNALES</i> — <i>ICACINACEAE</i> — Molecular phylogeny — <i>THEALES</i>	459
Chorology	
<i>Akeassia</i> — <i>ASTERACEAE</i> — Tropical Africa — <i>Microtrichia</i> — <i>Grangea</i> — Taxonomy Taxonomy — Caryology — <i>Limonium</i> — Corsica	331 631
<i>Chromolaena odorata</i>	
<i>Eupatorium odoratum</i> — Reproduction — Phenology — Biogeography	179
Chromosome numbers	
Albania — Caryotypes — <i>Achillea</i> — <i>Crepis rhoeadifolia</i>	437
Vascular plants — Cyprus	221
Classical phytosociology	
Chaco — Floristics groups — Numerical analysis — Vegetation — Woody communities	615
<i>Clerodendrum nicolsonii</i>	
<i>VERBENACEAE</i> — Deomukh — Assam — India	347
Climate	
Chaco — Geology — South American phytogeography — Vegetation — Woody communities	145
<i>Codonoprasum</i>	
Taxonomy — Flora — Cyprus — <i>Allium</i>	279
<i>COMPOSITAE</i>	
<i>Centaurea caroli-henrici</i> — Morphology — Palynology — Taxonomy	245
<i>Pingraea</i> — <i>Neomolina</i> — <i>Baccharis</i> — <i>ASTERAEAE</i> — Taxonomy	203
<i>Tricholepis infundibuliformis</i> — Morphology — Carpology — Palynology — Taxonomy	607
Configuration	
Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Genomic formula — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305
<i>CONVOLVULACEAE</i>	
<i>Argyreia</i> — <i>Ptyxanthus</i> — Madagascar — Ovary	449
<i>CORNALES</i>	
<i>AQUIFOLIACEAE</i> — <i>CELASTRALES</i> — Chloroplast DNA — <i>ICACINACEAE</i> — Molecular phylogeny — <i>THEALES</i>	459
Corsica	
Floristics — Caryology — Taxonomy — <i>Thymelaea</i> — <i>Anthoxanthum</i>	525
Taxonomy — Caryology — Chorology — <i>Limonium</i>	631
<i>Crepis rhoeadifolia</i>	
Albania — Chromosome numbers — Caryotypes — <i>Achillea</i>	437
<i>Cyclopogon</i>	
<i>ORCHIDACEAE</i> — Taxonomy — Neotropics	431
<i>CYPERACEAE</i>	
<i>Carex</i> — Europe	465
<i>Flora neotropica</i> — <i>Hypolytrum</i> — <i>Scleria</i>	469

CYPERACEAE	
Taxonomy — Caryology — <i>Carex</i> — <i>SPIROSTACHYAE</i> — North Africa	195
Cyprus	
Chromosome numbers — Vascular plants	221
Taxonomy — Flora — <i>Allium</i> — <i>Codonoprasum</i>	279
Deomukh	
<i>Clerodendrum nicolsonii</i> — <i>VERBENACEAE</i> — Assam — India	347
Description	
<i>Allium</i> — Wild species — Central Asia — Southwest Asia — Taxonomy — Nomenclature — Key for determination	417
Diplotaxis	
<i>Sinapidendron</i> — Macaronesia — Microdifferentiation — Experimental hybrids . . .	137
Distribution	
<i>ROSACEAE</i> — <i>Sibbaldia purpurea</i> — Typification — Synonymy	343
Diversity	
Geographic distribution — <i>POACEAE</i> — <i>Piptochaetium</i>	1
Ecology	
<i>Chara baltica</i> — <i>CHAROPHYTA</i> — Systematics — Phytogeography — Argentina — South America	297
<i>ROSACEAE</i> — <i>Rubus</i> — Taxonomy — Morphology — Nomenclature — Iberian Peninsula	61
Endemism	
Taxonomy — <i>Rubia</i> — <i>Allium</i> — Balearic Islands	593
<i>Eupatorium odoratum</i>	
<i>Chromolaena odorata</i> — Reproduction — Phenology — Biogeography	179
Europe	
<i>CYPERACEAE</i> — <i>Carex</i>	465
Experimental hybrids	
<i>Diplotaxis</i> — <i>Sinapidendron</i> — Macaronesia — Microdifferentiation	137
Fertility	
Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Pollen — Heterostyly — <i>Turnera ulmifolia</i>	305
<i>Flaveria bidentis</i>	
<i>ASTERACEAE</i> — <i>Capraria biflora</i> — <i>SCROPHULARIACEAE</i> — <i>Anredera cordifolia</i> — <i>BASELLACEAE</i> — Senegal — Taxonomy	339
Flora	
Chaco — Paraguay — Bolivia — Argentina — Itineraries — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
Cherry — <i>Cerasus erzincanica</i> — <i>ROSACEAE</i> — Turkey	115
Taxonomy — Cyprus — <i>Allium</i> — <i>Codonoprasum</i>	279
Taxonomy — Italy — <i>SALICACEAE</i> — <i>Salix brutia</i>	291
Taxonomy — Sicily — <i>Campanula marcenoi</i> — <i>Campanula</i> subsect. <i>Heterophylla</i> .	493
Taxonomy — Sicily — <i>Serapias orientalis</i> subsp. <i>siciliensis</i> — <i>ORCHIDACEAE</i>	231
Wadi Dahr — Yemen	101
Flora neotropica	
<i>CYPERACEAE</i> — <i>Hypolytrum</i> — <i>Scleria</i>	469
Floristics	
Corsica — Caryology — Taxonomy — <i>Thymelaea</i> — <i>Anthoxanthum</i>	525
Paraguay — Systematics	237, 511
Floristics groups	
Chaco — Classical phytosociology — Numerical analysis — Vegetation — Woody communities	615

Frequency	
FUNGI — List — Geneva — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — <i>HELOTIALEAE</i>	253
<i>Freycinetia banksii</i>	
Anatomo-taxonomy — <i>Freycinetia baueriana</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Species endemism — Taxonomy	501
<i>Freycinetia baueriana</i>	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Species endemism — Taxonomy	501
FUNGI	
List — Geneva — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — <i>HELOTIALEAE</i> — Frequency	253
Geneva	
FUNGI — List — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — <i>HELOTIALEAE</i> — Frequency	253
Genomic formula	
Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305
Geographic distribution	
Diversity — <i>POACEAE</i> — <i>Piptochaetium</i>	1
Geology	
Chaco — Climate — South American phytogeography — Vegetation — Woody communities	145
Grangea	
<i>Akeassia</i> — <i>ASTERACEAE</i> — Tropical Africa — <i>Microtrichia</i> — Taxonomy — Chorology	331
Hebe	
Biogeography — Biodiversity — <i>SCROPHULARIACEAE</i> — South Pacific — New Zealand	19
HELOTIALEAE	
FUNGI — List — Geneva — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — Frequency	253
Heterostyly	
Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Pollen — Fertility — <i>Turnera ulmifolia</i>	305
Homologous chromosomes	
Hybrids — Meiosis — Segmental allopolyploid — Configuration — Genomic formula — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305
Host plant	
Parasitic plants — Syria — Survey — <i>Orobanche</i>	83
Hybrids	
Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305
<i>Hypolytrum</i>	
<i>CYPERACEAE</i> — Flora neotropica — <i>Scleria</i>	469
Iberian Peninsula	
Pollen — Morphology — <i>Ranunculus</i> — Palynology	321
<i>ROSACEAE</i> — <i>Rubus</i> — Taxonomy — Morphology — Ecology — Nomenclature	61
ICACINACEAE	
<i>AQUIFOLIACEAE</i> — <i>CELASTRALES</i> — Chloroplast DNA — <i>CORNALES</i> — Molecular phylogeny — <i>THEALES</i>	459
India	
<i>Callicarpa moldenkeiana</i> — Meghalaya	111
<i>Clerodendrum nicolsonii</i> — <i>VERBENACEAE</i> — Deomukh — Assam	347

Inflorescence	
<i>Picramnia</i> — <i>SIMAROUBACEAE</i> — ANGIOSPERMS — Morphology — Taxonomy	119
Italy	
Taxonomy — Flora — <i>SALICACEAE</i> — <i>Salix brutia</i>	291
Itineraries	
Flora — Chaco — Paraguay — Bolivia — Argentina — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
Key for determination	
<i>Allium</i> — Wild species — Central Asia — Southwest Asia — Taxonomy — Description — Nomenclature	417
<i>Limodorum brunneum</i>	
Taxonomy — <i>ORCHIDACEAE</i> — South Italy	485
<i>Limonium</i>	
Taxonomy — Caryology — Chorology — Corsica	631
List	
<i>FUNGI</i> — Geneva — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>PEZIZALEAE</i> — <i>HELO-TIALEAE</i> — Frequency	253
Macaronesia	
<i>Diplotaxis</i> — <i>Sinapidendron</i> — Microdifferentiation — Experimental hybrids	137
Madagascar	
<i>CONVOLVULACEAE</i> — <i>Argyrearia</i> — <i>Ptyxanthus</i> — Ovary	449
Meghalaya	
<i>Callicarpa moldenkeiana</i> — India	111
Meiosis	
Hybrids — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305
Microdifferentiation	
<i>Diplotaxis</i> — <i>Sinapidendron</i> — Macaronesia — Experimental hybrids	137
<i>Microtrichia</i>	
<i>Akeassia</i> — <i>ASTERACEAE</i> — Tropical Africa — <i>Grangea</i> — Taxonomy — Chorology	331
Modern pollen rain	
Palaeovegetation — Western Alps	475
Molecular phylogeny	
<i>AQUIFOLIACEAE</i> — <i>CELASTRALES</i> — Chloroplast DNA — <i>CORNales</i> — <i>ICACINACEAE</i> — <i>THEALES</i>	459
Morphology	
<i>Centaurea caroli-henrici</i> — <i>COMPOSITAE</i> — Palynology — Taxonomy	245
<i>Picramnia</i> — <i>SIMAROUBACEAE</i> — Inflorescence — ANGIOSPERMS — Taxonomy	119
Pollen — <i>Ranunculus</i> — Iberian Peninsula — Palynology	321
<i>ROSACEAE</i> — <i>Rubus</i> — Taxonomy — Ecology — Nomenclature — Iberian Peninsula	61
<i>Tricholepis infundibuliformis</i> — <i>COMPOSITAE</i> — Carpology — Palynology — Taxonomy	607
Müller Ph.-J.	
<i>Rubus</i> — Typus	383
<i>Neomolina</i>	
<i>Pingraea</i> — <i>Baccharis</i> — <i>COMPOSITAE</i> — <i>ASTERAEAE</i> — Taxonomy	203
Neotropics	
<i>ORCHIDACEAE</i> — <i>Cyclopogon</i> — Taxonomy	431
New Zealand	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Species endemism — Taxonomy	501
Biogeography — Biodiversity — <i>Hebe</i> — <i>SCROPHULARIACEAE</i> — South Pacific	19
Nomenclature	
<i>Allium</i> — Wild species — Central Asia — Southwest Asia — Taxonomy — Description — Key for determination	417

Nomenclature	
<i>ROSACEAE</i> — <i>Rubus</i> — Taxonomy — Morphology — Ecology — Iberian Peninsula	61
Norfolk Island	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand	
— <i>PANDANACEAE</i> — Species concept — Species endemism — Taxonomy	501
North Africa	
Numerical analysis	
Chaco — Classical phytosociology — Floristics groups — Vegetation — Woody communities	615
Taxonomy — Caryology — <i>CYPERACEAE</i> — <i>Carex</i> — <i>SPIROSTACHYAE</i>	195
<i>ORCHIDACEAE</i>	
<i>Cyclopogon</i> — Taxonomy — Neotropics	431
Taxonomy — Flora — Sicily — <i>Serapias orientalis</i> subsp. <i>siciliensis</i>	231
Taxonomy — <i>Limodorum brunloei</i> — South Italy	485
<i>Orobanche</i>	
Parasitic plants — Syria — Survey — Host plant	83
Ovary	
<i>CONVOLVULACEAE</i> — <i>Argyreia</i> — <i>Ptyxanthus</i> — Madagascar	449
Palaeovegetation	
Modern pollen rain — Western Alps	475
Palynology	
<i>Centaurea caroli-henrici</i> — <i>COMPOSITAE</i> — Morphology — Taxonomy	245
Pollen — Morphology — <i>Ranunculus</i> — Iberian Peninsula	321
<i>Tricholepis infundibuliformis</i> — <i>COMPOSITAE</i> — Morphology — Carpology — Taxonomy	607
<i>PANDANACEAE</i>	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand	
— Norfolk Island — Species concept — Species endemism — Taxonomy	501
Paraguay	
Flora — Chaco — Bolivia — Argentina — Itineraries — <i>CACTACEAE</i> — <i>BROMELIACEAE</i>	173
Floristics — Systematics	237, 511
Parasitic plants	
Syria — Survey — <i>Orobanche</i> — Host plant	83
Peru	
<i>Symplocos</i> — <i>SYMPLOCACEAE</i> — Andes — Taxonomy	351
PEZIZALEAE	
<i>FUNGI</i> — List — Geneva — <i>BASIDIOMYCOTINA</i> — <i>AGARICALEAE</i> s.l. — <i>HELOTIALEAE</i>	
— Frequency	253
Phenology	
<i>Chromolaena odorata</i> — <i>Eupatorium odoratum</i> — Reproduction — Biogeography	179
Phytogeography	
<i>Chara baltica</i> — <i>CHAROPHYTA</i> — Systematics — Ecology — Argentina — South America	297
<i>Picramnia</i>	
<i>SIMAROUBACEAE</i> — Inflorescence — ANGIOSPERMS — Morphology — Taxonomy ..	119
<i>Pingraea</i>	
<i>Neomolina</i> — <i>Baccharis</i> — <i>COMPOSITAE</i> — <i>ASTEREAE</i> — Taxonomy	203
<i>Piptochaetium</i>	
Diversity — Geographic distribution — <i>POACEAE</i>	1
<i>Piptochaetium palustre</i>	
<i>POACEAE</i> — Brazil	15
<i>POACEAE</i>	
Diversity — Geographic distribution — <i>Piptochaetium</i>	1
<i>Piptochaetium palustre</i> — Brazil	15

Pollen		
Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305	
Morphology — <i>Ranunculus</i> — Iberian Peninsula — Palynology	321	
<i>Pseudoclitocybe</i>		
Taxonomy — <i>Pseudoomphalina</i> — Sardinia	601	
<i>Pseudoomphalina</i>		
Taxonomy — <i>Pseudoclitocybe</i> — Sardinia	601	
<i>Ptyxanthus</i>		
CONVOLVULACEAE — <i>Argyreia</i> — Madagascar — Ovary	449	
<i>Ranunculus</i>		
Pollen — Morphology — Iberian Peninsula — Palynology	321	
Reproduction		
<i>Chromolaena odorata</i> — <i>Eupatorium odoratum</i> — Phenology — Biogeography	179	
<i>ROSACEAE</i>		
Cherry — <i>Cerasus erzincanica</i> — Flora — Turkey	115	
<i>Rubus</i> — Taxonomy — Morphology — Ecology — Nomenclature — Iberian Peninsula	61	
<i>Sibbaldia purpurea</i> — Distribution — Typification — Synonymy	343	
<i>Rubia</i>		
Endemism — Taxonomy — <i>Allium</i> — Balearic Islands	593	
<i>Rubus</i>		
<i>ROSACEAE</i> — Taxonomy — Morphology — Ecology — Nomenclature — Iberian Peninsula	61	
Typus — Ph.-J. Müller	383	
<i>SALICACEAE</i>		
Taxonomy — Flora — Italy — <i>Salix brutia</i>	291	
<i>Salix brutia</i>		
Taxonomy — Flora — Italy — <i>SALICACEAE</i>	291	
<i>Sardinia</i>		
Taxonomy — <i>Pseudoclitocybe</i> — <i>Pseudoomphalina</i>	601	
<i>Scleria</i>		
CYPERACEAE — Flora neotropica — <i>Hypolytrum</i>	469	
<i>SCROPHULARIACEAE</i>		
Biogeography — Biodiversity — <i>Hebe</i> — South Pacific — New Zealand	19	
<i>Flaveria bidentis</i> — ASTERACEAE — <i>Capraria biflora</i> — <i>Anredera cordifolia</i> — BASELLACEAE — Senegal — Taxonomy	339	
Segmental allopolyploid		
Hybrids — Meiosis — Homologous chromosomes — Configuration — Genomic formula — Pollen — Fertility — Heterostyly — <i>Turnera ulmifolia</i>	305	
<i>Senegal</i>		
<i>Flaveria bidentis</i> — ASTERACEAE — <i>Capraria biflora</i> — SCROPHULARIACEAE — <i>Anredera cordifolia</i> — BASELLACEAE — Taxonomy	339	
<i>Serapias orientalis</i> subsp. <i>siciliensis</i>		
Taxonomy — Flora — Sicily — ORCHIDACEAE	231	
<i>Sibbaldia purpurea</i>		
<i>ROSACEAE</i> — Distribution — Typification — Synonymy	343	
<i>Sicily</i>		
Taxonomy — Flora — <i>Campanula marcenoi</i> — <i>Campanula</i> subsect. <i>Heterophylla</i>	493	
Taxonomy — Flora — <i>Serapias orientalis</i> subsp. <i>siciliensis</i> — ORCHIDACEAE	231	
<i>SIMAROUBACEAE</i>		
<i>Picramnia</i> — Inflorescence — ANGIOSPERMS — Morphology — Taxonomy	119	
<i>Sinapidendron</i>		
<i>Diplotaxis</i> — Macaronesia — Microdifferentiation — Experimental hybrids	137	

South America	
<i>Chara baltica</i> — <i>CHAROPHYTA</i> — Systematics — Phytogeography — Ecology — Argentina	297
South American phytogeography	
Chaco — Climate — Geology — Vegetation — Woody communities	145
South Italy	
Taxonomy — <i>ORCHIDACEAE</i> — <i>Limodorum brulloi</i>	485
South Pacific	
Biogeography — Biodiversity — <i>Hebe</i> — <i>SCROPHULARIACEAE</i> — New Zealand	19
Southwest Asia	
<i>Allium</i> — Wild species — Central Asia — Taxonomy — Description — Nomenclature — Key for determination	417
Species concept	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species endemism — Taxonomy	501
Species endemism	
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Taxonomy	501
SPIROSTACHYAE	
Taxonomy — Caryology — <i>CYPERACEAE</i> — <i>Carex</i> — North Africa	195
Survey	
Parasitic plants — Syria — <i>Orobanche</i> — Host plant	83
SYMPLOCACEAE	
<i>Symplocos</i> — Peru — Andes — Taxonomy	351
Symplocos	
<i>SYMPLOCACEAE</i> — Peru — Andes — Taxonomy	351
Synonymy	
<i>ROSACEAE</i> — <i>Sibbaldia purpurea</i> — Distribution — Typification	343
Syria	
Parasitic plants — Survey — <i>Orobanche</i> — Host plant	83
Systematics	
<i>Chara baltica</i> — <i>CHAROPHYTA</i> — Phytogeography — Ecology — Argentina — South America	297
Paraguay — Floristics	237, 511
Taxonomy	
<i>Akeassia</i> — <i>ASTERACEAE</i> — Tropical Africa — <i>Microtrichia</i> — <i>Grangea</i> — Chorology	331
<i>Allium</i> — Wild species — Central Asia — Southwest Asia — Description — Nomenclature — Key for determination	417
Anatomo-taxonomy — <i>Freycinetia banksii</i> — <i>Freycinetia baueriana</i> — New Zealand — Norfolk Island — <i>PANDANACEAE</i> — Species concept — Species endemism	501
Caryology — Chorology — <i>Limonium</i> — Corsica	631
Caryology — <i>CYPERACEAE</i> — <i>Carex</i> — <i>SPIROSTACHYAE</i> — North Africa	195
<i>Centaurea caroli-henrici</i> — <i>COMPOSITAE</i> — Morphology — Palynology	245
Corsica — Floristics — Caryology — <i>Thymelaea</i> — <i>Anthoxanthum</i>	525
Endemism — <i>Rubia</i> — <i>Allium</i> — Balearic Islands	593
<i>Flaveria bidentis</i> — <i>ASTERACEAE</i> — <i>Capraria biflora</i> — <i>SCROPHULARIACEAE</i> — <i>Anreda cordifolia</i> — <i>BASELLACEAE</i> — Senegal	339
Flora — Cyprus — <i>Allium</i> — <i>Codonoprasum</i>	279
Flora — Italy — <i>SALICACEAE</i> — <i>Salix brutia</i>	291
Flora — Sicily — <i>Campanula marcenoi</i> — <i>Campanula</i> subsect. <i>Heterophylla</i>	493
Flora — Sicily — <i>Serapias orientalis</i> subsp. <i>siciliensis</i> — <i>ORCHIDACEAE</i>	231
<i>ORCHIDACEAE</i> — <i>Cyclopogon</i> — Neotropics	431
<i>ORCHIDACEAE</i> — <i>Limodorum brulloi</i> — South Italy	485

Taxonomy

<i>Picramnia</i> — <i>SIMAROUBACEAE</i> — Inflorescence — ANGIOSPERMS — Morphology	119
<i>Pingraea</i> — <i>Neomolina</i> — <i>Baccharis</i> — <i>COMPOSITAE</i> — <i>ASTEREAE</i>	203
<i>Pseudoclitocybe</i> — <i>Pseudoomphalina</i> — Sardinia	601
<i>ROSACEAE</i> — <i>Rubus</i> — Morphology — Ecology — Nomenclature — Iberian Peninsula	61
<i>Symplocos</i> — <i>SYMPLOCACEAE</i> — Peru — Andes	351
<i>Tricholepis infundibuliformis</i> — <i>COMPOSITAE</i> — Morphology — Carpology — Palynology	607
THEALES	
<i>AQUIFOLIACEAE</i> — <i>CELASTRALES</i> — Chloroplast DNA — <i>CORNALES</i> — <i>ICACINACEAE</i> — Molecular phylogeny	459
Thymelaeidae	
<i>Corsica</i> — Floristics — Caryology — Taxonomy — <i>Anthoxanthum</i>	525
<i>Tricholepis infundibuliformis</i> — <i>COMPOSITAE</i> — Morphology — Carpology — Palynology — Taxonomy	607
Tropical Africa	
<i>Akeassia</i> — <i>ASTERACEAE</i> — <i>Microtrichia</i> — <i>Grangea</i> — Taxonomy — Chorology ..	331
Turkey	
Cherry — <i>Cerasus erzincanica</i> — <i>ROSACEAE</i> — Flora	115
<i>Turnera ulmifolia</i> — Hybrids — Meiosis — Segmental allopolyploid — Homologous chromosomes — Configuration — Genomic formula — Pollen — Fertility — Heterostyly	305
Typification	
<i>ROSACEAE</i> — <i>Sibbaldia purpurea</i> — Distribution — Synonymy	343
Typus	
<i>Rubus</i> — Ph.-J. Müller	383
Vascular plants	
Chromosome numbers — Cyprus	221
Vegetation	
Chaco — Classical phytosociology — Floristics groups — Numerical analysis — Woody communities	615
Chaco — Climate — Geology — South American phytogeography — Woody communities	145
VERBENACEAE	
<i>Clerodendrum nicolsonii</i> — Deomukh — Assam — India	347
Wadi Dahr	
Flora — Yemen	101
Western Alps	
Palaeo-vegetation — Modern pollen rain	475
Wild species	
<i>Allium</i> — Central Asia — Southwest Asia — Taxonomy — Description — Nomenclature — Key for determination	417
Woody communities	
Chaco — Classical phytosociology — Floristics groups — Numerical analysis — Vegetation	615
Chaco — Climate — Geology — South American phytogeography — Vegetation ..	145
Yemen	
Flora — Wadi Dahr	101