

Zeitschrift:	Candollea : journal international de botanique systématique = international journal of systematic botany
Herausgeber:	Conservatoire et Jardin botaniques de la Ville de Genève
Band:	49 (1994)
Heft:	2
Artikel:	On the typification of Santolina oblongifolia Boiss. (Compositae)
Autor:	Sánchez-Mata, D. / González Bueno, A. / Rodríguez Nozal, R.
DOI:	https://doi.org/10.5169/seals-879555

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 04.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

On the typification of *Santolina oblongifolia* Boiss. (Compositae)

D. SÁNCHEZ-MATA
A. GONZÁLEZ BUENO
&
R. RODRÍGUEZ NOZAL

ABSTRACT

SÁNCHEZ-MATA, D., A. GONZÁLEZ BUENO & R. RODRÍGUEZ NOZAL (1994). On the typification of *Santolina oblongifolia* Boiss. (Compositae). *Candollea* 49: 543-548. In English, English and Castilian abstracts.

The original material (holotype) of *Santolina oblongifolia* Boiss. located in the Geneva Conservatory and Botanical Garden Herbarium (G) which was previously unknown, is here described from the Pavón's Spanish herbarium. Information and also all data to establish the source of the specimen is provided, as well as general comments about this Iberian endemic taxon.

RESUMEN

SÁNCHEZ-MATA, C., A. GONZÁLEZ BUENO & R. RODRÍGUEZ NOZAL (1994). Sobre la tipificación de *Santolina oblongifolia* Boiss. (Compositae). *Candollea* 49: 543-548. En inglés, resúmenes en inglés y castellano.

Se da a conocer a la comunidad científica botánica el material original (holotipo) de *Santolina oblongifolia* Boiss. localizado en el Herbario del Conservatorio y Jardín Botánico de Ginebra (G). Este material, desconocido hasta ahora, procede de las colecciones de material ibérico de José Pavón; se detallan los datos históricos necesarios para establecer su origen y se describe el mismo considerándolo como holotipo del taxón en cuestión del que, además, se aportan datos de diversa índole.

KEY-WORD: COMPOSITAE — Endemism — Iberian Peninsula — *Santolina oblongifolia* — Holotype — Pavón's Spanish Herbarium.

Introduction

The destination of the plants, basically American, collected by J. Pavón (1754-1840) is relatively well-known. MILLER states who (1970) was responsible for the distribution of the lots sold to J. B. Lambert between 1816 and 1827; PICHI-SERMOLLI (1949) studied the collections sold to F. B. Webb between 1826 and 1827; LACK (1979) studied the source of the collections deposited in the Berlin herbarium (B) and, recently, RODRÍGUEZ NOZAL (1993) has done a study on the dispersion and current location of the collections from the illustrated botanical expeditions to America.

We are aware, from E. Boissier's own comments (1845), that he was unable to study the collections of J. Pavón, then deposited in the Royal Gardens, during his stay in Madrid in 1837; but in Madrid some years later he bought, through F. G. Reuter, some six or eight thousand specimens of which a quarter came from Extremadura in Spain, neighboring Portugal, and Madrid and its surroundings. The sale of this material was carried out by the sons of J. Pavón through M. Colmeiro (BURDET, 1985). The proofs of the illustrations of the then unpublished "Laurographia florae




Fig. 1. — Holotype of *Santolina oblongifolia* Boiss. (G) from Pavón's Spanish herbarium.




Fig. 2. — **a**, label and handwritten notations by Boissier; **b**, handwritten notations “manu ignota”. Holotype of *Santolina oblongifolia* Boiss. (G) from Pavón’s Spanish herbarium.

peruviana et chilensis" (GONZALEZ BUENO & NAVARRO ARANDA, 1989) must have been among this material, to judge from the comments made by C. F. Meissner in his monograph on *Lauraceae*, published in the "Prodromus systematis naturalis regni vegetabilis" by DE CANDOLLE (1864); this same source was used by J. L. Howard to obtain the material for his "Illustration of the Nueva Quinologia of Pavón", in 1858, conserved today in the British Natural History Museum (ESTRELLA, 1987; GONZALEZ BUENO & BERMEJO, 1989).

Discussion

It has thus been proved that E. Boissier made use of the material collected by J. Pavón in the preparation of his "Diagnoses plantarum orientalium novarum" (1843-1859). This material has "Hispania" as its only indication of source, which may pose a certain ambiguity in the chorology and typification of the plants, which must be solved. RIVAS GODAY (1955) maintains that the only collections carried out in Spain by J. Pavón are from his birthplace in the province of Cáceres (Casatejada) and surroundings; this information is incomplete, as WILLKOMM & LANGE mention material from the surroundings of Madrid in their "Prodromus florae hispanicae" (1861-1880). However, current available information makes it possible to affirm that most of his collections on the Peninsula took place before he left for America (1777) and, as RIVAS GODAY indicated (op. cit.), in locations close to Casatejada (Cáceres).

Regarding the taxon in question, *Santolina oblongifolia* Boiss., it must be pointed out that, from the phytochorological point of view, the "Gredos camomile" is a mountain-growing taxon endemic in the Iberian Central System; its area is limited to the Bejarano-Gredense sector (Gredense and Bejarano-Tormantino subsectors) following the Iberian biogeographical typology proposed by RIVAS-MARTINEZ & al. (1990).

In view of the above, it seems clear that the original material of *Santolina oblongifolia* Boiss., collected by J. Pavón and conserved in his "Spanish herbarium" (teste Boissier), was collected in the mountainous areas belonging to the Gredos-Béjar-Tormantos massif; in these mountains, not so far from Casatejada, *Santolina oblongifolia* Boiss. characterises certain subnitrophilic communities (*Artemisio glutinosae-Santolinion rosmarinifoliae*) and it is not even uncommon occasionally to find this taxon in (oro)-supramediterranean broom and gorse lands (*Cytiso oromediterranei-Echinospartetum barnadesii*; *Cytiso oromediterranei-Echinospartetum pulviniformis*; *Cytiso oromediterranei-Genistetum cinerascentis echinospartetosum barnadesii*).

Typification

The typification is therefore clear. We consider the specimen located in the Geneva Conservatory and Botanical Garden (G) to be the holotype of *Santolina oblongifolia* Boiss., Diagn. Pl. Or. Nov. ser.2 (3,3): 18. 1856 (Fig. 1); this has been proved to be the only material studied by Boissier to describe the species (art. 7.3 ICBN, GREUTER & al., eds., 1988). In the protologue he states "Hab. in Hispania loco non notato (Herb. Pavon)... Flores in meo specimine destructos nec achenia describere potui"; these words prove that Boissier had the specimen in his possession at the time of writing the description and this agrees with the phenological state of the specimen in question.

The holotype comprises a single sample, somewhat fragmented, with two floriferous scapes each bearing a capitulum and numerous sterile stalks (Fig. 1). The original specimen from Pavón's Spanish herbarium is on white paper, approximately 21 × 30 cm, and is stuck on a double sheet of grey paper of the type commonly used in the Geneva herbarium. The handwritten notations and gummed labels are described below (print.: printed text; mss: handwritten text; und.: underlined text).

- On the back of Pavón's original sample: "Santolina incana nobis" [mss. Pavón].
- On the front of Pavón's original sample: In the lower right-hand corner Pavón's handwritten notation from the back is repeated: "Santolina incana nobis" [manu ignota] (Fig. 2b); this notation copied from the back must have been made to facilitate the identification of the material when mounted and viewed from the front (Fig. 1). In the lower left-hand corner is the following notation: "Hispania herb Pavon" [mss. Boissier] (Fig. 2a).

There are three labels stuck on the paper mounting of the holotype from G, as well as a stamp in black ink:

1. "sp. nova mihi S. pectinata Lag. Confer/Barrel. 422" [mss. Boissier]. A double stamp in blue ink indicates "scripsit Boissier" (Fig. 2a).
2. Conservatoire botanique, Genève/Herbier BOISSIER, séries n'ayant pas/servi à la rédaction du *Flora Orientalis* [print.] (Fig. 1).
3. Revision label by E. Guinea: "Santolina oblongifolia [und.] Boiss. [mss. E. Guinea]/Emilio Guinea [mss. E. Guinea and signed]/DETERM. ANNO 19 [print.] 66 [mss. E. Guinea]/29 VIII [mss. E. Guinea] (Fig. 1).
- A circular stamp in black ink indicates: "HERBARIUM GENAVENSE G" (Fig. 1).

Finally it must be added that, inexplicably, the holotype in question is not mentioned or described by GUINEA in his monograph "Santolina europaea" (1970), in spite of his having previously reviewed Pavón's material (1966); he only mentions the material studied in the Herbarium of the Royal Botanical Garden in Madrid (MA 126798) from the Exsiccatae Plantae d'Espagne 1863 by E. Bourgeau, collected in the "Puerto del Pico" (East Gredos) that year by the French collector; moreover the classification of this taxon does not appear in the comprehensive work published by BURDET, CHARPIN & JACQUEMOUD on the nomenclatural typifications of the Iberian taxa regarding Compositae, described by Boissier or Reuter (1983).

ACKNOWLEDGEMENTS

We are grateful to the Herbarium of the Geneva Conservatory and Botanical Garden (G) — both the institution and its directors — for the access provided to the authors for the study of the material from the Boissier herbarium; to P. Cantó for her assistance in the search for the material studied; to S. Sardinero for his comments; to Ms Prue Brooke-Turner for the English version of the original manuscript in Castilian and also to R. Gavilán for her assistance in the processing of the text.

Work supported by project PR 179/91-3491 U.C.M.

REFERENCES

- BOISSIER, E. (1845). Préface: I-X. In: *Voyage botanique dans le midi de l'Espagne pendant l'année 1837. I. Narration et géographie botanique. Planches*. 1839-1845. Paris.
- BOISSIER, E. (1842-1859). *Diagnoses plantarum orientalium novarum*. Lipsiae & als.
- BURDET, H. M. (1985). *Edmond Boissier, botaniste genevois, 1810-1885*. Genève.
- BURDET, H. M., A. CHARPIN & F. JACQUEMOUD (1983). Types nomenclaturaux des taxa ibériques décrits par Boissier ou Reuter. IV. Cistacées à Composées. *Candollea* 38(2): 751-802.
- ESTRELLA, E. (1987). Contribución al estudio de la obra quinológica de José Pavón. *Asclepio* 39: 27-52.
- GONZALEZ BUENO, A. & P. BERMEJO (1989). Una colección de quinas perteneciente a José Pavón. *Acta Bot. Malacit.* 14: 195-197.
- GONZALEZ BUENO, A. & C. NAVARRO ARANDA (eds.) (1989). *Laurographia Flora Peruviana et Chilensis. Auctoriibus Hypolyto Ruiz et Josepho Pavon*. Madrid/Belorardo.
- GREUTER, W., H. M. BURDET, W. G. CHALONER, V. DEMOULIN, R. GROLLE D. L. HAWKSWORTH, D. H. NICOLSON, P. C. SILVA, F. A. STAFLEU, E. G. VOSS & J. McNEILL (1988). International Code of Botanical Nomenclature, adopted by the Fourteenth International Botanical Congress, Berlin, July-August 1987. *Regnum Veg.* 118, 328 pp. Koeltz Scientific Books. Königstein.
- GUINEA, E. (1970). Santolina europaea. *Anales Inst. Bot. Cavanilles* 27: 29-44.
- LACK, H. W. (1979). Die südamerikanischen Sammlungen von H. Ruiz und Mitarbeitern im Botanischen Museum Berlin Dahlem. *Willdenowia* 9: 177-198.

- MEISSNER, C. F. (1864). Lauraceae. In: A. P. DE CANDOLLE, *Prodromus systematis naturalis regni vegetabilis* 15(1): 1260. Paris.
- MILLER, H. S. (1970). The herbarium of Aylmer Bourke Lambert. Notes on its acquisition, dispersal and present whereabouts. *Taxon* 19: 489-553.
- PICHI-SERMOLLI, R. (1949). Le collezioni cedute da J. Pavón a F. B. Webb e conservate nell'Herbarium Webbianum. *Nuovo Giorn. Bot. Ital.* 56(4): 699-701.
- RIVAS GODAY S. (1955). Ruiz y Pavón, discípulos destacados de Gómez Ortega. *Anales Real Acad. Farm.* 21(1): 23-30.
- RIVAS-MARTINEZ, S., P. CANTO, F. FERNANDEZ-GONZALEZ, C. NAVARRO ARANDA, J. M. PIZARRO & D. SANCHEZ-MATA, D. (1990). Biogeografía de la Península Ibérica, Islas Baleares y Canarias. *Fol. Bot. Matritensis* 8: 1-6.
- RODRIGUEZ NOZAL, R. (1993). *La "Oficina de la Flora Americana" (1788-1835) y la marginación del proyecto de las expediciones botánicas ilustradas*. Memoria doctoral. Facultad de Farmacia. Universidad Complutense. 519 pp. Madrid.
- WILLKOMM, M. & J. LANGE (1861-1880). *Prodromus florae hispanicae*. 3 vol. Stuttgart.

Addresses of the authors: D.S.M.: Departamento de Biología Vegetal II, Cátedra de Botánica, Facultad de Farmacia, Universidad Complutense, E-28040 Madrid, Spain.

A.G.B. & R.R.N.: Departamento de Farmacia y Tecnología Farmacéutica, Cátedra de Historia de la Farmacia, Facultad de Farmacia, Universidad Complutense, E-28040 Madrid, Spain.