

<b>Zeitschrift:</b>	Candollea : journal international de botanique systématique = international journal of systematic botany
<b>Herausgeber:</b>	Conservatoire et Jardin botaniques de la Ville de Genève
<b>Band:</b>	55 (2000)
<b>Heft:</b>	2
<b>Register:</b>	Key-words index

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 09.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## KEY-WORDS INDEX

1 ha plot	
Tropical forest – Madagascar – Floristic composition – Sambirano . . . . .	319
Africa	
<i>OCHNACEAE – SAPOTACEAE – Synsepalum – Ouratea</i> . . . . .	281
Albania	
<i>OROBANCHACEAE – Orobanche nowackiana – Serpentine – Greece</i> . . . . .	269
Algeria	
<i>CRUCIFERAЕ – Erucastrum – Morocco – Tunisia</i> . . . . .	179
<i>Alkanna</i>	
Greece – Greek flora – Epirus – <i>BORAGINACEAE – Onosma – Anchusa</i> . . . . .	153
<i>Anachyris</i>	
<i>Paspalum – PANICEAE – POACEAE – Taxonomy – Anatomy</i> . . . . .	105
Anatomy	
<i>Paspalum – Anachyris – PANICEAE – POACEAE – Taxonomy</i> . . . . .	105
<i>Anchusa</i>	
Greece – Greek flora – Epirus – <i>BORAGINACEAE – Onosma – Alkanna</i> . . . . .	153
<i>APOCYNACEAE</i>	
<i>SECAMONOIDEAE – Secamone – Madagascar – Taxonomy</i> . . . . .	75
<i>ARACEAE</i>	
<i>Arum – Corsica</i> . . . . .	255
<i>Arum</i>	
<i>ARACEAE – Corsica</i> . . . . .	255
<i>Barbarea</i>	
<i>Nasturtium macrocarpum – Ceriosperma – BRASSICACEAE – Lebanon</i> . . . . .	201
<i>BORAGINACEAE</i>	
Greece – Greek flora – Epirus – <i>Onosma – Alkanna – Anchusa</i> . . . . .	153
Branching	
<i>PANDANACEAE – Freycinetia – New Guinea – Prophylls – Taxonomy</i> . . . . .	283
<i>BRASSICACEAE</i>	
<i>Nasturtium macrocarpum – Barbarea – Ceriosperma – Lebanon</i> . . . . .	201
<i>CARYOPHYLLACEAE</i>	
<i>Minuartia – Taxonomy – SW-Europe</i> . . . . .	205
<i>Ceriosperma</i>	
<i>Nasturtium macrocarpum – Barbarea – BRASSICACEAE – Lebanon</i> . . . . .	201

Chorology	
Corsica – Floristics – Taxonomy – Vegetation . . . . .	41
Chromosome numbers	
<i>HYACINTHACEAE</i> – <i>Hyacinthella</i> – South-Eastern Europe – Taxonomy . . . . .	213
Comoro Archipelago	
<i>STERCULIACEAE</i> – <i>Nesogordonia suzannae</i> – Mayotte . . . . .	277
Corsica	
<i>ARACEAE</i> – <i>Arum</i> . . . . .	255
Floristics – Taxonomy – Vegetation – Chorology . . . . .	41
<i>CRUCIFERAE</i>	
<i>Erucastrum</i> – Algeria – Morocco – Tunisia . . . . .	179
<i>Dioicollippia</i>	
<i>VERBENACEAE</i> – <i>Lippia</i> – Taxonomy . . . . .	227
Epirus	
Greece – Greek flora – <i>BORAGINACEAE</i> – <i>Onosma</i> – <i>Alkanna</i> – <i>Anchusa</i> . . . . .	153
<i>Erucastrum</i>	
<i>CRUCIFERAE</i> – Algeria – Morocco – Tunisia . . . . .	179
Floristic composition	
Tropical forest – Madagascar – 1 ha plot – Sambirano . . . . .	319
Floristics	
Corsica – Taxonomy – Vegetation – Chorology . . . . .	41
Paraguay – Systematics . . . . .	307
<i>Freycinetia</i>	
<i>PANDANACEAE</i> – New Guinea – Branching – Prophylls – Taxonomy . . . . .	283
Galicia (Spain)	
Lichens – Lichenicolous fungi . . . . .	137
Greece	
Greek flora – Epirus – <i>BORAGINACEAE</i> – <i>Onosma</i> – <i>Alkanna</i> – <i>Anchusa</i> . . . . .	153
<i>OROBANCHACEAE</i> – <i>Orobanche nowackiana</i> – Serpentine – Albania . . . . .	269
Greek flora	
Greece – Epirus – <i>BORAGINACEAE</i> – <i>Onosma</i> – <i>Alkanna</i> – <i>Anchusa</i> . . . . .	153
Holocene	
Pollen analysis – Vegetation history – Tree-line – W Alps – Italy . . . . .	187
<i>HYACINTHACEAE</i>	
<i>Hyacinthella</i> – South-Eastern Europe – Taxonomy – Chromosome numbers . . . . .	213
<i>Hyacinthella</i>	
<i>HYACINTHACEAE</i> – South-Eastern Europe – Taxonomy – Chromosome numbers . . . . .	213

<b>Italy</b>	
Pollen analysis – Vegetation history – Tree-line – W Alps – Holocene . . . . .	187
<b>Lebanon</b>	
<i>Nasturtium macrocarpum</i> – <i>Barbarea</i> – <i>Ceriosperma</i> – BRASSICACEAE . . . . .	201
<b>Lichenicolous fungi</b>	
Lichens – Galicia (Spain) . . . . .	137
Lichens – Switzerland . . . . .	87
<b>Lichens</b>	
Lichenicolous fungi – Galicia (Spain) . . . . .	137
Lichenicolous fungi – Switzerland . . . . .	87
<i>Lippia</i>	
VERBENACEAE – <i>Dioicollippia</i> – Taxonomy . . . . .	227
<b>Madagascar</b>	
<i>APOCYNACEAE</i> – <i>SECAMONOIDEAE</i> – <i>Secamone</i> – Taxonomy . . . . .	75
Tropical forest – 1 ha plot – Floristic composition – Sambirano . . . . .	319
<b>Mayotte</b>	
<i>STERCULIACEAE</i> – <i>Nesogordonia suzannae</i> – Comoro Archipelago . . . . .	277
<i>Minuartia</i>	
CARYOPHYLLACEAE – Taxonomy – SW-Europe . . . . .	205
<b>Morocco</b>	
<i>CRUCIFERAE</i> – <i>Erucastrum</i> – Algeria – Tunisia . . . . .	179
<i>Nasturtium macrocarpum</i>	
<i>Barbarea</i> – <i>Ceriosperma</i> – BRASSICACEAE – Lebanon . . . . .	201
<i>Nesogordonia suzannae</i>	
<i>STERCULIACEAE</i> – Mayotte – Comoro Archipelago . . . . .	277
<b>New Guinea</b>	
<i>PANDANACEAE</i> – <i>Freycinetia</i> – Branching – Prophylls – Taxonomy . . . . .	283
<i>OCHNACEAE</i>	
<i>SAPOTACEAE</i> – <i>Synsepalum</i> – <i>Ouratea</i> – Africa . . . . .	281
<i>Onosma</i>	
Greece – Greek flora – Epirus – BORAGINACEAE – <i>Alkanna</i> – <i>Anchusa</i> . . . . .	153
<i>OROBANCHACEAE</i>	
<i>Orobanche nowackiana</i> – Serpentine – Albania – Greece . . . . .	269
<i>Orobanche nowackiana</i>	
<i>OROBANCHACEAE</i> – Serpentine – Albania – Greece . . . . .	269
<i>Ouratea</i>	
<i>OCHNACEAE</i> – <i>SAPOTACEAE</i> – <i>Synsepalum</i> – Africa . . . . .	281

<i>PANDANACEAE</i>	
<i>Freycinetia</i> – New Guinea – Branching – Prophylls – Taxonomy . . . . .	283
<i>PANICEAE</i>	
<i>Paspalum</i> – <i>Anachyris</i> – <i>POACEAE</i> – Taxonomy – Anatomy . . . . .	105
Paraguay	
Floristics – Systematics . . . . .	307
<i>Paspalum</i>	
<i>Anachyris</i> – <i>PANICEAE</i> – <i>POACEAE</i> – Taxonomy – Anatomy . . . . .	105
<i>POACEAE</i>	
<i>Paspalum</i> – <i>Anachyris</i> – <i>PANICEAE</i> – Taxonomy – Anatomy . . . . .	105
Pollen analysis	
Vegetation history – Tree-line – W Alps – Italy – Holocene . . . . .	187
Prophylls	
<i>PANDANACEAE</i> – <i>Freycinetia</i> – New Guinea – Branching – Taxonomy . . . . .	283
Sambirano	
Tropical forest – Madagascar – 1 ha plot – Floristic composition . . . . .	319
<i>SAPOTACEAE</i>	
<i>OCHNACEAE</i> – <i>Synsepalum</i> – <i>Ouratea</i> – Africa . . . . .	281
<i>Secamone</i>	
<i>APOCYNACEAE</i> – <i>SECAMONOIDEAE</i> – Madagascar – Taxonomy . . . . .	75
<i>SECAMONOIDEAE</i>	
<i>APOCYNACEAE</i> – <i>Secamone</i> – Madagascar – Taxonomy . . . . .	75
Serpentine	
<i>OROBANCHACEAE</i> – <i>Orobanche nowackiana</i> – Albania – Greece . . . . .	269
South-Eastern Europe	
<i>HYACINTHACEAE</i> – <i>Hyacinthella</i> – Taxonomy – Chromosome numbers . . . . .	213
<i>STERCULIACEAE</i>	
<i>Nesogordonia suzannae</i> – Mayotte – Comoro Archipelago . . . . .	277
SW-Europe	
<i>Minuartia</i> – <i>CARYOPHYLLACEAE</i> – Taxonomy . . . . .	205
Switzerland	
Lichens – Lichenicolous fungi . . . . .	87
<i>Synsepalum</i>	
<i>OCHNACEAE</i> – <i>SAPOTACEAE</i> – <i>Ouratea</i> – Africa . . . . .	281
Systematics	
Paraguay – Floristics . . . . .	307

## Taxonomy

<i>APOCYNACEAE – SECAMONOIDEAE – Secamone – Madagascar</i>	75
<i>Corsica – Floristics – Vegetation – Chorology</i>	41
<i>HYACINTHACEAE – Hyacinthella – South-Eastern Europe – Chromosome numbers</i>	213
<i>Minuartia – CARYOPHYLLACEAE – SW-Europe</i>	205
<i>PANDANACEAE – Freycinetia – New Guinea – Branching – Prophylls</i>	283
<i>Paspalum – Anachyris – PANICEAE – POACEAE – Anatomy</i>	105
<i>VERBENACEAE – Lippia – Dioicolippia</i>	227

## Tree-line

<i>Pollen analysis – Vegetation history – W Alps – Italy – Holocene</i>	187
---	-----

## Tropical forest

<i>Madagascar – 1 ha plot – Floristic composition – Sambirano</i>	319
---	-----

## Tunisia

<i>CRUCIFERAE – Erucastrum – Algeria – Morocco</i>	179
--	-----

## Vegetation

<i>Corsica – Floristics – Taxonomy – Chorology</i>	41
--	----

## Vegetation history

<i>Pollen analysis – Tree-line – W Alps – Italy – Holocene</i>	187
--	-----

## VERBENACEAE

<i>Lippia – Dioicolippia – Taxonomy</i>	227
---	-----

## W Alps

<i>Pollen analysis – Vegetation history – Tree-line – Italy – Holocene</i>	187
--	-----