

Zeitschrift:	Candollea : journal international de botanique systématique = international journal of systematic botany
Herausgeber:	Conservatoire et Jardin botaniques de la Ville de Genève
Band:	58 (2003)
Heft:	2
Artikel:	Eriocaulon ansarii Pradeep & Sunil (Eriocaulaceae) : a new species from India
Autor:	Pradeep, A K. / Sunil, C.N.
DOI:	https://doi.org/10.5169/seals-879306

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 09.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Eriocaulon ansarii Pradeep & Sunil (Eriocaulaceae), a new species from India

A. K. PRADEEP
&
C. N. SUNIL

ABSTRACT

PRADEEP, A. K. & C. N. SUNIL (2003). *Eriocaulon ansarii* Pradeep & Sunil (Eriocaulaceae), a new species from India. *Candollea* 58: 321-323. In English, English and French abstracts.

Eriocaulon ansarii Pradeep & Sunil (Eriocaulaceae), a new species from India, is described and illustrated.

RÉSUMÉ

PRADEEP, A. K. & C. N. SUNIL (2003). *Eriocaulon ansarii* Pradeep & Sunil (Eriocaulaceae), une nouvelle espèce décrite d'Inde. *Candollea* 58: 321-323. En anglais, résumés anglais et français.

Eriocaulon ansarii Pradeep & Sunil (Eriocaulaceae), une nouvelle espèce d'Inde, est décrite et illustrée.

KEY-Words: ERIOCaulaceAE – *Eriocaulon* – Kerala – India.

The genus *Eriocaulon* L. has about 400 species distributed in the tropical and subtropical regions of both hemispheres (MABBERTLEY, 1997), of which 65 species occur in India (ANSARI & BALAKRISHNAN, 1994). The authors, during their floristic investigations in South India, came across a remarkable undescribed species of the genus, very closely allied to, but distinct from *E. solyanum* Royle. A detailed botanical description and illustration of the new species is provided below.

Eriocaulon ansarii Pradeep & Sunil, spec. nova (Fig. 1)

Type: INDIA: Kerala, Trichur District, Kodungalloor, 45 m, 22.VIII.1999, *Sunil* 2190 (Holo-: K; Iso-: CALI, BRIT, L).

Eriocaulon solyanum affinis, a quo imprimis differt habitu multo minore (4-5 cm), caudice crasso conico, pedunculis 1-5 cm longis, vaginis 5-10 mm longis, bracteis glabris, sepalis femininis non alatis et ecarinatis, petalis femininis ad medianum partem pilosis, non pilosis versus apicem, sepalis masculinis et femininis glabris.




Fig. 1. – *Eriocaulon ansarii* Pradeep & Sunil. A. Habit; B. Involucral bract; C. Floral bract; D. Male flower; E. Female flower; F. Seed. [A-F, Sunil 2190] [Drawing V. B. Sajeev]

Measurements to scale bars: A – 1cm; B – 1 mm; C- 0.5 mm; D – 0.5 mm; E- 1 mm; F – 0.1 mm

Acaulescent herbs up to 5 cm high. Rootstock thick, conical, 8-12 mm long. Leaves rosulate, acicular, 3-10 mm long, glossy green, glabrous. Scapes 1-3, slender, 1.5-5 cm long, slightly twisted, 3-ribbed, glabrous; sheaths up to 1 cm long, striate. Capitulum c. 2 mm wide, hemispherical, black; receptacle ovoid, pilose; involucral bracts c. 1.5 × 1 mm, erect, oblong-obovate, obtuse or acute, glabrous, black; floral bracts c. 1 × 0.5 mm, obovate-cuneate, obtuse, glabrous, black; flowers trimerous, sessile. Male flowers: Sepals obovate-cuneate, connate into a spathe of c. 1 mm long, 3-lobed, the lobes obtuse, glabrous; stipe of corolla c. 0.5 mm long; petals 3, subequal, glabrous, without any black glands. Stamens 6; anthers globose, blackish. Female flowers: Sepals 3, free, subequal, oblong-lanceolate, concave, obtuse, not keeled, c. 1 mm long, glabrous, black; petals 3, hyaline, subequal, elliptic, not clawed, acute, c. 1 mm long, with or without a black gland in each, pilose with spreading hyaline hairs towards the middle inside. Ovary sessile, globose; style 3-fid. Seeds oblong-ellipsoid, c. 0.5 mm long, brownish; cells of the seed testa transversely elongated, appendaged, aligned in vertical rows; appendages 3-4 from the transverse radial walls, setiform, truncate at apex.

Etymology. – The species is named to honour Dr. R. Ansari (Malabar Botanical Garden, Calicut), who revised the family *Eriocaulaceae* in India.

Distribution and habitat. – *Eriocaulon ansarii* is known only from the type that was collected from the marshy fields at 45 m altitude.

Affinities. – *Eriocaulon ansarii* is related to *E. solyanum*, but can readily be distinguished by its much smaller (4-5 cm) size, thick conical rootstock, 1-5 cm long scapes with 5-10 mm long sheaths as opposed to larger (9-20 cm) size, absence of rootstock, 15-20 cm long scapes with 4-6 cm long sheath in *E. solyanum*. It also differs by its glabrous floral bracts, unwinged and keelless female sepals, female petals hairy in the middle, not hairy towards the tip, and glabrous male and female sepals.

ANSARI & BALAKRISHNAN (1994) consider *E. solyanum* as a *nomen nudum*, and give the name for this species as *E. trilobum* Körn. Contrary to this statement, *E. solyanum* is validly published on the coloured plate 97 of the work of Royle (ROYLE, Ill. Bot. Himal. Mts.: tab. 97, fig. 1. 1840) (STEARNS, 1943). This illustration with an analysis conforms to the Art. 42.3, 44.1 of the St Louis ICBN.

ACKNOWLEDGEMENTS

We would like to thank Dr. R. Ansari, Malabar Botanical Garden, Kerala for helpful comments on our specimens; Sylvia M. Phillips, Royal Botanic Gardens, Kew for reviewing an earlier version of the manuscript and Mr. V. B. Sajeev, North Paravur for drawings.

BIBLIOGRAPHY

- ANSARI, R. & N. P. BALAKRISHNAN (1994). *The family Eriocaulaceae in India*. Bishen Singh Mahendra Pal Singh, Dehra Dun, India.
 MABBERTLEY, D. J. (1997). *The Plant-Book* (second edition). Cambridge University Press, Cambridge.
 STEARN, W. T. (1943). Royle's "Illustrations of the botany of the Himalayan mountains". *J. Arnold Arbor.* 24: 484-487.

Addresses of the authors: AKP: Calicut University Herbarium, Department of Botany, University of Calicut, Kerala – 673 635, India. E-mail: akpradeep1@rediffmail.com

CNS: Department of Botany, SNM College, Maliankara, Kerala – 683 516, India.

