Zeitschrift: Technische Mitteilungen / Schweizerische Post-, Telefon- und

Telegrafenbetriebe = Bulletin technique / Entreprise des postes, téléphones et télégraphes suisses = Bollettino tecnico / Azienda delle

poste, dei telefoni e dei telegrafi svizzeri

Herausgeber: Schweizerische Post-, Telefon- und Telegrafenbetriebe

Band: 68 (1990)

Heft: 4

Rubrik: Summaries and notices

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 05.08.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

Summaries and Notices

Summaries

p. 156...162

Radio Network Planning for the Swiss Mobile Telephone System Natel C

W. Geiser, Berne

The radio network planning for Natel C concerned up to now mostly the building up of the new network. The author describes the prerequisites and standards, shows the most important project steps and sheds light on the arising problems. An outlook shows that the planning work, after a first development is still not terminated by a long way.

p. 163...168

Natel C – Installing and Putting into Operation

E. Schmid and K. Metzger, Berne

According to plan, the Natel C network consists in approximately 600 base stations in its final development. The report conveys an approximate outline of the planning and setting up procedure of the Natel C stations. The functioning of the base stations, their commencement of operations and their system tests are described.

p. 169...180

First Operating Experiences with Natel C and Further Planning

A. Rothen, W. Eggenberger and J. Müller, Berne

As the requirement for mobility and attainability is continuously increasing and the costs of mobile apparatuses are decreasing, the market for the mobile telephone in the next years will not experience a saturation. On the basis of the development of participation, the predictions were upwardly corrected during the course of the year 1989. There are, therefore, eight further mobile telephone exchanges (MTX) planned. This requires a redistribution of the present partial networks and a new numbering plan. The Natel C system is continuously kept up to date with new functions and improvements. From 1992 onwards a new routing will be set up by the introduction of Gateway-MTX and the part of the signalizing system CCITT No. 7 for the mobile user part (MUP). For the operation, control

and the maintenance, all information is gathered together in an operating centre. This information is then processed,

sorted and then routed to the corresponding departments in the telecommunications managements.

News Items

Telephone

Six new base stations were put into operation for the Swiss mobile telephone network Natel C in February.

Teleinformatics

The publifax service from Switzerland was able to start up operation with Yugoslavia and Tunisia.

The Swiss package switching network Telepac consisted of 47 Network Modules and 118 Access Modules at the beginning of 1990. Approximately 7000 customers use direct connections and 5200 of them identify themselves with their Network User Identification; there are a total of 49,500 logical channels (corresponding to lease lines) in operation.

Radio, Television, Radiocommunications

Two older 300 kW medium wave transmitters on the medium wave station Monte Ceneri-Cima were equipped with the DCC system (Dynamic Carrier Control) in February. This system results in a dynamic carrier decrease, that is, the former constantly controlled carrier performance is changed between 25 and 100 % depending on modulation. Thus the side band performance remains the same so that the listener can detect no effects. In this way, by the 25 to 30 % economizing of energy, the additional costs can be written off within two years.

A new **television transmitter** in the band I was put into operation on the **Bantiger** station as a substitute for an old transmitter of the same performance. And on the **Ravoire** station two new tele-

vision transmitters of the latest generation equipped with two channel tone for the German and Italian programmes were put into operation.

The present cooperation between the SRG, ORF and the ZDF in the German speaking satellite television programme 3SAT has been extended to the DDR television, which will result in being able to receive political and cultural programmes and as a counter action will allow time in their programming for 3SAT programmes – from Switzerland also.

In the Leuk satellite ground station, 5 voice circuits, Switzerland-Turkey via the Eutelsat I F-1 (16° E) satellites as well as 24 voice circuits, Switzerland-Singapore via the Intelsat VA F-12 (60° E) satellites were put into operation. In the Intelsat network, 192 voice circuits between Switzerland and the USA were switched from the analogue FDM/FM installations to the new digital IDR system (Intermediate Data Rate).

Miscellaneous

At the PTT research and development department in Berne, a satellite ground station which functions with a transmission frequency of 30 GHz and a reception frequency of 20 GHz was installed and tested. The main reflector of the antennae of the «Offset Gregorian» type has an aperture diameter of 2.4 m. Transmission experiments via the Olympus satellite are planned in collaboration with the telecommunications main office FTZ of the German Federal Postal Administration and the German Research Institute for Aeronautics and Aerospace DLR. Olympus was successfully brought into the geostationary orbit in July 1989 and has, among others, two transponders for 20/30 GHz. This frequency range has hardly been used up to now in satellite communication.