

# An Entire Function of Restricted Growth.

Autor(en): **Piranian, George**

Objekttyp: **Article**

Zeitschrift: **Commentarii Mathematici Helvetici**

Band (Jahr): **33 (1959)**

PDF erstellt am: **27.04.2024**

Persistenter Link: <https://doi.org/10.5169/seals-26023>

## Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

## Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Ein Dienst der *ETH-Bibliothek*

ETH Zürich, Rämistrasse 101, 8092 Zürich, Schweiz, [www.library.ethz.ch](http://www.library.ethz.ch)

<http://www.e-periodica.ch>

# An Entire Function of Restricted Growth

by GEORGE PIRANIAN, Ann Arbor, Michigan (USA)

W. KAPLAN [1] has used an approximation theorem of KELDYS and MEGELYAN to show that there exists an entire function  $f$  such that each half-line in the  $z$ -plane contains infinitely many disjoint segments of length 1 on which  $|f(z)| < 1$ . In an oral communication, he has asked whether there exists such a function of finite order. I shall construct an appropriate example.

**Theorem.** *There exists a sequence  $\{(t_n, r_n)\}$  such that the function*

$$f(z) = \prod_{n=1}^{\infty} \{1 - (z/r_n)^n\}^{t_n} \quad (1)$$

*is entire and has the property that each half-line contains infinitely many disjoint segments of length 1 on which  $|f(z)| < 1$ . Corresponding to each real-valued function  $h(r)$  satisfying the condition  $h(r)/\log r \rightarrow \infty$  as  $r \rightarrow \infty$ , the sequence  $\{(t_n, r_n)\}$  can be chosen in such a way that the inequality*

$$|f(re^{i\theta})| < r^{h(r)}$$

*holds for all  $r$  ( $r > r_0$ ) and all  $\theta$ .*

The proof will be carried out by choosing the pairs  $(t_n, r_n)$  in such a way that  $|f(z)| < 1/n$  throughout each of the annular sectors  $S_{nh}$  ( $h = 1, 2, \dots, n$ ;  $n = 1, 2, \dots$ ) determined by the conditions

$$z = (1 + s)r_n e^{i(\theta + 2\pi h/n)} \quad (s \text{ and } \theta \text{ real}, |s| < 1/n^2, |\theta| < \pi/n^2).$$

We consider first the product of the first  $m$  factors in (1), for values of  $z$  in one of the sectors  $S_{mh}$ . The restrictions on  $s$  and  $\theta$  imply that

$$|1 - (z/r_m)^m| = |1 - (1 + s)^m e^{im\theta}| < C_1/m$$

(throughout the proof, we shall use symbols  $C_j$  to denote constants independent of  $m$ ). This in turn implies that

$$|1 - (z/r_m)^m|^{t_m} < (C_1/m)^{t_m}. \quad (2)$$

Also, if  $2 < r_1 < r_2 < \dots$ , then, for each index  $k$  ( $k = 1, 2, \dots, m-1$ ) and for all  $z$  in  $S_{mh}$ , we may write

$$|1 - (z/r_k)^k| < (C_2 r_m)^k.$$

Therefore, if  $r_m > 1/C_2$  and

$$t_n > t_1 + 2t_2 + \dots + (n-1)t_{n-1}$$

for  $n = 2, 3, \dots$ , we conclude that

$$\prod_{k=1}^{m-1} |1 - (z/r_k)^k|^{t_k} < (C_2 r_m)^{t_1 + 2t_2 + \dots + (m-1)t_{m-1}} < (C_2 r_m)^{m t_{m-1}}$$

in  $S_{mh}$ . Together with (2), this yields the inequality

$$\prod_{k=1}^m |1 - (z/r_k)^k|^{t_k} < (C_1/m)^{t_m} (C_2 r_m)^{m t_{m-1}}.$$

For an appropriate constant  $C_3$ , the right member is less than  $1/2m$  if

$$r_m = \exp \frac{C_3 t_m \log m}{m t_{m-1}}. \quad (3)$$

We note that  $r_m$ , determined as a function of  $t_m$  by (3), tends to  $\infty$  as  $t_m \rightarrow \infty$ .

Suppose that the constants  $t_n$  have been chosen for  $n = 1, 2, \dots, m$ , and that each corresponding constant  $r_n$  satisfies (3) (with  $t_0 = 1$ ). Since the product of the first  $m$  factors in (1) has modulus less than  $1/2m$  in each of the  $m$  sectors  $S_{mh}$  ( $h = 1, 2, \dots, m$ ), the condition  $|f(z)| < 1/m$  holds in each of the sectors provided the product of the remaining factors has modulus less than 2. Now

$$\begin{aligned} \prod_{m+1}^{\infty} |1 - (z/r_n)^n|^{t_n} &\leq \prod_{m+1}^{\infty} \{1 + (|z|/r_n)^n\}^{t_n} \\ &= \prod_{m+1}^{\infty} \exp \{t_n \log [1 + (|z|/r_n)^n]\} \\ &< \prod_{m+1}^{\infty} \exp \{t_n (|z|/r_n)^n\} \\ &= \exp \sum_{m+1}^{\infty} t_n |z|^n \exp \left\{ -\frac{C_3 t_n \log n}{t_{n-1}} \right\}. \end{aligned}$$

Throughout each fixed disk  $|z| < \varrho$ , and for any fixed value of  $t_{n-1}$ , the term with index  $n$  in the infinite series in the last expression tends to 0 uniformly as  $t_n \rightarrow \infty$ . Therefore  $|f(z)| < 1/n$  throughout each of the sectors  $S_{nh}$  ( $h = 1, 2, \dots, n$ ;  $n = 1, 2, \dots$ ) provided  $t_n \rightarrow \infty$  rapidly enough.

If  $r_n > n^3$  for each  $n$ , then, by a familiar theorem on approximation by rational numbers [2, p. 48, Theorem 14], each half-line in the plane meets infinitely many sectors  $S_{nh}$  in a segment of length greater than 1. This proves the first part of the theorem.

The second part of the theorem follows from the facts that the logarithm

of the maximum modulus function  $M(r; f)$  is a convex function of  $\log r$  ; that

$$|f(r_n e^{i\theta})| < (C_4 r_n)^{nt_n} ;$$

and that by (3),

$$t_n = \frac{n t_{n-1}}{C_3 \log n} \log r_n .$$

#### REFERENCES

- [1] W. KAPLAN, *Paths of rapid growth of entire functions.* Comment. Math. Helv. 34/1 (1959).
- [2] O. PERRON, *Die Lehre von den Kettenbrüchen.* Leipzig-Berlin, 1929.

(Received June 8, 1959)