

Short note on the proof of Ptolemy's Lemma

Autor(en): **Pauni, Dura / Wanner, Gerhard**

Objekttyp: **Article**

Zeitschrift: **Elemente der Mathematik**

Band (Jahr): **72 (2017)**

Heft 2

PDF erstellt am: **29.04.2024**

Persistenter Link: <https://doi.org/10.5169/seals-730835>

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

Short note On the proof of Ptolemy's Lemma

Dura Paunić and Gerhard Wanner

Ptolemy's Lemma. Let $ABCD$ be a quadrilateral inscribed in a circle with sides a, b, c, d and diagonals e, f , then (see Figure 2 (1))

$$ac + bd = ef. \quad (1)$$

This lemma enabled Ptolemy to compute his famous table of chords ($= 2 \sin \frac{\alpha}{2}$) and thus initiate the developments of modern Astronomy, Geography and Trigonometry (see [1]). Its historical importance is thus beyond any doubt. When the quadrilateral is a rectangle, then (1) becomes $a^2 + b^2 = e^2$, i.e., Pythagoras' theorem.




Figure 1 Ptolemy's proof in Copernicus' autograph
De revolutionibus [4] (left); Callagy's picture from [2] (right).

Ptolemy's Proof. This proof remained the standard one for more than thousand years (see, e.g., Figure 1, left). It consisted in drawing a line be (notation of that picture) such that the angles abe and dbc are the same. This creates two pairs of similar triangles abe and dcb as well as bec and bad . Thales' theorem then allows the calculation of ae and ec respectively and finally to prove (1) (for more details see, e.g., [5], Section 5.1).

This proof is short and simple, but it does not reflect the geometric content of the formula, namely $ac + bd = ef$ states that the sum of the areas of two rectangles is that of another

rectangle. Or, if the areas are multiplied by a constant $k = \sin \varphi$, it would be nice to see, without any calculation, that a parallelogram is the sum of two different parallelograms with the same angle φ . Such a proof can be made using ideas by Callagy [2] (see Figure 1, right)¹.




Figure 2 The parallelogram area proof in four acts.

Parallelogram area proof of Ptolemy's Lemma. First we double the area \mathcal{A} of a cyclic quadrilateral $ABCD$ by circumscribing it by the parallelogram parallel to the diagonals (Callagy calls this “a well-known exercise in second year geometry”, see Figure 2(2)). The main idea is then the following: move A to E on the circle, with AE parallel to DB (Figure 2(3)). Thus the angle φ between the diagonals is reproduced at A (Eucl. I.29), then at B (Eucl. III.21), at D (Eucl. III.22) and finally (Eucl. I.29, Figure 2(4)) at E . The triangle EDB is mirror symmetric to ADB , with a and d exchanged. Therefore both triangles have the same area, i.e., $\mathcal{D} + \mathcal{B} = \mathcal{A}$. For the areas of the parallelograms in Figures 2(2) and (4) we thus obtain

$$2 \cdot \mathcal{D} + 2 \cdot \mathcal{B} = 2 \cdot \mathcal{A}. \quad (2)$$

All these parallelograms possess the same angle φ , hence (1) is just (2) divided by $k = \sin \varphi$.

Remark added in proof. Our colleague Jan Hogendijk (Univ. Utrecht) has remarked a nice connection of our proof with Ptolemy's: If in Ptolemy's picture the line be is extended

¹For an obituary notice on the Irish mathematician James Callagy (1908–1988) see [3].

until the second point of intersection with the circle, one obtains precisely the line CE in our Figure 2, (3) and (4), i.e., the common diagonal of the two parallelograms. This could serve as a second motivation for the proof of Ptolemy's Lemma presented here.

References

- [1] G. van Brummelen, *The Mathematics of the Heavens and the Earth, The Early History of Trigonometry*, Princeton UP (2009).
- [2] J.J. Callagy, *Ptolemy's Theorem by Area Formulae*, The Mathematical Gazette, Vol. 44, No. 348 (May, 1960) p. 112.
- [3] T. Christofides, *James Callagy* (1908–1988), Irish Math. Soc. Bull., Vol. 22 (1989) pp. 9–11.
- [4] N. Copernicus (Mikołaj Kopernik), *De revolutionibus orbium cœlestium*, Nürnberg 1543; second impression Basel 1566; “Autograf” preserved in Biblioteka Jagiellońska, Kraków, Poland; digitalized Neurosoft 1996.
- [5] A. Ostermann, G. Wanner, *Geometry by its History*, Springer (2012).
- [6] Ptolemy, *Epitoma in Almagestum Ptolemaei*, written (appr. 150 A.D.), Latin (commented) translation by G. Peuerbach & J. Regiomontanus, Venice 1496.

Dura Paunić

University of Novi Sad

e-mail: djura@dmi.uns.ac.rs

Gerhard Wanner

University of Geneva

e-mail: Gerhard.Wanner@unige.ch