

Zeitschrift: Eclogae Geologicae Helvetiae
Herausgeber: Schweizerische Geologische Gesellschaft
Band: 61 (1968)
Heft: 1

Artikel: A study of upper paleozoic sediments and volcanics in the northern part of the eastern Aar massif

Autor: Franks, Geoffrey D.

Inhaltsverzeichnis

DOI: <https://doi.org/10.5169/seals-163585>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 09.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

A Study of Upper Paleozoic Sediments and Volcanics in the Northern Part of the Eastern Aar Massif¹⁾

by GEOFFREY D. FRANKS

c/o B.I.P.M., Carel van Bylandtlaan 30, The Hague, Holland.

with 36 figures and 1 table in the text

ABSTRACT

Westphalian-Stephanian volcanic and clastic sediments of E. Switzerland were deposited rapidly on an older complex of gneiss and Tödi granite. The Bifertengrätli Formation, the only fossil (plant) bearing formation of the eastern Aar Massif, consists of a Volcanic, Estuarine and Lacustrine Member. Farther west in the Maderanertal, only volcanic rocks are seen (Tscharren, Witenalp and Windgärtle); these are predominantly silicic and sub-silicic tuffs and ignimbrites. The explosive volcanic activity was followed by the gentle uprise of the Central Aar Granite.

CONTENTS

Foreword	51
Introduction	52
The Main Problems	52
The N.E. Tödi Area	53
Introduction and Summary of Previous Work	53
Geology of the Biferten Inlier	55
The Position of the Upper Carboniferous Sediments	55
The Igneous and Metamorphic Rocks of the Northern Biferten Inlier	57
The Bifertenfirn Metasediments	59
Upper Carboniferous Sediments – The Bifertengrätli Formation	59
Basal Conglomerates	61
The Basal Conglomerates South of Bifertengrätli	61
Monogenic Breccias	61
Polygenic Conglomerates	63
Mixed Conglomerates and Volcanics	64
Basal Conglomerates North of Bifertengrätli	64
Basal Conglomerates and Breccias of the Upper Sandalp	65
The Volcanic Member	65
Regional Variation in Lithology of the Volcanic Member	66
Coarse Volcanic Débris	67
Polygenic Breccias	70
Crystal and Lithic Tuffs	72
Conglomerates	72
Volcanic Vent	74
Mixed Sediments	75
Discussion of the Biferten Inlier Volcanic Member	76

¹⁾ Printed with financial assistance of the ETH Zentenar-Fonds.

The Estuarine Member	76
Conditions of Deposition	77
Granulometry and Classification	77
Lithological Types	79
Conglomerates	79
Arkoses	80
Calcareous Sandstones	81
Alteration of the Sandstones	81
The Lacustrine Member	81
Lithology and Classification	82
Mudstones	82
Sandstones	82
Conglomerates	83
Discussion of the Detrital Rocks of the Bifertengräti Formation	83
Structures and Deformation	84
Deformation of the Unconformity	84
Structures of the Mesozoic Rocks	85
Basement Structures	86
Subareas 2 and 3	86
Subarea 4	87
Subarea 5	88
Bifertengräti	88
Deformation of the Breccias	91
Deformation of the Plants	92
Interpretation of the Deformation Figures	93
Subarea 6	94
The Klein Tödi Area	
Introduction and Summary of Previous Work	95
Lithology of the Pre-Triassic Sediments	96
The Western Area	96
The Central Area	97
The Eastern Area	97
Intrusive Dykes of Microgranite to Rhyolite	99
The Gneiss and Granite-Gneiss North of Klein Tödi	99
Structures	100
Discussion of the Klein Tödi Volcanics	101
The Maderanertal	
Introduction and Summary of Previous Work	102
Geology of the Pre-Triassic Formations of the Maderanertal	103
The Upper Paleozoic Sediments of Tscharren (the Tscharren Formation)	104
The Ignimbritic Member	106
Field Relations	106
Petrography	108
Conglomerates	110
Field Relations	110
Petrography	110
The Tuffaceous Member	111
Field Relations	111
Petrography	111
Discussion of the Tscharren Formation	113
Witenalp	113
Ignimbrite Section of Witenalp	114
Volcanic Conglomerates	115
Rhyolites and Rhyolite Breccias of Witenalp	115

Field Relations	115
Petrography	117
Rossbodenstock and the Western Extension of the Volcanics	117
The Basement Rocks of the Windgällen	118
Introduction	118
Field Relations	118
Petrography of the Basement Rocks of the Windgällen Fold	120
Acid (Silicic) Tuffs, Ignimbrites, Ignimbrite Breccias and Conglomerates	120
Massive Types	120
Pyroclastic Types	122
Laminated Pyroclastic Types	122
Mixed Sedimentary Rocks	125
Porphyritic Micro-Quartzdiorite (to Granodiorite)	125
The Metamorphism of the Windgällen Basement Rocks	125
Discussion of the Windgällen Volcanics	126
Structures of the Upper Paleozoic Rocks of the Maderanertal	127
The Area of Volcanic Sediments South of the Maderanertal	127
The Contact of the Volcanics with the Granite	129
The Area of Volcanics North of the Maderanertal	130
Conclusions	131
The Extension of the Tödi-Maderanertal Zone	132
Val Gliems	133
General Age Relationships	133
Zusammenfassung	135
List of References	137

FOREWORD

This study was commenced in 1961 during the tenure of a post-graduate exchange scholarship between the Imperial College of Science and Technology, London, and the E.T.H., Zürich. The primary aim was a study of the Upper Carboniferous sediments of the Biferten inlier, under the guidance of Professor Dr. R. Trümpy, Zürich. In 1962 the topic was accepted as a thesis study at the E.T.H., and further work during the summers of 1962–65 under the supervision of Professors Dr. R. Trümpy and Dr. A. Gansser extended the field work to the Maderanertal and Val Gliems areas.

The results were prepared in the Geological Institute of the E.T.H. and University, Zürich, where the detailed field maps and specimens are deposited.

My deepest thanks are due to Professors R. Trümpy and A. Gansser for the supervision of this work, their advice in the field and laboratory and their valuable criticism of the manuscript. The continued interest and encouragement of Professors J. Sutton and J. G. Ramsay of Imperial College are warmly appreciated.

During the preparation of the study much kindly assistance with various problems was given by Professors C. Burri and E. Dal Vesco and P.D. Dr. R. Hantke of Zürich. Profitable discussions and a field trip in the Biferten area in 1965 with Professor Th. Hügi of Bern are remembered for their cordiality. To all I wish to express my most sincere thanks.

Messrs. M. Zuber and E. Schärli are thanked for their help with the preparation of thin-sections and photographs.