

<b>Zeitschrift:</b>	Eclogae Geologicae Helvetiae
<b>Herausgeber:</b>	Schweizerische Geologische Gesellschaft
<b>Band:</b>	61 (1968)
<b>Heft:</b>	1
 <b>Artikel:</b>	A study of upper paleozoic sediments and volcanics in the northern part of the eastern Aar massif
<b>Autor:</b>	Franks, Geoffrey D.
<b>Vorwort:</b>	Foreword
<b>Autor:</b>	[s.n.]
<b>DOI:</b>	<a href="https://doi.org/10.5169/seals-163585">https://doi.org/10.5169/seals-163585</a>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 19.02.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

Field Relations . . . . .	115
Petrography . . . . .	117
Rossbodenstock and the Western Extension of the Volcanics . . . . .	117
The Basement Rocks of the Windgällen . . . . .	118
Introduction . . . . .	118
Field Relations . . . . .	118
Petrography of the Basement Rocks of the Windgällen Fold . . . . .	120
Acid (Silicic) Tuffs, Ignimbrites, Ignimbrite Breccias and Conglomerates . . . . .	120
Massive Types . . . . .	120
Pyroclastic Types . . . . .	122
Laminated Pyroclastic Types . . . . .	122
Mixed Sedimentary Rocks . . . . .	125
Porphyritic Micro-Quartzdiorite (to Granodiorite) . . . . .	125
The Metamorphism of the Windgällen Basement Rocks . . . . .	125
Discussion of the Windgällen Volcanics . . . . .	126
Structures of the Upper Paleozoic Rocks of the Maderanertal . . . . .	127
The Area of Volcanic Sediments South of the Maderanertal . . . . .	127
The Contact of the Volcanics with the Granite . . . . .	129
The Area of Volcanics North of the Maderanertal . . . . .	130
Conclusions . . . . .	131
The Extension of the Tödi-Maderanertal Zone . . . . .	132
Val Gliems . . . . .	133
General Age Relationships . . . . .	133
Zusammenfassung . . . . .	135
List of References . . . . .	137

## FOREWORD

This study was commenced in 1961 during the tenure of a post-graduate exchange scholarship between the Imperial College of Science and Technology, London, and the E.T.H., Zürich. The primary aim was a study of the Upper Carboniferous sediments of the Biferten inlier, under the guidance of Professor Dr. R. Trümpy, Zürich. In 1962 the topic was accepted as a thesis study at the E.T.H., and further work during the summers of 1962–65 under the supervision of Professors Dr. R. Trümpy and Dr. A. Gansser extended the field work to the Maderanertal and Val Gliems areas.

The results were prepared in the Geological Institute of the E.T.H. and University, Zürich, where the detailed field maps and specimens are deposited.

My deepest thanks are due to Professors R. Trümpy and A. Gansser for the supervision of this work, their advice in the field and laboratory and their valuable criticism of the manuscript. The continued interest and encouragement of Professors J. Sutton and J. G. Ramsay of Imperial College are warmly appreciated.

During the preparation of the study much kindly assistance with various problems was given by Professors C. Burri and E. Dal Vesco and P.D. Dr. R. Hantke of Zürich. Profitable discussions and a field trip in the Biferten area in 1965 with Professor Th. Hügi of Bern are remembered for their cordiality. To all I wish to express my most sincere thanks.

Messrs. M. Zuber and E. Schärli are thanked for their help with the preparation of thin-sections and photographs.

The financial support of the exchange scholarship of the E.T.H. which made the greater part of this study possible is thankfully acknowledged.

Above all I wish to thank my wife, Sibylle Franks-Dollfus, for her help and understanding.

## INTRODUCTION

Although pre-Triassic rocks cover an area roughly equal to that of the Mesozoic and Tertiary rocks in the Alps, their history is much less well known. They form relics of older orogenic belts which have been overwhelmed by the Upper Cretaceous-Miocene orogeny and involved with the later sediments in the complex Alpine deformation, partly overthrust, as in the Eastern Alps, the Pennine nappes and the Briançonnais Zone, locally remetamorphosed and intruded by younger igneous rocks. In the external massifs, from Argentera in the south-west to the Aar Massif in the north-east, the pre-Triassic rocks preserve their earlier structures and expose a fragmentary picture of the Hercynian and older basement complex and the small basins of Upper Palaeozoic sediments.

At the eastern extremity of the external massifs (Zentralmassive of most German-speaking authors), in the eastern Aar Massif, three small areas of pre-Triassic sediments are exposed within the crystalline rocks. These areas have in the past been studied separately by several geologists, and have given rise to a number of conflicting opinions on the origin and age relationship of the sediments. The present study has been undertaken to resolve some of the problems by detailed stratigraphical and structural investigations of these three isolated areas, and attempt to lay down some general correlations with the late Palaeozoic rocks of neighbouring areas. The results of previous geologists have been summarized for each area in order to illustrate the conflicting views and the evidence on which they are based. The regional significance of the results of the present study is discussed in the final chapter.

### *The Main Problems*

One of the greatest controversies in the eastern Aar Massif concerns the age of the Tödi granite and its associated contact metamorphism, and the question of whether or not it is related to the Central Aar granites. FAUL (1962) stated: '... the Tödi granite ... is thought to be stratigraphically younger than Westphalian D and probably older than Permian (WIDMER 1949). It is the only stratigraphically recognized Hercynian rock in the central Alps, but it is badly altered and a measured age is not available.'

The study of contacts between crystalline rocks and stratigraphically dated sediments is extremely difficult in areas as severely smashed as the Alps. It is not surprising that a contact may appear to be much more "eindeutig" in the literature than it actually is in the field. The question whether the Tödi granite really does intrude the Westphalian D would be answered quite differently by different field geologists who have studied the area.'

The two possibilities are that the Tödi granite and its related pegmatites do intrude the dated Upper Carboniferous sediments (ESCHER 1911, who considered that only