

Zeitschrift: Eclogae Geologicae Helvetiae
Herausgeber: Schweizerische Geologische Gesellschaft
Band: 68 (1975)
Heft: 3

Artikel: Geology and paleontology of Soldado Rock, Trinidad (West Indies).
Part II, The larger foraminifera
Autor: Caudri, C. M. Bramine
Bibliographie: References
Autor: [s.n.]
DOI: <https://doi.org/10.5169/seals-164404>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 16.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Acknowledgments

This study, started more than thirty years ago, has been retarded and repeatedly interrupted through all kinds of adverse events, including moves to five different countries. This disadvantage has, however, been compensated by the generosity and helpfulness of a number of people in all those places and I am happy to find here an opportunity to express my warmest thanks to all of them.

In the first place I have to thank Trinidad Leaseholds Ltd. and their successors Texaco Trinidad, Inc., in Pointe-à-Pierre, Trinidad, for their permission to publish the results of this study and for the continued help I have received from them over the years. The Geological Laboratory, under the direction of Mr. J. B. Saunders, remained a constant source of additional material and information, and the Geological Draughting Department has most generously assisted me in the bulk of the work of photographing the individual thin sections. My thanks go to everyone in Trinidad who, at one time or another, has been of help to me. A solid base for the understanding of paleontological criteria and local problems was laid in the early days by the late T. F. Grimsdale, with whom I enjoyed a free exchange of thin sections, technical know-how, photographs and ideas. Mr. Saunders' expert information on the planktonic contents of a number of samples is greatly appreciated. I am particularly grateful to Miss M. H. Pollonais for reading the manuscript and for her many useful suggestions. She also typed large parts of it and prepared the complete faunal list which is kept at the Basel Museum. Last but not least, I thank her for her never failing encouragement.

Most of the technically very difficult photographs of the exterior view of the intact specimens were taken in his spare time by Dr. G. Fournier, then with the Gulf Oil Company in Caracas, Venezuela.

Invaluable help was also received from the Museum of Natural History in Basel, Switzerland. There, Dr. H. G. Kugler never tired of giving me the benefit of his wide experience and his local knowledge in endless discussions and correspondence. Together with Dr. P. Jung, Head of the Geological Department, he also arranged for the technical assistance necessary in preparing the paper for publication. Mr. R. Panchaud took care of the final presentation of the Distribution Chart. Many fine photographs, both of external views and of sections, were made by Mr. W. Suter; Dr. C. Kapellos went to the trouble of getting prints of a uniform magnification from Dr. Fournier's negatives. The general rock sections, difficult especially in the case of the disintegrating glauconites, were for the greater part made by Mr. W. Vogt.

The U. S. National Museum of Natural History in Washington D. C. kindly loaned various samples from Vaughan and Cole's collections for special check-up and photographic reproduction.

For the financial aid received towards the publication of both the first and the second parts of the entire Soldado monograph Dr. Kugler and the present writer herewith express their deep gratitude to Robertson Research International, Ltd of Llandudno, North Wales, and to the following persons in Chevron Overseas Petroleum, Inc.: D. O. Nelson, President; A. V. Martini, Vice President of Exploration and C. Jacobs, Exploration Manager Western Hemisphere. Furthermore, the Government of Trinidad and Tobago have graciously approved a generous grant towards these high expenses.

Corrigendum

In Part I of this study, on page 388 second line after the heading "Bed 3", please read "... mentioned on p. 369-373..." instead of "... mentioned on p. 269-373...".

REFERENCES

- BARKER, R. W. (1932): *Larger Foraminifera from the Eocene Santa Elena Peninsula, Ecuador*. – Geol. Mag. 69, 302-310.
- BARKER, R. W., & GRIMSDALE, T. F. (1936): *A contribution to the Phylogeny of the Orbitoidal Foraminifera, with a Description of New Forms from the Eocene of Mexico*. – J. Paleont. 10, 231-247.
- BOLD, W. A. VAN DEN (1957): *Ostracoda from the Paleocene of Trinidad*. – Micropaleontology 3/1, 1-18.

- BOLLI, H. M. (1952): *Note on the Cretaceous-Tertiary Boundary in Trinidad, B. W. I., with Remarks on the Problem of the Determination of some Paleocene Globorotaliae.* – J. Paleont. 26/4, 669–675.
- (1957a): *The Genera Globigerina and Globorotalia in the Paleocene – Lower Eocene Lizard Springs Formation of Trinidad, B. W. I.* – Bull. U.S. natl. Mus. 215, 61–81.
- (1957b): *Planktonic Foraminifera from the Eocene Navet and San Fernando Formations of Trinidad.* – In: LOEBLICH, TAPPAN, BECKMANN, BOLLI, MONTANARO, GALLITELLI & TROELSEN: *Studies in Foraminifera.* – Bull. U.S. natl. Mus. 215, 155–172.
- (1966): *Zonation of Cretaceous to Pliocene Marine Sediments Based on Planktonic Foraminifera.* – Bol. inform. Asoc. venez. Geol. Min. Petroleo 9/1, 3–32.
- BRÖNNIMANN, P. (1952): *Trinidad Paleocene and Lower Eocene Globigerinidae.* – Bull. amer. Paleont. 34/143, 133–182.
- BRÖNNIMANN, P., & RIGASSI, D. (1963): *Contribution to the Geology and Paleontology of the Area of the City of La Habana, Cuba, and its Surroundings.* – Eclogae geol. Helv. 56/1, 193–481.
- BUTTERLIN, J. (1956): *La constitution géologique et la structure des Antilles.* – Cent. natl. Rech. sci.
- (1968): *Données fournies par les Macroforaminifères pour l'établissement des limites de l'Oligocène dans la région des Caraïbes.* – Trans. 4th Caribbean geol. Conf., Trinidad & Tobago 1965, 183–188.
- (1970): *Macroforaminíferos y edad de la Formación Punta Mosquito (Grupo Punta Carnero) de la Isla de Margarita (Venezuela).* – Bol. inform. Asoc. venez. Geol. Min. y Petroleo 13/10, 273–316.
- CAUDRI, C. M. B. (1944): *The Larger Foraminifera from San Juan de los Morros, State of Guarico, Venezuela.* – Bull. amer. Paleont. 28/114, 355–404.
- (1948): *Note on the Stratigraphic Distribution of Lepidorbitoides.* – J. Paleont. 22/4, 473–481.
- (1961): *Some Remarks on the Ferruginous Interval in the Eocene Section of Humacaro Bajo, Lara (Venezuela).* – Bol. inform. Asoc. venez. Geol. Min. Petroleo 4, 285–287.
- (1972a): *Systematics of the American Discocyclinas.* – Eclogae geol. Helv. 65/1, 211–219.
- (1972b): *The Larger Foraminifera of the Scotland District of Barbados.* – Eclogae geol. Helv. 65/1, 221–234.
- (1974): *The Larger Foraminifera of Punta Mosquito, Margarita Island, Venezuela.* – Verh. natf. Ges. Basel 84/1, 293–318.
- CIZANCOURT, M. DE (1948): *Nummulites de l'île de la Barbade (Petites Antilles).* – Mém. Soc. géol. France 27/57, 1–40.
- (1951): *Grands foraminifères du Paléocène inférieur et de l'Eocène moyen du Venezuela.* – Mém. Soc. géol. France 30/64, 1–68.
- CLARK, B. L., & DURHAM, J. W. (1946): *Eocene Faunas from the Department of Bolivar, Colombia.* – Mem. geol. Soc. Amer. 16.
- COLE, W. S. (1944): *Stratigraphic and Paleontologic Studies of Wells in Florida, N°3.* – Bull. Florida geol. Surv. 26, 1–168.
- (1952): *Eocene and Oligocene Larger Foraminifera from the Panama Canal Zone and Vicinity.* – Prof. Pap. U.S. geol. Surv., 244, 1–41.
- (1953): *Criteria for the Recognition of Certain Assumed Camerinid Genera.* – Bull. amer. Paleont. 35/147, 27–46.
- (1956): *The genera Miscellanea and Pellastispirella.* – Bull. amer. Paleont. 36/159, 239–254.
- (1958a): *Names and Variations in Certain American Larger Foraminifera, N° 1.* – Bull. amer. Paleont. 38/170, 175–213.
- (1958b): *Names and Variations in Certain American Larger Foraminifera, particularly the Camerinids.* – Bull. amer. Paleont. 38/173, 261–284.
- (1958c): *id., particularly the Discocyclinids.* – Bull. amer. Paleont. 38/176, 411–429.
- (1959): *Faunal Associations and the Stratigraphic Position of Certain American Paleocene and Eocene Larger Foraminifera.* – Bull. amer. Paleont. 39/182, 377–393.
- (1960a): *Variability in embryonic chambers of Lepidocyclina.* – Micropaleontology 6/2, 133–144.
- (1960b): *Revision of Helicostegina, Helicolepidina and Lepidocyclina (Polylepidina).* – Contr. Cushman Found. foram. Res. 11, 57–62.
- (1961): *Some Nomenclature and Stratigraphic Problems involving Larger Foraminifera.* – Contr. Cushman Found. foram. Res. 12/4, 136–147.
- (1962a): *Embryonic Chambers and the Subgenera of Lepidocyclina.* – Bull. amer. Paleont. 44/200, 29–60.

- COLE, W.S. (1962b): *Periembryonic Chambers in Helicolepidina*. – Contr. Cushman Found. foram. Res. 13/4, 145–152.
- (1963): *Illustrations of conflicting Interpretations of the Biology and Classification of Certain Larger Foraminifera*. – Bull. amer. Paleont. 46/205, 4–63.
- (1969a): *Names and Variation in Certain American Larger Foraminifera, particularly the American Pseudophragminids*. – Bull. amer. Paleont. 56/248, 4–55.
- (1969b): *Internal Structure, Stratigraphic Range and Phylogenetic Relationships of Certain American Eocene Foraminifera*. – Contr. Cushman Found. foram. Res. 20, 77–86.
- COLE, W.S., & APPLIN, E.R. (1964): *Problems of the Geographic and Stratigraphic Distribution of American Middle Eocene Larger Foraminifera*. – Bull. amer. Paleont. 47/212, 3–48.
- COLE, W.S., & BERMUDEZ, P.J. (1947): *Eocene Discocyclinidae and other Foraminifera from Cuba*. – Bull. amer. Paleont. 31/125, 191–224.
- COLE, W.S., & HERRICK, S.M. (1953): *Two Species of Larger Foraminifera from Paleocene Beds in Georgia*. – Bull. amer. Paleont. 35/148, 49–62.
- COLE, W.S., & PONTON, G.M. (1934): *New Species of Fabularia, Asterocyclina and Lepidocyclina from the Florida Eocene*. – Midland Naturalist 15, 138–147.
- CUSHMAN, J.A. (1922): *Foraminifera from the Eocene Deposits of Peru*. In: T.O. BOSWORTH: *Geology and Paleontology of N.W. Peru*. – MacMillan, London 1922, 136–139.
- (1929): *Cyclolocolina in the Western Hemisphere*. – Contr. Cushman Lab. foram. Res. 5, 4–5.
- (1940): *Foraminifera, their Classification and Economic Use*. – Harvard University Press, 3rd ed.
- CUSHMAN, J.A., & RENZ, H.H. (1942): *Eocene, Midway, Foraminifera from Soldado Rock, Trinidad*. – Contr. Cushman Lab. foram. Res. 18/1, 1–14.
- (1946): *The Foraminiferal Fauna of the Lizard Springs Formation of Trinidad, B. W. I.* – Spec. Publ. Cushman Lab. foram. Res., 18, 1–48.
- (1948): *Eocene Foraminifera of the Navet and Hospital Hill Formations of Trinidad, B. W. I.* – Spec. Publ. Cushman Lab. foram. Res. 24, 1–42.
- DOUVILLÉ, H. (1915): *Les Orbitoïdes de l'île de la Trinité*. – C.R. Acad. Sci. (Paris) 161, 87–93.
- (1917): *Les Orbitoïdes de l'île de la Trinité*. – C.R. Acad. Sci. (Paris) 164, 841–847.
- (1924): *Revision des Lépidocyclines*. – Mém. Soc. géol. France, n. s., 1/2, 1–49.
- DROOGER, C.W. (1960a): *Some Early Rotalid Foraminifera, I*. – Proc. k. nederl. Akad. Wetensch. Amsterdam, (B), 63, 287–318.
- (1960b): *Microfauna and Age of the Basses Plaines Formation of French Guayana*. – Proc. k. nederl. Akad. Wetensch. Amsterdam, (B), 63/4, 444–468.
- EAMES, F.E., CLARKE, W.J., BANNER, F.T., SMOUT, A.H., & BLOW, W.H. (1968): *Some Larger Foraminifera from the Tertiary of Central America*. – Palaeontology 11, 283–305.
- GORTER, N.E., & VAN DER VLERK, I.M. (1932): *Larger Foraminifera from Central Falcon (Venezuela)*. – Leidsche geol. Meded. 4/2, 94–122.
- GRAVELL, D.W. (1933): *Tertiary Larger Foraminifera of Venezuela*. – Smithson. misc. Collect. 89/11, 1–44.
- GRIMSDALE, T.F. (1941): *New Species of Helicostegina from Soldado Rock*. In: VAUGHAN & COLE: *Preliminary Report on the Cretaceous and Tertiary Larger Foraminifera of Trinidad*. – Spec. Pap. geol. Soc. Amer. 30, 86–87.
- (1951): *Correlation, Age Determination and the Tertiary Pelagic Foraminifera*. – Proc. 3rd World Petroleum Congr., Leiden, Sect. 1, 463–475.
- (1959): *Evolution in the American Lepidocyclinidae*. – Proc. k. nederl. Akad. Wetensch. Amsterdam, (B), 62, 8–33.
- GUPPY, R.J.L. (1866): *On the Relations of the Tertiary Formations of the West-Indies*. – Quart. J. geol. Soc. London 22, 570–590.
- (1892): *The Tertiary Microzoic Formations of Trinidad*. – Quart. J. geol. Soc. London 48, 519–538.
- HANZAWA, S. (1962): *Upper Cretaceous and Tertiary Three-layered Larger Foraminifera and their Allied Forms*. – Micropaleontology 8, 129–186.
- HARRIS, G.D. (1926) *Notes on the paleontology*. In: G.A. WARING: *The Geology of the Island of Trinidad, B. W. I.* – Johns Hopkins Univ. Studies in Geology 7, 87–112.
- HEDBERG, H.D. (1937): *Stratigraphy of the Querecual Section of Northeastern Venezuela*. – Bull. geol. Soc. Amer. 48, 1971–2024.
- HODSON, H.K. (1926): *Foraminifera from Venezuela and Trinidad*. – Bull. amer. Paleont. 12/47, 1–46.

- JEANNET, A., (1928): *Contributions à l'étude des échinides tertiaires de la Trinité et du Venezuela*. – Mém. Soc. paleont. suisse 48, 1–48.
- KIER, P. M. (1967): *Revision of the Oligopygoid Echinoids*. – Smithson. misc. Collect. 152/2, 1–147.
- KUGLER, H. G. (1923): *Das Eocænprofil von Soldado Rock bei Trinidad*. – Eclogae geol. Helv. 18/2, 253–259.
- (1936): *Summary Digest of the Geology of Trinidad*. – Bull. amer. Assoc. Petroleum Geol. 20/11, 1439–1453.
- (1938): *The Eocene of the Soldado Rock near Trinidad*. – Bol. Geol. Min., Caracas, 2, 202–225 (also quoted verbatim in: VAUGHAN & COLE 1941, 8–12).
- (1953): *Jurassic to Recent Sedimentary Environments in Trinidad*. – Bull. Assoc. suisse Géol. Ing. Pétrole 20/59, 27–60.
- (1956): *Lexique stratigraphique de Trinidad, Amérique latine*. – Cent. natl. Rech. sci., Paris, 41–116.
- KUGLER, H. G., & CAUDRI, C. M. B. (1975): *Geology and Paleontology of Soldado Rock, Trinidad (West Indies). Part I: Geology and Biostratigraphy*. – Eclogae geol. Helv. 68/2, 365–430.
- LEHNER, E. (1935): *Introduction à la géologie de Trinidad et bibliographie géologique*. – Ann. Office natl. Combust. liquides, Paris, 691–730.
- LIDDLE, R. A. (1928): *The Geology of Venezuela and Trinidad*. – J. P. Mac Gowan, Fort Worth.
- (1946): *The Geology of Venezuela and Trinidad*. – Paleont. Res. Instn., Ithaca, New York.
- LIDDLE, R. A., HARRIS, G. D., & WELLS, J. W. (1943): *The Rio Cachirí Section in the Sierra de Perijá, Venezuela*. – Bull. amer. Paleont. 27/108, 273–368.
- MACKENZIE, A. N. (1937): *The Geological Section of the Barinas Region, Districts of Barinas, Bolivar and Obispos, State of Zamora, Venezuela*. – Bol. Geol. Min., Caracas, 1/2–4, 253–268.
- MAURY, C. J. (1912): *A contribution to the Paleontology of Trinidad*. – J. Acad. nat. Sci. Philadelphia 15/2, 23–112.
- (1913): *The Bearing of Recent Discoveries of Early Tertiary Shells near Trinidad and in Brazil on Hypothetical Land Routes between South America and Africa*. – South-African J. Sci. 10/1, 92–96.
- (1925a): *A new Formational Name*. – Science 61/1561, 43.
- (1925b): *A Further Contribution to the Paleontology of Trinidad (Miocene fossils)*. – Bull. amer. Paleont. 10/42, 153–402.
- (1929): *The Soldado Rock Type Section of Eocene*. – J. Geol. 37/2, 177–181.
- (1935): *The Soldado Rock section*. – Science 82/2122, 192–193.
- MUÑOZ, J. N. G. (1966): *Descripción de las formaciones Humocaro y Quebrada Arriba en sus localidades tipo de los Andes de Lara*. – Bol. inform. Asoc. venez. Geol. Min. Petroleo 9/5, 137–151.
- NUTTALL, W. F. L. (1928): *Tertiary Foraminifera from Naparima Region, Trinidad (British West-Indies)*. – Quart. J. geol. Soc. London 84, 57–115.
- PALMER, D. K. (1934): *Some Larger Foraminifera from Cuba*. – Mem. Soc. Cubana Hist. nat., Habana, 8, 253–264.
- RAADSHOOVEN, B. VAN (1951): *On some Paleocene and Eocene Larger Foraminifera of Western Venezuela*. – Proc. 3rd World Petroleum Congr., Sect. I, 476–489.
- RENZ, H. H. (1942): *Stratigraphy of Northern South America, Trinidad and Barbados*. – Proc. 8th amer. sci. Congr., geol. Sci., Washington, 4, 513–571.
- RIVERO, F. DE (1956a): *Boca de Serpiente Formation*. – Strat. Lexicon of Venezuela (English edition), Caracas, 79–83.
- (1956b): *Soldado Formation*. – Strat. Lexicon of Venezuela (English edition), Caracas, 555–561.
- ROBINSON, E. (1968): *Zonation by Larger Foraminifera of the Caribbean Cretaceous and Lower Tertiary*. – Unpubl. Prepr. Trans. 5th Caribbean geol. Conf., St. Thomas.
- (1969): *Stratigraphy and Age of the Dump Limestone lenticle, Central Jamaica*. – Eclogae geol. Helv. 62/2, 737–744.
- RUTSCH, R. (1936a): *Die stratigraphische Bedeutung der Venericardia planicosta und ihre Verwandten*. – Eclogae geol. Helv. 29/1, 151–186.
- (1936b): *Ist Venericardi beaumonti auf die Oberkreide beschränkt?* – Eclogae geol. Helv. 29/1, 187–207.
- (1939a): *Die Gattung Tubulostium im Eocæn der Antillen*. – Eclogae geol. Helv. 32/2, 231–244.
- (1939b): *Terebratulina kugleri, n. sp. from the Eocene of Soldado Rock*. – J. Paleont. 13, 517–520.
- (1939c): *Entwicklung tropisch-amerikanischer Tertiärfaunen und Kontinentalverschiebungs-Hypothese*. – Geol. Rdsch. 30/3–4, 362–372.

- RUTSCH, R. (1939d): *Evolution of tropical American Tertiary Faunas and Theory of Continental Drift.* – Proc. 6th Pacific Sci. Congr., 619–626.
- (1943): *Die Paleocän Mollusken der Inseln Trinidad und Soldado Rock (B. W. I.).* – *Eclogae geol. Helv.* 36/2, 139–192.
- SACHS, K. N. (1957): *Restudy of some Cuban Larger Foraminifera.* – *Contr. Cushman Found. foram. Res.* 8, 106–120.
- SALVADOR, A., & STAINFORTH, R. M. (1968): *Clues in Venezuela to the Geology of Trinidad and vice versa.* – *Trans. 4th Caribbean geol. Conf., Port-of-Spain 1965*, 31–40.
- SCHILDER, F. A. (1939): *Cypraeacea aus dem Tertiär von Trinidad, Venezuela und den Antillen.* – *Abh. schweiz. palaeont. Ges.* 62, 1–35.
- SCHUCHERT, CH. (1935): *Historical Geology of the Antillean-Caribbean Region.* – John Wiley & Sons, New York.
- SENN, A. (1940): *Paleogene of Barbados and its Bearing on History and Structure of Antillean-Caribbean Region.* – *Bull. amer. Assoc. Petroleum Geol.* 24/9, 1548–1610.
- SHIMER, H. W. (1934): *Correlation Chart of Geologic Formations of North America.* – *Bull. geol. Soc. Amer.* 45, 909–936.
- STAINFORTH, R. M. (1948): *Applied Micropaleontology in Coastal Ecuador.* – *J. Paleont.* 22, 113–151.
- (1955): *Ages of Tertiary formations in N. W. Peru.* – *Bull. amer. Assoc. Petroleum Geol.* 39, 2068–2077.
- Stratigraphical Lexicon of Venezuela (1956) (Engl. ed.). – *Bol. Geol., Spec. Publ. 1*, Minist. Minas Hidrocarb, edición Sucre, Caracas.
- SUTER, H. H. (1951, 1952; reprod. 1954): *The General and Economic Geology of Trinidad.* – *Colon. Geol. miner. Resour. (London)*, 2/3, 177–217; 2/4, 271–307; 3/1, 3–51 (2nd ed., issued by Overseas Geology and Mineral Resources, 1960).
- TAN SIN HOK (1936a): *Beitrag zur Kenntnis der Lepidocyclinen.* – *Proc. k. Akad. Wetensch. Amsterdam* 39, 990–999.
- (1936b): *Zur Kenntnis der Lepidocyclinen.* – *Natk. Tijdschr. Nederlandsch-Indië* 96, 235–280.
- TAYLOR, G. C. (1960): *Geología de la Isla de Margarita, Venezuela.* – *Mem. III. Congr. geol. venez.*, Caracas 1959, 2, 838–894.
- TOBLER, A. (1922a): *Die Jacksonstufe (Priabonien) in Venezuela und Trinidad.* – *Eclogae geol. Helv.* 17, 342–346.
- (1922b): *Helicolepidina, ein neues Subgenus von Lepidocyclina.* – *Eclogae geol. Helv.* 17, 380–384.
- TODD, J. U., & BARKER, R. W. (1932): *Tertiary Orbitoids from N. W. Peru.* – *Geol. Mag.* 69, 529–543.
- TOUMARKINE, M., & BOLLI, H. M. (1970): *Evolution de Globorotalia cerroazulensis (Cole) dans l'Eocène Moyen et Supérieur de Possagno (Italie).* – *Rev. Micropaléont.*, 13/3, 131–145.
- VAUGHAN, T. W. (1919): *The Biologic Character and Geologic Correlation of the Sedimentary Formations of Panama in their Relation to the Geologic History of Central America and the West Indies.* – *Bull. Smithsonian Instn., U. S. natl. Mus.* 103, 1–4 and 547–612.
- (1928): *New Species of Operculina and Discocyclina from the Ocala limestone.* – *Ann. Rep. Florida State geol. Surv.* 19, 155–165.
- (1937): *The Tertiary Larger Foraminifera.* In: G. SHEPPARD: *The geology of S. W. Ecuador.* – Thomas Murby & Co., London, 150–175.
- (1945): *American Paleocene and Eocene Larger Foraminifera.* – *Mem. geol. Soc. Amer.* 9, 1–175.
- VAUGHAN, T. W., & COLE, W. S. (1941): *Preliminary Report on the Cretaceous and Tertiary Larger Foraminifera of Trinidad, British West Indies.* – *Spec. Pap. geol. Soc. Amer.*, 30, 1–137.
- WARING, G. A. (1926): *The Geology of the Island of Trinidad, B. W. I.* – *Johns Hopkins University Studies of Geology* 7, 1–181.
- WETTSTEIN, R. (1924): *Handbuch der systematischen Botanik* (3rd ed.). – Franz Deuticke, Leipzig/Vienna.
- WINKLE, K. VAN (1919): *Remarks on some New Species from Trinidad.* – *Bull. amer. Paleont.* 8/33, 19–32.
- WOODRING, W. P. (1928): *Miocene Molluscs from Bowden, Jamaica.* – *Publ. Carnegie Instn., Washington*, 385, 1–564.