

Zeitschrift:	Eclogae Geologicae Helvetiae
Herausgeber:	Schweizerische Geologische Gesellschaft
Band:	77 (1984)
Heft:	3
Artikel:	A Middle Jurassic-Early Cretaceous low-latitude radiolarian zonation based on unitary associations and age of Tethyan radiolarites
Autor:	Baumgartner, Peter O.
Kapitel:	Acknowledgments
DOI:	https://doi.org/10.5169/seals-165530

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 30.09.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

- Radiolarian data.* – See Plate 12, more samples of whole section in preparation.
- *49. C 31, northern Evvoia, eastern Greece: 1.
Sample data. – Residue provided by J. Simantov, Geneva, described as interpillow sediment of the Pelagonian (s.l.) ophiolites of northern Evvoia.
- Radiolarian data.* – Own data: C31: U.A. 4–5, Zones A1–A2.
- *50. DB 6214, Al Aridh Formation, Jebel al Hasi, Hawasina Nappes, Central Oman: 1.
References. – BERNOULLI & WEISSERT [manuscript]. The sample comes from bedded lime-free radiolarites and shales in the type area of the Al Aridh Formation (GLENNIE et al. 1974). Coll. D. Bernoulli.
- Radiolarian data.* – Own data: DB 6214: U.A. 0, Zone A0.
- *51. DB 4575, near Achladi, northern Evvoia, eastern Greece: 1.
Reference. – BAUMGARTNER & BERNOULLI 1976.
Radiolarian data. – Own data: DB 4575: U.A. 7–8, Zone B (not early Neocomian as supposed in the reference).

Acknowledgments

This paper is the result of eight years of collaboration and exchange with numerous fellow radiolarian workers which is gratefully acknowledged. Years of joint field work with Daniel Bernoulli in Greece and the collaboration with Jerry Winterer aboard *Glomar Challenger* and in the field in Italy have encouraged my research and inspired the conception of the paleoceanographic interpretations in this paper. The biochronologic concept has profited from continuous exchange with Jean Guex and Eric Davaud who computed the Unitary Associations.

The elaboration of the Middle Jurassic–Early Cretaceous radiolarian database greatly profited from the contribution of raw samples and radiolarian residues and the opportunity to study preparations from a number of colleagues: M. Baltuck, D. Bernoulli, C. D. Blome, P. De Wever, P. Dumitrica, the late Helen Foreman, F. Gradstein, R. Kocher, J. Ogg, E. A. Pessagno, W. R. Riedel, A. Sanfilippo, J. Simantov, P. R. Tippit, E. L. Winterer and A. Yao.

I am very thankful to Claudia R. Mora Rojas who assisted in all stages of this work, especially in compiling the database and references and in working out the measurements of new species. The SEM-Laboratory at the University of Basel, directed by R. Guggenheim produced much of the SEM-illustrations, which is gratefully acknowledged.

I owe thanks to the Deep Sea Drilling Project inviting me to participate in shorebased analysis of the Leg 76 samples for radiolarian paleontology. Field work in Greece in the years 1973–80 was funded by the Swiss National Science Foundation, projects no. 2.1620.74 and no. 2.762-0.77. Field work in Italy in 1983 was financed by the US National Science Foundation, grant no. EAR82-18477.

Patrick De Wever and Akira Yao kindly reviewed the systematic part and Daniel Bernoulli critically read the geologic part of this paper. I greatly appreciate their helpful corrections and criticism.

REFERENCES

- ABBATE, E. (1969): Geologia delle Cinque Terre e dell'entroterra di Levanto (Liguria orientale). – Mem. Soc. geol. ital. 8, 923–1014.
- ADACHI, M. (1982): Some considerations on the *Mirifusus baileyi* Assemblage in the Mino terrain, central Japan. – Proc. first jap. radiolarian Symp.: Spec. Vol. News Osaka Micropaleont. 5, 211–226.
- AGTERBERG, F.P., & Nel, L.D. (1982a): Algorithms for the ranking and scaling of stratigraphic events. – Computers Geosci. 8/1, 69–90.
- (1982b): Algorithms for the scaling of stratigraphic events. – Computers Geosci. 8/2, 163–189.
- AITA, Y. (1982): Jurassic radiolarian biostratigraphy in Irazuyama district, Kochi Prefecture, Japan – A preliminary report. – Proc. first jap. radiolarian Symp.: Spec. Vol. News Osaka Micropaleont. 5, 255–270.
- ALIEV, K. S. (1965): Radiolarians of the Lower Cretaceous deposits of northeastern Azerbaijan and their stratigraphic significance. – Izdat. Akad. Azerbaizdzh SSR, Baku, p. 3–124.
- AOKI, T. (1982): Upper Jurassic to Lower Cretaceous radiolarians from the Tsukimiyama and Tei Mélanges of the Northern Shimanto Belt in Kochi Prefecture, Shikoku. – Proc. first jap. radiolarian Symp.: Spec. Vol. News Osaka Micropaleont. 5, 339–352.