

|                     |   |
|---------------------|---|
| <b>Zeitschrift:</b> | Eclogae Geologicae Helvetiae  |
| <b>Herausgeber:</b> | Schweizerische Geologische Gesellschaft   |
| <b>Band:</b>        | 80 (1987)   |
| <b>Heft:</b>        | 3   |
| <b>Artikel:</b>     | New Eomyidae, Dipodidae, and Cricetidae (Rodentia, Mammalia) of the Lower Freshwater Molasse of Switzerland and Savoy |
| <b>Autor:</b>       | Engesser, Burkart   |
| <b>Kapitel:</b>     | 1: Introduction   |
| <b>DOI:</b>         | <a href="https://doi.org/10.5169/seals-166035">https://doi.org/10.5169/seals-166035</a>                               |

### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 19.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

### 1. Introduction

In the course of a project founded by the Swiss National Sciences Foundation (projects No 2.099-0.78 and 2.887-0.83) a biozonation of the Molasse of Switzerland and Savoy has been established. Between 1978 and 1986 important new material of fossil mammals have been collected for this study. At the "International Symposium on Mammalian Biostratigraphy and Paleoecology of the European Paleogene" held in February 1987 in Mainz, we presented a new biozonation of the Lower Freshwater Molasse of Switzerland and Savoy. This zonation will be published shortly in the proceedings of the symposium.

A number of mammal taxa, on which this biozonation is based, are new, but for reasons of space, they could not be described in the proceedings of the symposium. Therefore, the description of these new species which are important for biostratigraphy, are presented here.

Four new species of eomyids are described in this study. These chapters are relatively short, because I have been engaged for several years in the preparation of a monograph




Fig. 1. The stratigraphical range of the described species.

on the eomyids of the Swiss Molasse. In this latter publication, which will soon be completed, extensive comparisons and discussions of the relationships will be given. The new species of *Heterocricetodon* and that of *Plesiosminthus* are treated more extensively, because these two genera are small groups to which I will not refer again in the near future.

I am indebted to many persons for their help. The geologists Dr. M. Weidmann, Lausanne, Dr. H. A. Haus, Überlingen, and Dr. A. Breitschmid, Bern, helped me in the field and provided me with lithostratigraphical sections. Prof. Dr. V. Fahlbusch, Munich, Dr. M. Hugueney, Lyon, and U. Oberli, St. Gallen, lent me fossil material. P. Hornisberger, Bern, D. Kälin, Balsthal, and H. Winistorfer, Balsthal, provided me with material from localities that they had discovered. Prof. Dr. V. Fahlbusch, Dr. Joh. Hürzeler, N. A. Mayo, and Dr. M. Weidmann discussed problems with me, and provided me with much information and numerous suggestions. Our preparators, D. Oppliger and M. Weick, helped me in the field, washed sediments and made casts. H. Gredig, H. Pouget, P. Schwarz, my wife Wies, and J. Zimmermann did the picking of the washed sediments. Dr. and Mrs. T. Harrison went over the manuscript which was typed by H. Pouget. To all these people I would like to express my thanks.

## 2. Systematic description

### Family *Eomyidae* DEPÉRET & DOUXAMI 1902

#### Genus *Eomys* SCHLOSSER 1884

##### *Eomys molassicus* n. sp.

Fig. 2b–c, 3b, 4b, 5d, 6a, 7–8

*Diagnosis.* – Small species of *Eomys* with brachydont, short, and wide lower molars which show a well-developed anterior cingulum (labial and lingual branch) and a medium to long mesolophid.  $P_4$  also with long mesolophid.  $M_1$  and  $M_2$  both with 4th labial syncline, but more reduced in  $M_2$  than in  $M_1$ .  $M^1$  and  $M^2$  mostly with long mesoloph and well-developed 1st labial syncline. Lower incisor relatively large, almost as large as in *Eomys zitteli*.

*Derivatio nominis.* – molassicus, because this species is so far known only from the Molasse basin.

*Type.* – Right mandible fragment with I,  $P_4$ – $M_3$ , U.M. 2926, Basel, Museum of Natural History. Dimensions:  $P_4$ : 0,94 × 0,92 mm,  $M_1$ : 0,98 × 1,00 mm,  $M_2$ : 1,02 × 2,08 mm,  $M_3$ : 0,86 × 0,98 mm. Incisor (cross-section): 0,66 × 1,12 mm, height of the mandible below  $P_4$ : about 3,25 mm; (fig. 2c, 5d).

*Referred material from Oensingen.* – Right mandible fragment with  $M_1$ – $M_2$ , right maxillary fragment with  $P^4$ – $M^1$ , 7 isolated teeth.

*Type locality.* – Freshwater limestone of Oensingen–Ravellen (Canton of Solothurn, Switzerland), coordinates of the “Schweizer Landeskarte” 1:25 000: 620 850/238 100 (see MAYO 1980, p. 1098 and ENGESSER & MAYO 1987).

*Age:* Middle Oligocene, assemblage zone of Oensingen (ENGESSER & MAYO 1987).

*Stratigraphic range.* – Assemblage zones of Oensingen and Mümliswil–Hardberg.