

Zeitschrift: Eclogae Geologicae Helvetiae
Herausgeber: Schweizerische Geologische Gesellschaft
Band: 87 (1994)
Heft: 3: Concepts and controversies in phosphogenesis : proceedings of the symposium and workshop held on 6-10 September 1993

Artikel: Phosphorite geochemistry : state-of-the-art and environmental concerns
Autor: Jarvis, Ian / Burnett, William C. / Nathan, Yaacon
Kapitel: Acknowledgments
DOI: <https://doi.org/10.5169/seals-167474>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 25.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Experimental data concerning the kinetics and thermodynamics of trace-element incorporation by francolites is a prerequisite for quantitative modelling. Further experimental work, together with mathematical modelling of natural and artificial systems, are essential if the transition is to be made from empirical to theoretical studies of phosphogenesis. However, the complexities of natural phosphogenic environments should not be underestimated. It is also important to make the point that there remains a limit to which present-day phosphorites may be used as analogues for the genesis of ancient deposits. The most notable difference is that most major phosphorites are granular while modern phosphorites are dominantly nodular. Recent studies have demonstrated that granular phosphorites are forming in modern settings and that phosphorite hardgrounds are more widespread in both the modern and ancient than previously realised (Glenn et al. 1994a, b). Nonetheless, there remains no known exact analogue for the phosphorite 'giants' of the geological record. The basic physical-chemical processes which control the precipitation of francolite and the genesis of phosphorites must have been the same in the past as they are at the present day, and there is no doubt that we have learnt much about these from our studies of modern sediments. Nonetheless, there remains the fundamental questions as to why ancient deposits are so different and what are the environmental factors that these differences reflect?

Over the last two decades, geochemical and particularly isotopic studies have led to major advances in our understanding of the genesis and diagenesis of phosphorites, but many problems remain unsolved. What is the precursor mineral to francolite in modern environments? When and how are specific trace elements incorporated in phosphorites, where are they located and what was their source? Are humic compounds or other organic complexes instrumental in these processes? To what extent do kinetic and thermodynamic factors control trace-element contents? Are trace-elements good redox indicators? Are weathering and metamorphic effects kinetically controlled; is long term-burial at modest depths equivalent to short periods of deep burial?

To answer these questions, traditional geological analyses of ancient and modern phosphorites will have to be complemented by: (1) new analytical methods to empirically determine the distribution and behaviour of trace elements and isotopes in phosphorites; (2) better integration of inorganic and organic geochemical studies; (3) multi-element and multi-phase studies to examine the relationship between francolite geochemistry and those of associated mineral phases; (4) more extensive data on the porewater and solid-phase geochemistry of modern phosphogenic and associated non-phosphogenic environments; (5) experimental work to determine the kinetic and thermodynamic factors which control apatite precipitation and the incorporation of trace elements in francolite; (6) more refined modelling of natural and experimentally derived data.

Results from these geochemical studies will continue to provide one of the best means of refining models of phosphogenesis. An understanding of geochemical processes is essential to assessing and ameliorating the environmental impact of phosphate rock extraction and processing and the use of phosphate fertilisers.

Acknowledgements

This paper is based partly on presentations made at the IGCP 325 International Symposium & Workshop, *Concepts and Controversies in Phosphogenesis*, held in Matten, Switzerland, 6–10 September 1993. The authors wish to thank Karl Föllmi (ETH Zurich), other members of the organising committee, and the sponsors, for their

enthusiasm and support during the meeting. Kingston University funded IJ during his attendance at the symposium. WB acknowledges the financial support of the Florida Institute of Phosphate Research (FIPR#90-05-035) for the phosphogypsum studies. The manuscript benefited greatly from critical reviews by Drs Peter Cook (British Geological Survey), Yoshua Kolodny (Hebrew University of Jerusalem), John McArthur (University College London) and Arthur Notholt (Mineral Resources Consultant, Uxbridge). This is a contribution to IGCP Project 325, Palaeogeography of Authigenic Minerals.

REFERENCES

- ABU MURRY, O.S. 1993: Distribution of rare earth elements in Jordanian phosphate. Concepts and Controversies in Phosphogenesis. Int. Symp. and Workshop, Matten, 6-10 September, 1993.
- ALTSCHULER, Z.S. 1973: The weathering of phosphate deposits – geochemical and environmental aspects. In: Environmental Phosphates Handbook (Ed. by GRIFFITH, D., BEETON, A., SPENCER, J.M. & MITCHELL, D.T.). Wiley & Sons, New York, 33–96.
- 1980: The geochemistry of trace elements in marine phosphorites. Part I: Characteristic abundances and enrichment. In: Marine Phosphorites (Ed. by BENTON, Y.K.). Soc. Econ. Paleont. Miner. Spec. Publ. 29, 19–30.
- ALTSCHULER, Z.S., CISNEY, E.A. & BARLOW, I.H. 1952: X-ray evidence of the nature of carbonate apatite. Geol. Soc. Am. Bull. 63, 1230–1231.
- ALTSCHULER, Z.S., CLARKE, R.S. & YOUNG, E.Y. 1958: Geochemistry of uranium in apatite and phosphorite. US Geol. Surv. Prof. Pap. 314-D, 45–90.
- ALTSCHULER, Z.S., BERMAN, S. & CUTTITI, F. 1967: Rare earths in phosphorites – geochemistry and potential recovery. US Geol. Surv. Prof. Paper 575(B), B1–B9.
- ANON 1989: Cadmium in phosphates: one part of a wider environmental problem. Phosphorus Potassium 162, 23–30.
- 1993: Phosphate Rock helps feed the world. Engineer. Min. Jour. 194, 2, 73.
- ATLAS, E.L. 1975: Phosphate equilibria in seawater and interstitial waters. PhD Dissert. Oregon State University, Corvallis.
- ATLAS, E.L. & PYTKOWICZ, R.M. 1977: Solubility behaviour of apatites in seawater. Limnol. Oceanogr. 22, 290–300.
- AVITAL, Y., STARINSKY, A. & KOLODNY, Y. 1983: Uranium geochemistry and fission track mapping of phosphorites, Zefa Field, Israel. Econ. Geol. 78, 121–131.
- BACHRA, B.N., TRAUTZ, O.R. & SIMON, S.L. 1965: The effect of magnesium and fluoride ions on the spontaneous precipitation of calcium carbonates and phosphates. Arch. Oral Biol 10, 731–738.
- BACQUET, G., VO QUANG, T., BONEL, G. & VIGNOLES, M. 1980: Résonance paramagnétique électronique du centre F dans les fluorapatites carbonatées de type B. J. Solid State Chem. 33, 189–195.
- BAECHLE, H.-T. & WOLSTEIN, F. 1984: Cadmium compounds in mineral fertilisers. Proc. Fertil. Soc. London 226, 1–18.
- BAROLE, D.V., RAJAGOPALAN, G. & SOMAYAJULU, B.L.K. 1987: Radiometric ages of phosphorites from the west coast of India. Mar. Geol. 78, 161–165.
- BATURIN, G.N. 1978: Phosphorites on the Ocean Floor (in Russian). Izdat. Nauka, Moscow.
- BATURIN, K.N. & KOCHENOV, A.V. 1974: Uranium content of oceanic phosphorites (in Russian). Litologia I Poleznye Iskopaemye 1, 124–129.
- BATURIN, G.N. & ORESHKIN, V.N. 1984: Behaviour of cadmium in ocean-floor bone phosphate. Geochem. Int. 35, 69–74.
- BATURIN, G.N., KOCHENOV, A.V. & PETELIN, V.P. 1970: Phosphorite formation on the shelf of SW Africa. Lithol. Min. Res. 3, 266–276.
- BATURIN, G.N., MERKULOVA, K.I. & CHALOV, P.I. 1972: Radiometric evidence for recent formation of phosphatic nodules in marine shelf sediments. Mar. Geol. 13, M37–M41.
- 1974: Absolute dating of oceanic phosphorites by disequilibrium uranium. Geochemistry 11, 568–574.
- BECKER, P. 1989: Phosphogypsum: expensive waste or profitable by-product. Phosphates and Phosphoric Acid. Marcel Dekker Inc. 537–569.
- BENMORE, R.A., COLEMAN, M.L. & MCARTHUR, J.M. 1983: Origin of sedimentary francolite from its sulphur and carbon isotope composition. Nature 302, 516–518.
- BENMORE, R.A., MCARTHUR, J.M. & COLEMAN, M.L. 1984: Stable isotopic composition of structural carbonate in sedimentary francolite. Spec. Publ. Geol. Surv. India 17, 35–40.