

Zeitschrift: Entomologica Basiliensis
Herausgeber: Naturhistorisches Museum Basel, Entomologische Sammlungen
Band: 22 (2000)

Artikel: Present knowledge of the Entomofauna of the Maltese Islands
Autor: Mifsud, D.
DOI: <https://doi.org/10.5169/seals-980891>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 08.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

INTERNATIONALE ENTOMOLOGEN-TAGUNG BASEL 1999

Present knowledge of the Entomofauna of the Maltese Islands

by D. Mifsud

Abstract. The Maltese Islands' strategic position in the centre of the Mediterranean basin and in between the Siculo-Tunisian sill, always encouraged a number of foreign naturalists to visit and study their local entomofauna. A number of Maltese naturalists also contributed to such investigations. All this activity yielded a substantial amount of literature, sometimes with descriptions of possibly endemic species. Unfortunately, some of these earlier published works and those found in Maltese journals, are not easily accessible. A brief general account of the entomofauna inhabiting the Maltese Islands is provided, citing general works in which earlier citations may be found and where possible indicating lack of research on certain insect groups.

Keywords. Malta - Central Mediterranean - Entomofauna.

Introduction

The Maltese Islands are a group of small, low lying islands (maximum altitude, 253 m) and consists of three inhabited Islands: Malta (surface area, 245.7 km₂), Gozo (surface area, 67.1 km₂) and Comino. A number of small uninhabited islets such as Cominotto, Filfola, St. Paul's Islands and Fungus Rock are also present. The archipelago is aligned in a NW-SE direction and located in the Central Mediterranean approximately 96 km from Sicily, 320 km from Tunisia and 330 km from Tripolitania (Libya). They are situated on a shallow shelf, the Malta-Ragusa Rise, part of the submarine ridge which extends from the Ragusa Peninsula of Sicily Southwards to the African coasts of Tripoli and Libya. Geologically, the islands are composed almost entirely of marine sedimentary rocks, mainly limestone of Oligo-Miocene age. The five main formations are (in order of decreasing age) Lower Coralline Limestone, Globigerina Limestone, Blue Clay, Greensand and Upper Coralline Limestone. The climate of the Maltese Islands is typically Mediterranean with a characteristic biseasonality. The average annual precipitation is approximately 500 mm. Human influence is a key feature on the islands' ecology. The first settlers on the islands cleared off most of the indigenous trees for agricultural practices. At present, the overall population density of Malta is 1095 inhabitants per km₂ (1985 census). A number of special habitats such as sandy beaches, salt marshes and relicts of *Quercus ilex* woods are thus under high recreational use and the fauna and flora associated with them is drastically decreasing.

Overview

In this present work, an overview of the present state of knowledge of the entomofauna of the Maltese Islands is provided. No attempts are made to list all publications dealing with the different insect groups but rather key works are cited in which earlier citations are included there in.

Few general works on the entomofauna of the Maltese Islands have been published. In 1857 *Gulia* delivered a series of lectures on the insect fauna of the Maltese Islands which were published one year later *GULIA*, 1858). In this work a number of insects were mentioned but most identifications are considered doubtful by local entomologists. *GULIA* (1914) reviewed the zoological research carried out up to that date. Earlier literature on the local entomofauna was also provided there in. *ANDRES* (1916) published a list of Lepidoptera, Hemiptera and Coleoptera collected by himself from these Islands during the time he passed in Malta as a prisoner of war. *BORG* (1939) gave information on migratory insects and *SALIBA* (1963) gave a comprehensive list of insect pests on crop plants in the Maltese Islands. *SCHEMBRI* et al. (1987) indicated the presence of rare floristic and faunistic taxa (including insects) in several localities of conservational value in the Maltese Islands. More recently, *SCHEMBRI* (1989), *SAMMUT & VALLETTA* (1989) and *CILIA* (1989) have contributed annotated lists of endemic, rare, threatened and/or scientifically interesting species in the Red Data Book for the Maltese Islands edited by *SCHEMBRI & SULTANA* (1989). *SCHEMBRI & LANFRANCO* (1996), besides other organisms, cited a number of insects that were introduced in the Maltese Islands. *MIFSUD* (1997a) gave an overview of predatory and parasitic insects (introduced and indigenous), and *MIFSUD & WATSON* (1999) provided information on some accidentally introduced sap-feeding insect pests. *FARRUGIA* (1997) recorded 44 insect species from cauliflower fields in Gozo. *CARUANA GATTO* (1926) gave a detailed account of gall forming organisms (including insects) found in the Maltese Islands. *SCHEMBRI* (1993c) reviewed the present knowledge of the fauna of the Maltese Islands. This latter review was again included in the introductory part of the monograph on the non-marine molluscs of the Maltese Islands (FOLCO et al., 1995).

STACH (1967) gave a comprehensive account of the Collembola fauna of the Maltese Islands mainly based on material collected in 1924 by the Maltese Naturalist Alfredo Caruana Gatto. This work was neglected from reviews of local faunistic works (e.g. *SCHEMBRI*, 1989, 1993c). From this material five species were described as new and could possibly be endemic (*STACH*, 1963, 1967). More recently, *THIBAUD & CHRISTIAN* (1989) studied the interstitial Collembola from dune sand samples from Gozo (Ramla) recording eight species, two of which were described as new. No works dealing with the proturan fauna of the Maltese Islands have been published and only two species of Diplura were recorded, *Monojapyx simplex* and *Parajapyx isabellae* (PAGÉS, 1978). *MENDES* (1980, 1981, 1987) studied material of Archaeognatha and Thysanura reviewing earlier citations and recording a total of five and seven species respectively. *Cleon dipterum* is the only recorded species of Ephemeroptera frequently found in the Maltese Islands (*SCHEMBRI & SCHEMBRI*, 1979). The Odonata were studied by *VALLETTA* (1949, 1957) who recorded one species of Zygoptera and nine of Anisoptera. *CILIA* (1972) furnished additional information on some of these recorded species. A number of local naturalists and foreign specialists have contributed towards the knowledge of the following insect orders occurring in the Maltese Islands. These include Blattodea, Isoptera, Mantodea, Dermaptera and Orthoptera. *SCHEMBRI* (1980a) reviewed the records of Blattodea recording a total of seven species. *LANFRANCO* (1974) mentioned two species of Isoptera and *SCHEMBRI & SCHEMBRI* (1978) reviewed the local Dermaptera species. *Anisolabis maritima*, recorded from two specimens from Salina (Malta), was included in the Red Data Book (*SCHEMBRI & SULTANA*, 1989) but in recent years it was found in

other localities both in Malta (Mellieha Bay and Dragonara) and Gozo (Qbajjar & Marsalforn Bay) (MIFSUD, unpublished data). VALLETTA (1954, 1955) contributed two extensive lists of Orthoptera of the Maltese Islands listing 37 species. BACCETTI (1973) reviewed previous works and furnished additional records. Other works which provided further information on the Orthoptera include CILIA (1975), SCHEMBRI (1984a, 1990) and SCHEMBRI & EBEJER (1983, 1984). From the Orthoptera fauna, it is note mentioning *Myrmechophilus baronii*, previously thought to be endemic, but recently reported also from Pantelleria (BACCETTI, MASSA & CANESTRELLI, 1995). Embioptera are known to occur but no studies has been published. A total of six species of Psocoptera were recorded from the Maltese Islands. These include three *Liposcelis* species (LIENHARD, 1990), of which, *L. compacta* was described as new from material collected in Algeria, France, Greece, Malta and Spain. More recently, LIENHARD (1998) added three additional species *Epipsocus lucifugus*, *Ectopsocus meridionalis* and *E. vachoni* from Malta. Future collecting may reveal that more species occur. No faunistic studies have been undertaken within the Phthiraptera even though a lot of species are expected to occur. SULTANA & GAUCI (1978) recorded two species *Halipeurus abnormis* on *Calonectris diomedea* and *Penenirmus* sp. on *Sylvia borin*. Another species *Halipeurus pelagicus* was found on *Hydrobates pelagicus* on Filfola (MEY, unpublished data, pers. comm., 1999). Table 1 summarises the data presented.

Table 1:

	Reference	Recorded number of species
Collembola	STACH, 1967; THIBAUD & CHRISTIAN, 1989	38
Dipula	PAGÉS, 1978	2
Archaeognatha	MENDES, 1980, 1981, 1987	5
Thysanura	MENDES 1980, 1981, 1987	7
Ephemeroptera	SCHEMBRI & SCHEMBRI, 1979	1
Odonata	VALLETTA, 1949, 1957	10
Blattoidea	SCHEMBRI, 1980a	7
Isoptera	LANFRANCO, 1974	2
Mantodea	BACCETTI, 1973	4
Dermoptera	SCHEMBRI & SCHEMBRI, 1978	5
Orthoptera	BACCETTI, 1973; SCHEMBRI & EBEJER, 1983, 1984	45
Psocoptera	LIENHARD, 1990, 1998	6

Until recently, the study of the Hemiptera fauna of the Maltese Islands was mostly neglected. Within the Sternorrhyncha, 18 species of Psylloidea have been asserted to occur in the Maltese Islands (MIFSUD, 1997c, 1999b). The whitefly fauna (Aleyrodoidea) was also studied with 13 species recorded (MIFSUD, 1995). One species, *Aleurolobus teucruii*, was described as new from material collected in Malta and Sicily (MIFSUD & PALMERI, 1996). The Coccoidea was reviewed by BORG (1932) listing a total of 59 species. Additional species are known to occur and a review of the species found in the Maltese Islands is underway (MIFSUD & WATSON, in prep.). In local faunistic works, *Lacombia urbanii* described by BORATYNSKI (1968), was always cited as endemic, but this was synonymised with *L. dactyloni* almost ten years ago (BEN-DOV, 1990). Despite

their economic importance, the Aphidoidea were only marginally studied. CARUANA GATTO (1926) recorded species causing plant galls while SALIBA (1963) and FARRUGIA (1997) listed species of economic importance. Some 100 species are known to occur (MIFSUD, 1997a) and a review of the species occurring in the Maltese Islands is also underway (MIFSUD & WATSON, in prep.). A previously taught endemic species, *Protrama baronii*, was recently recorded from Southern Italy (BARBAGALLO et al., 1995). There seem to be no published works on the Auchenorrhyncha of the Maltese Islands. One frequent species, *Cicada orni*, is known to occur but many additional species wait formal study. A list of Heteroptera from the Maltese Islands was published by SCHEMBRI (1993a) in which earlier citation were reviewed. A total of 206 species (excluding three not identified to species level) were included. More recently, CARAPEZZA (1995) reviewed the Heteroptera of Pantelleria and the Pelagie Islands, providing an updated list, in which all Maltese citations were included with corrections. Little data has been published on the Thysanoptera fauna of the Maltese Islands and only species of economic importance have been listed (SALIBA, 1963; MIFSUD & WATSON, 1999). Recent collections are currently under study (MARULLO & MIFSUD, in prep.). The Neuropteron fauna was reviewed by PLANT & SCHEMBRI (1996) in which available previous records were included. A total of 29 confirmed species were listed and a further two that could not be identified to specific level.

Compared with other insect groups occurring in the Maltese Islands, the Coleoptera was more thoroughly studied. CARUANA GATTO (1894) published a list of common beetles and later he co-authored a list of Coleoptera from the Maltese Islands (CAMERON & CARUANA GATTO, 1907) mentioning some 700 species. This latter work, is still the only one dealing with all Coleoptera. CARUANA GATTO (1925) discussed how a number of Coleoptera species almost disappeared from certain localities since the publication of the Coleoptera list. TONNA-BARTHET (1931) published a list of rare Coleoptera and recently, CILIA (1989) gave an account of rare and endemic Coleoptera found in the Maltese Islands. Since CAMERON & CARUANA GATTO's list, a number of families have been studied. Table 2 provides references for such families and Table 3 indicates how, in some groups, the current number of species has doubled or almost so in number. It is outside the scope of the present work to note all single Coleoptera citations from Malta in various revisionary works. It is hoped that these will be included as other families are investigated on a local scale. However, some general comments on certain species are here included especially where the current knowledge seems to be lacking in local faunistic overviews. *Stenostoma melitense* (Oedemeridae) is endemic to the Maltese Islands. Until recently, it was thought to be present also in Pantelleria (BOLOGNA, 1984) but this population proved to be a distinct species, *S. cossyrense* (BOLOGNA, 1995), closely related to *S. melitense*. *Anthicus (Aulacoderus) melitensis* (Anthicidae) was known from the type material and never again collected in Malta (SCHEMBRI, 1991a). VAN HILLE (1984) proposed a sub specific ranking for this taxon, *A. (Aulacoderus) sulcithorax melitensis*. *Timarcha melitensis* (Chrysomelidae) was thought to be an endemic species but since its original description it was never again collected from Malta. Recent investigations indicated that this could have been described from a similar type locality name in Spain (JOLIVET, 1996). In the 1907 Coleoptera list, CAMERON & CARUANA GATTO listed *Anthaxia umbellatarum* from Gozo. LEVEY (1985) studied this material and described it as a new species, *A. scylla* from material collected in Malta and Sicily. Within the

Curculionidae, a number of endemics are present and the whole group is at present under study (MIFSUD & MAGNANO in prep.). New endogean species were recently collected, of which, *Alaocyba melitensis* have already been described (MAGNANO & MIFSUD, 1998). An apparently new species of *Trachyphloeus* recorded in the 1907 list, was recently described from material collected in Malta and Lampedusa (BOROVEC & OSELLA, 1993). Three different species of *Otiorhynchus* are endemic to the Maltese Islands. These include *O. (Arammichnus) moriger*, *O. (Arammichnus) ovatulus* and *O. (Arammichnus) schembrii* (MAGNANO, 1992a, 1992b, 1993). Another possibly endemic species is *Chiloneus hoffmanni* (GONZALEZ) [=Desbrochersella hoffmanni GONZALEZ = *Chiloneus deluccai* PESARINI] (GONZALEZ GUTIERREZ, 1970; PESARINI, 1970, 1980).

Table 2:

	Reference	Recorded number of species
Gyrinidae, Haliplidae ROCCHI & SCHEMBRI, 1992 & Dytiscidae		16
Carabidae	MAGRINI & SCHEMBRI, 1997; MIFSUD & VIGNA TAGLIANTI, 1999	134
Histeridae	VIENNA, 1983	21
Schydmaenidae	POGGI, 1980	4
Staphylinidae	POGGI, 1980, 1999; BORDONI, 1973; SCHEMBRI & SCHEMBRI, 1982	c.200
Scarabaeidae	SABATINELLI & SCHEMBRI, 1990	9
Heteroceridae	MIFSUD & MASCAGNI, 1997	1
Elateridae	PLATIA, 1985	7
Cleridae	MIFSUD, 1997b	6
Coccinellidae	SCHEMBRI, 1993b	34
Tenebrionidae	MIFSUD & SCUPOLA, 1998; MIFSUD, 1999a	58
Oedemeridae	BOLOGNA, 1995	5
Meloidea	BOLOGNA, 1995	8
Anthicidae	SCHEMBRI, 1991a	18
Cerambycidae	SCHEMBRI & SAMA 1986; MIFSUD & BOOTH, 1997	30
Curculionoidea	CILIA, 1974; MAGNANO & OSELLA, 1973	c.100

Table 3:

	Number of species recorded in 1907	Number of species currently known
Pselaphidae	4	9
Tenebrionidae	37	58
Cerambycidae	14	30
Coccinellidae	14	34

Even though the study of the Maltese Coleoptera seems to be satisfactory, for at least some groups, specialised field investigations are lacking. During 1995 to 1997, a research study was undertaken to evaluate the possible presence of endogean and epigean Coleoptera. This revealed the presence of several genera most of which never recorded from the Maltese Islands, eg. *Metophthalmus* WOLLASTON, *Langelandia* AUBÉ, *Anommatus* WESMAEL, *Alaocyba* PERRIS, *Torneuma* WOLLASTON, *Cephennium* MÜLLER

& KUNZE, *Scydmoraphes* REITTER, *Pseudoeudesia* BINAGHI, *Amaurops* FAIRMAIRE, *Gynotyphlus* COIFFAIT, *Geostiba* THOMSON and *Alevonota* THOMSON, some of which appear to be new to science and possibly endemic (MAGNANO & MIFSUD, 1998; POGGI, 1999; PACE, 1999). It is estimated that some 1800 species of Coleoptera occur in the Maltese Islands and a new catalogue is currently in preparation (MIFSUD in prep.).

Within the Strepsiptera, only one species was recorded, *Mengenilla chobauti* (SCHEMBRI, 1984b). Nine species of Siphonaptera are known from the Maltese Islands. Six species were recorded (BERNARD, 1937; TRAUB et al., 1983; BEAUCOURNU & ALCOVER, 1990; BEAUCOURNU, 1990) of which a new subspecies *Leptopsylla algira vogeli*, was described from material collected on *Crocidura sicula* from the Island of Gozo. Three cosmopolitan species, *Pulex irritans*, *Ctenocephalides felis felis* and *C. canis* were recently studied by the present author from material collected in Malta. More species of Siphonaptera are expected to occur in the Maltese Islands. Due to the lack of permanent freshwater bodies, Trichoptera species are quite rare. Two species were recorded by SCHEMBRI & JOHNSON (1987), *Tinodes macclachlani* and *Mesophylax aspersus*.

The most comprehensive account of Diptera occurring in the Maltese Islands was provided by SCHEMBRI et al. (1991), listing a total of 203 species from 27 families. Most of the earlier literature on the group was included therein. Recently, LÉGER et al. (1991), studied more than 16,000 specimens of sandflies (Phlebotominae) collected from Gozo, represented by six species. EBEJER (1995a) recorded the snail-killing fly *Pherbellia cinerella*, and (EBEJER, 1995c) provided notes and new records on the larger Brachycera of Malta, listing 7 species in Stomiidae, 1 of Vermileonidae, 1 of Rhagionidae, 3 of Tabanidae, 3 of Therevidae, 7 of Asidae and 2 each in Scenopinidae and Acroceridae. PLANT (1995) studied the *Chersodromia* (Empidoidea, Hybotidae) of the Maltese Islands describing two new species. Some of the better studied families are included in Table 4 with corresponding reference and number of species recorded.

Table 4:

	Reference	Recorded number of species
Syrphidae	EBEJER, 1988b, 1995b	46
Bombyliidae	EBEJER, 1988a, 1995c	27
Chyromyidae	EBEJER, 1993	7
Culicidae	GATT, 1996	9

An extensive literature is known on the Lepidoptera of the Maltese Islands. It is outside the scope of the present work to cite these references most of which are included in a recent catalogue of Maltese Lepidoptera (SAMMUT, 1984) in which a total of 590 species were included. SAMMUT & VALLETTA (1989) treated the endemic and or threatened Maltese Lepidoptera fauna while SAMMUT (1989) in a semi-popular article, gave a general overview of lepidopterological studies in the Maltese Islands. More recently, in a distributional checklist of the Lepidoptera of Europe (KARSHOLT & RAZOWSKI, 1996), a total of 554 species where included from Malta of which 15 where listed as endemic. Species of doubtful occurrence in the Maltese Islands were excluded from this checklist, and since then some 10-15 new records were found and some recorded endemic species

were collected from Sicily (SAMMUT, P. pers. comm., 1999). Two new species were recently described, *Hyles sammuti* (DANNER et al., 1998) and *Dysspastus lilliput* (GOZMANY, 1996). Currently some 570 species are known to occur in the Maltese Islands.

A number of general works on Hymenoptera have been published listing species from the Maltese Islands (eg. ALFKEN, 1929; VALLETTA 1971, 1978; ERLANDSSON, 1974, 1979, 1984). SCHEMBRI (1982) provided a list of 40 species of Apoidea but commented that many more species are known to occur. SCHEMBRI (1980b, 1985) recorded some twenty species of Vespoidea. Table 5 provides information on the better studied Hymenoptera families.

Table 5:

	Reference	Recorded number of species
Formicidae	BARONI URBANI, 1968; SCHEMBRI & COLLINGWOOD, 1981, 1995; COLLINGWOOD, MEI & MIFSUD, 1999	55
Mutillidae	SCHEMBRI, 1983	15
Chrysididae	STRUMIA, 1981	18
Sphecidae	SCHEMBRI, 1991b	55
Pompilidae	WAHIS, 1997	27
Ichneumonidae	SCHEMBRI, 1992a	24

A number of parasitic and hyperparasitic Hymenoptera species have been recorded from the archipelago. Most of the early records were included by MIFSUD (1997a) in his overview of biological control in the Maltese Islands. The most recent works include those of MIFSUD et al. (1995) treating species developing in whitefly larvae; MIFSUD (1997c, 1999b) referring to parasitic species occurring in psylloid larvae; and FARRUGIA (1998) indicating species associated with scale insects infesting citrus. In these three main works the following families were included: Aphelinidae (16 species), Encyrtidae (10 species), Eulophidae (6 species), Pteromalidae (2 species), Mymaridae (1 species), Signiphoridae (2 species) and Platygastridae (1 species). SCHAUFT et al. (1998) mentioned *Cirrospilus pictus* (Eulophidae) as a parasite of the Citrus Leafminer and FARRUGIA (1999) recorded four *Leucospis* species (Leucospidae) from the Maltese Islands. It is estimated that several hundred species of such Hymenoptera occur locally.

Acknowledgements

I would like to express sincere thanks for all those who in some way or other provided me with useful information during the preparation of this work. Thanks to my friends and colleges in Malta namely Mr DAVID DANDRIA, Dr MARTIN EBEJER, Mr CHARLES FARRUGIA, Dr PAUL GATT and Mr PAUL SAMMUT. I also thank a number of specialists who supplied information on particular insect groups namely Dr EBERHARD MEY (Germany), Dr CHARLES LIENHARD (Switzerland) and Dr LUIGI MAGNANO (Italy). A special thanks goes to my wife STEPHANIA, for all her support and for helping me in various ways during the preparation of this work.

References

- ALFKEN, J. D. (1927-1929): *Ueber eine Hymenopteren-Ausbeute von Malta*. Mitteilungen aus dem entomologischen Verein in Bremen 15/17: 9-11, 15-17.
- ANDRES, A. (1916): *Verzeichnis der während meiner Kriegsgefangenschaft von mir auf Malta gesammelten Lepidoptera, Hemiptera und Coleoptera*. Entomologische Rundschau, 33(9): 43-54, (10): 48-49, (11): 50.
- BACCETTI, B. (1973): *Notulae Orthopterologicae XXX. Gli Ortotteroidei dell'arcipelago Maltese*. Lavori della Societ^t Italiana di Biogeografia (Nuova Serie), 3: 605-608.
- BACCETTI, B., MASSA, B. & CANESTRELLI, P. (1995): *Dermoptera, Isoptera, Blattodea, Mantodea, Phasmatodea, Orthoptera*. In: MASSA, B. [Ed.] Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Naturalist Sicil., 19 (suppl.), 163-194.
- BARBAGALLO, S., BINAZZI, A., BOLCHI SERINI, G., CONCI, C., LONGO, S., MAROTTA, S., MARTELLI, M., PATTI, I., PELLIZZARI, G., RAPISARDA, C., RUSSO, A. & TRANFAGLIA, A. (1995): *Homoptera Sternorrhyncha*. In: MINELLI, A., RUFFO, S. & LA POSTA, S. [Eds.]. Checklist delle specie della fauna italiana, 43. Calderini, BOLOGNA.
- BARONI URBANI, C. (1968): *Studi sulla mirmecofauna d'Italia IV. La fauna mirmecologica delle Isole Maltesi ed il suo significato ecologico e biogeografico*. Annali del Museo Civico di Storia Naturale di Genova, 77: 408-559.
- BEAUCOURNU, J. C. (1990): *Leptopsylla algira vogeli n. ssp. (Siphonaptera, Ceratophyllidae, Leptopsyllinae), parasite de crocidure (Mammalia, Insectivora, Crocidurinae) sur l'ile de Gozo (Archipel de Malta)*. Bonner zoologische Beiträge, 41: 213-222.
- BEAUCOURNU, J. C. & ALCOVER, J. A. (1990): *Les Puces (Siphonaptera) de France et du bassin méditerranéen occidental*. In: Faune de France, 76, Fédération française Soc. Sc. Nat., éd., 548 pp.
- BEN-DOV, Y. (1990): *On some described and a new species of Middle-Eastern Mealy bugs (Homoptera: Coccoidea: Pseudococcidae)*. Israel Journal of Entomology, 24: 5-15.
- BERNARD, A. V. (1937): *Report on plague in Malta in 1936*. In Annual report on the health of the Maltese Islands during 1936. Valletta, Malta.
- BOLOGNA, M. A. (1984): *Segnalazioni Faunistiche Italiane. 33. Stenostoma melitense CAMERON (Coleoptera Oedemeridae)*. Boll. Soc. entomol. ital., 116: 57-58.
- BOLOGNA, M. A. (1995): *Coleoptera Meloidae ed Oedemeridae di Lampedusa, Pantelleria e delle Isole Maltesi*. In: MASSA, B. [Ed.]. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Naturalista sicil., 19 (Suppl.), 505-525.
- BORATYNSKI, K. L. (1968): *A new species of Lacombia Goux, 1940 (Pseudococcidae, Homoptera) from ants' nests in the Maltese Islands*. Bollettino delle Sedute dell'Accademia Gioenia di Scienze naturali in Catania (Ser.IV), 9: 401-409.
- BORDONI, A. (1973): *I Coleotteri Stafilinidi delle isole circum-siciliane XXI contributo alla Conoscenza degli Staphylinidae*. Lavori della Societ^t Italiana di Biogeografia. Nuova Serie, 3: 651-754.
- BORG, J. (1932): *Scale Insects of the Maltese Islands*. Government Printing Office, Malta, 20 pp.
- BORG, J. (1939): *Our Insect Visitors*. Archivum Melitense, Malta, 10 (4): 3-9.
- BOROVEC, R. & OSELLA, G. (1993): *Due nuove specie di Trachyphloeus Germar, 1824 di piccole Isole Italiane (Coleoptera, Curculionidae)*. Ricerche Zoologiche della Nave oceanografica «Minerva» (CNR) sulle isole circumsarde. XII. Annali del Museo Civico di Storia Naturale “G-DORIA” Genova, 89: 401-413.
- CAMERON, M. & CARUANA GATTO, A. (1907): *The Coleoptera of the Maltese Islands*. Transactions of the Entomological Society of London, 59: 383-403.
- CARAPEZZA, A. (1995): *Heteroptera*. In: MASSA, B. [Ed.]. Arthropoda di Lampedusa, Linosa e Pantelleria (Canale di Sicilia, Mar Mediterraneo). Naturalista Sicil., 19 (Suppl.), 199-278.
- CARUANA GATTO, A. (1894): *Common beetles of the Maltese Islands*. Malta. 14 pp.
- CARUANA GATTO, A. (1925): *Sulla straordinaria diminuzione della entomofauna nella spiaggia delle baje di Marsa, Marsascala, e San Giorgio di Birzebbugia*. Archivum melitense, Malta, 6 (4): 161-164.
- CARUANA GATTO, A. (1926): *Primo contributo alla conoscenza dei zoocescidii delle Isole Maltesi*. Archivium Melitense, Malta, 7 (3): 103-126.
- CILIA, J. (1972): *An Entomologist's Diary - Odonata*. The Maltese Naturalist, Malta, 1 (3): 31-33.
- CILIA, J. (1974): *A revision of the Scolytinae (Coleoptera-Curculionidae) of the Maltese Islands*. The Maltese Naturalist, Malta, 1 (5): 15-20.
- CILIA, J. (1975): *The crickets of the Maltese Islands (Orthoptera-Grylloidea) with observations on Gryllus bimaculatus De Geer*. The Maltese Naturalist, Malta, 2 (1): 13-24.
- CILIA, J. (1989): *Coleoptera*. In: SCHEMBRI, P. J. & SULTANA, J. [Eds.]. Red data book for the Maltese Islands. Department of Information, Malta. 105-128.
- DANNER, F., EITSCHBERGER, U. & SURHOLT, B. (1998): *Die Schwärmer der westlichen Palaearktis*. Herpoliana, 4 (1-2): 1-368 (part 1); 1-722 (part 2).
- EBEJER, M. J. (1988a): *Beeflies (Dipt., Bombyliidae) from Malta*. Entomologist's Monthly Magazine, 124: 233-241.
- EBEJER, M. J. (1988b): *Some records of hoverflies (Diptera: Syrphidae) from Malta*. Entomologist's Gazette, 39: 160-164.

- EBEJER, M. J. (1993): *The Chromyidae of Malta, with descriptions of new species of Aphaniosoma (Dipt., Schizophora)*. Entomologist's Monthly Magazine, 129: 125-133.
- EBEJER, M. J. (1995a): *The snail-killing fly Pherbellia cinerella (Fallen) in Malta*. The Central Mediterranean Naturalist, Malta, 2 (3): 79-80.
- EBEJER, M. J. (1995b): *The hoverflies of Malta (Diptera: Syrphidae), new records and corrections*. The Central Mediterranean Naturalist, Malta, 2 (3): 81-85.
- EBEJER, M. J. (1995c): *Notes and new records of the larger Brachycera (Diptera) of Malta*. The Central Mediterranean Naturalist, Malta, 2 (3): 86-96.
- EBEJER, M. J. (1998): *Some records of Hoverflies (Diptera: Syrphidae) from Malta*. Entomologist's Gazette, 39: 160-164.
- ERLANDSSON, S. (1974): *Hymenoptera Aculeata from the European parts of the Mediterranean countries*. EOS, 48: 11-93.
- ERLANDSSON, S. (1979): *Hymenoptera Aculeata from the European parts of the Mediterranean countries, II*. Acta Entomologica Jugoslavica, 15: 111-130.
- ERLANDSSON, S. (1984): *Hymenoptera Aculeata from the European parts of the Mediterranean countries, III*. Bollettino del Museo Civico di Storia Naturale di Venezia, 35: 53-66.
- FARRUGIA, C. (1997): *Insect pests on cauliflowers (*Brassica oleracea* var *botrytis*) in Gozo (Maltese Islands, Central Mediterranean)*. The Central Mediterranean Naturalist, Malta, 2 (4): 152-165.
- FARRUGIA, C. (1998): *Parasitic Hymenoptera associated with scale insects on citrus trees in the Maltese Islands*. 6-8 + 1 pl. In: Dandria, D. [Ed.]. Biology Abstracts M Sc, Ph D 1998 And Contributions to Marine Biology. University of Malta, Malta, iv + 38 pp.
- FARRUGIA, C. (1999): *A preliminary list of the Leucospidae of the Maltese Islands (Hymenoptera: Chalcidoidea)*. The Central Mediterranean Naturalist, Malta, 3 (1): 15-16.
- FOLCO, G., MANGANELLI, G. & SCHEMBRI, P. J. (1995): *The non-marine molluscs of the Maltese Islands*. Monografie 15, Museo Regionale di Scienze Naturali, Torino, 607 pp.
- GATT, P. (1996): *Mosquitoes from the Maltese Islands: New records and observations (Diptera Culicidae)*. Boll. Soc. entomol. ital., 128 (1): 77-84.
- GONZALEZ, M. (1970): *El género Desbrochersella Reitter (Coleoptera, Curculionidae)*. Publicaciones del Instituto de Biología Aplicada de Barcelona, 48: 49-72.
- GOZMANY, L. (1996): *Four new Symmocid species from Europe (Lepidoptera, Symmocidae)*. Bull. Mus. re. Sci. nat. Torino, 14 (1): 259-266.
- GULIA, G. (1858): *Corso elementare di Entomologia Maltese*. Palazzo di San Antonio, Malta. 82 pp.
- GULIA, G. (1914): *Uno sguardo alla zoologia delle "Isole Maltesi"*. IXeme Congrès international de Zoologie (Monaco 1913). Rennes (France), Section 4: 545-555 pp.
- JOLIVET, P. (1996): *A la poursuite du Timarcha perdu: Timarcha melitensis Weise (Col. Chrysomelidae)*. L'Entomologiste, 52 (6): 203-211.
- KARSHOLT, O. & RAZOWSKI, J. [Eds.] (1996): *The Lepidoptera of Europe - A Distributional Checklist*. Apollo Books Aps., Denmark, 380 pp.
- LANFRANCO, G. G. (1974): *The termites of Malta (Superorder Blattoidea; order Isoptera)*. The Maltese Naturalist, Malta, 1 (6): 10-12.
- LÉGER, N., MARCHAIS, R., MADULO-LEBLOND, G., PESSON, B., KRISTENSEN, A., FERTÉ, H., KILICK-KENDRICK, R. & KILICK-KENDRICK, M. (1991): *Les Phlébotomes Impliqués dans la transmission des Leishmanioses dans l'Ile de Gozo (Malte)*. Ann. Parasitol. Hum. Comp., 66 (1): 33-41.
- LEVEY, B. (1985): *Revision of the umbellatarum species group of Anthaxia (Coleoptera: Buprestidae)*. Systematic Entomology, 10: 299-306.
- LIENHARD, C. (1990): *Revision of the Western Palaearctic Species of Liposcelis Motschulsky (Psocoptera: Liposcelididae)*. Zool. Jb. Syst., 117 (2): 117-174.
- LIENHARD, C. (1998): *Psocoptères euro-méditerranéens*. Faune de France, 83: xx + 517 pp.
- MAGNANO, L. (1992a): *Note sugli Otiorhynchus del subgen. Arammichnus 1. Le specie del gruppo di O. bignolii (Coleoptera, Curculionidae)*. Fragm. Entomol., Roma, 23 (2): 389-409.
- MAGNANO, L. (1992b): *Note sugli Otiorhynchus del subgen. Arammichnus 2. Le specie dei gruppi di O. proximophthalmus, cribricollis, stiatosetosus e sulcirostris*. Fragm. Entomol., Roma, 24 (1): 99-130.
- MAGNANO, L. (1993): *Note sugli Otiorhynchus del sottogenere Arammichnus. 3. Le specie dei gruppi Lubricus, Hellenicus e Torretassoi (Coleoptera, Curculionidae)*. Fragm. Entomol., Roma, 24 (2): 219-242.
- MAGNANO, L. & MIFSUD, D. (1998) *A new species of Alaocyba Perris, 1869 from the Maltese Islands (Coleoptera: Curculionidae: Raymondioninae)*. Ann. Naturhist. Mus. Wien, Austria, 100B: 175-178.
- MAGNANO, L. & OSSELLA, G. (1973): *La curculionido fauna delle isole circum-siciliane: alcune osservazioni zoogeografiche*. Lavori della Società Italiana di Biogeografia. Nuova Serie (3): 1-31.
- MAGRINI, P. & SCHEMBRI, S. (1997): *A topographic catalogue of the Carabidae of the Maltese Islands (Coleoptera)*. Boll. Soc. entomol. ital., 129 (3): 213-234.
- MENDES, L. F. (1980): *New data on the Thysanurans from Malta*. Boll. Soc. entomol. ital., 112 (4-6): 94-98.
- MENDES, L. F. (1981): *Some new data on the Thysanurans (Microcoryphia and Zygentoma) from Malta and the adjacent islands of Gozo, Filfla and Comino*. Boletim da Sociedad Portuguesa de Entomologia, 3 (79): 7 pp.

- MENDES, L. F. (1987): *Nova nota sobre os tisanuros (Apterygota, Microcoryphia e Zygentoma) da Europa e da bacia Mediterranica*. Boletim da Sociedad Portuguesa de Entomologia, 1 (1): 8 pp.
- MIFSUD, D. (1995): *Whiteflies of the Maltese Islands (Homoptera, Aleyrodidae)*. The Central Mediterranean Naturalist, Malta, 2 (3): 61-78.
- MIFSUD, D. (1997a): *Biological Control in the Maltese Islands - past initiatives and future programmes*. Bulletin OEPP/EPPO Bulletin, 27: 77-84.
- MIFSUD, D. (1997b): *The Chequered beetles (Coleoptera: Cleridae) of the Maltese Islands (Central Mediterranean)*. The Central Mediterranean Naturalist, Malta, 2 (4): 166-169.
- MIFSUD, D. (1997c): *The jumping plant-lice (Hemiptera: Psylloidea) of the Maltese Islands*. 35-36 + 1 fig. In: Dandria, D. [Ed.]. Biology Abstracts. University of Malta, Malta.
- MIFSUD, D. (1999a): *Tenebrionids associated with sandy shores in the Maltese Islands (Coleoptera, Tenebrionidae)*. The Central Mediterranean Naturalist, Malta, 3 (1): 23-26.
- MIFSUD, D. (1999b): *Fauna Entomologica Melitensis - Jumping plant-lice (Hemiptera-Psylloidea)*. viii + 99 pp. (in press).
- MIFSUD, D. & BOOTH, R. (1997): *Further contributions to the knowledge of the longhorn beetles (Coleoptera: Cerambycidae) of the Maltese Islands*. The Central Mediterranean Naturalist, Malta, 2 (4): 170-174.
- MIFSUD, D. & MASCAGNI, A. (1997): *Heteroceridae (Coleoptera) of the Maltese Islands (Central Mediterranean)*. The Central Mediterranean Naturalist, Malta, 2 (4): 175.
- MIFSUD, D. & PALMERI, V. (1996): *A new species of Aleurolobus Quaintance & Baker (Homoptera, Aleyrodidae) from Southern Europe*. Boll. Lab. Ent. agr. "F. Silvestri", Portici, Napoli, 52: 89-95.
- MIFSUD, D. & SCUPOLA, A. (1998): *The Tenebrionidae (Coleoptera) of the Maltese Islands (Central Mediterranean)*. Ann. Mus. Civ. St. Nat., Genova, XCII: 191-229.
- MIFSUD, D., VIGGIANI, G., DANDRIA, D. & LANFRANCO, E. (1995): *Whitefly parasitoids from the Maltese Islands*. The Central Mediterranean Naturalist, Malta, 2 (2): 101-107.
- MIFSUD, D. & VIGNA TAGLIANTI, A. (1999): *Notes on three carabids collected from the Maltese Islands (Coleoptera, Carabidae)*. The Central Mediterranean Naturalist, Malta, 3 (1): (27-28).
- MIFSUD, D. & WATSON, G.W. (1999): *Introduced sap-feeding insect pests of crops in the Maltese Islands*. The Central Mediterranean Naturalist, Malta, 3 (1): 29-34.
- PACE, R. (1999): *Due nuove specie di Aleocharinae microftalme di Malta (Coleoptera, Staphylinidae)*. (in press).
- PAGÉS, J. (1978): *Dicellurata Genavensis V. Espèces d'Europe et du bassin Méditerranéen No. I* Revue Suisse de Zoologie, 85: 31-46.
- PESARINI, C. (1970): *I Chiloneus Italiani, con descrizione di tre nuove specie e di un nuovo sottogenere (VIII Contributo alla conoscenza die Coleotteri Curculionidi)*. Atti Soc. It. Nat. e Museo Civ. St. Nat. Milano, 112 (4): 375-386.
- PESARINI, C. (1980): *Su alcuni Curculionidi Italiani. Sinonimie e Nuove specie (XXI Contributo alla conoscenza die Coleotteri Curculionidi)*. Boll. Soc. entomol. ital., 112 (1-3): 13-25.
- PLANT, A. R. (1995): *Chersodromia (Diptera, Empidoidea, Hybotidae) from the Maltese Islands with descriptions of two new species*. Studia Dipterologica, 2 (1): 51-56.
- PLANT, C. W. & SCHEMBRI, S. (1996): *A review of the Neuropteroidea of the Mediterranean Islands of Malta, Gozo and Comino (the Maltese Islands) (Neuroptera: Coniopterygidae, Hemerobiidae, Chrysopidae, Myrmeleontidae)*. Entomofauna, Zeitschrift für Entomologie, 17 (2): 25-36.
- PLATIA, G. (1985): *Descrizione di due nuove specie di Elateridi Paleartici (Coleoptera) (V Contributo alla Conoscenza dei Coleoptera Elateridae)*. Boll. Soc. entomol. ital., 117 (4-7): 93-96.
- POGGI, R. (1980): *Appunti su alcuni Pselaphidae e Scydmaenidae di Malta (Coleoptera)*. Boll. Soc. entomol. ital., 112 (9-10): 167-170.
- POGGI, R. (1999): *Descrizione di Amaurops mifsudi, nuova specie dell'Isola di Malta (Col. Pselaphidae)* (in press).
- ROCCHI, S. & SCHEMBRI, S. (1992): *I Coleotteri Idroadefagi delle Isole Maltesi (Coleoptera Halipidae, Gyrinidae e Dytiscidae)*. Boll. Soc. entomol. ital., 124 (2): 121-126.
- SABATINELLI, G. & SCHEMBRI, S. (1990): *Gli Scarabeidi floricolli delle Isole Maltesi (Coleoptera Scarabaeidae)*. Bol. Soc. entomol. ital., 122 (1): 31-36.
- SALIBA, L. J. (1963): *Insect pests of crop plants in the Maltese Islands*. Department of Information, Malta, 35 pp.
- SAMMUT, P. M. (1984): *A systematic and synonymic list of the Lepidoptera of the Maltese Islands*. Neue entomologische Nachrichten, 13: 124 pp.
- SAMMUT, P. M. (1989): *Il-Lepidoptera Maltija*. In: CURTIS, T. [Ed.]. L-Identitá kulturali ta' Malta, Malta, 117-139 [in Maltese].
- SAMMUT, P. M. & VALLETTA, A. (1989): *Lepidoptera*. In: SCHEMBRI P. J. & SULTANA J. [Eds.]. Red Data Book for the Maltese Islands. Department of Information, Malta, 97-104.
- SCHAUFF, M. E., LA SALLE, J. & WIJESEKARA, G. A. (1998): *The genera of Chalcid parasitoids (Hymenoptera: Chalcidoidea) of citrus leafminer Phyllocnistis citrella STANTON (Lepidoptera: Gracillariidae)*. Journal of Natural History, 32: 1001-1056.
- SCHEMBRI, S. P. (1980a): *An addition to the list of Maltese Blattidae*. Bulletin of the Amateur Entomologists's Society, 39: 38-39.
- SCHEMBRI, S. P. (1980b): *Vespoidea from the Maltese Islands (Hymenoptera Aculeata)*. Boll. Soc. entomol. ital., 112: 90-93.

- SCHEMBRI, S. P. (1982): *Recent records of Hymenoptera Apoidea from the Maltese Islands*. Bulletin of the Amateur Entomologists' Society, 41: 36-41.
- SCHEMBRI, S. P. (1983): *The Mutillidae of the Maltese Islands: remarks and additions*. Boll. Soc. entomol. ital., 115: 25-30.
- SCHEMBRI, S. P. (1984a): *Notes on the Orthoptera of the Maltese Islands: the genus Myrmecophilus (Orthoptera-Gryllidae)*. The Central Mediterranean Naturalist, Malta, 1 (3): 57-59.
- SCHEMBRI, S. P. (1984b): *The order Strepsiptera in Malta*. Bulletin of the Amateur Entomologists' Society, 43: 200-201.
- SCHEMBRI, S. P. (1985): *The Vespoidea of the Maltese Islands: remarks and additions (Hymenoptera Aculeata)*. Boll. Soc. entomol. ital., 117: 115-116.
- SCHEMBRI, S. (1989): *Insects excluding Coleoptera & Lepidoptera*. In: SCHEMBRI, P. J. & SULTANA, J. [Eds.]. Red Data Book for the Maltese Islands. Department of Information, Malta, 90-96.
- SCHEMBRI, S. (1990): *Segnalazioni Faunistiche Italiane*. 152. *Gryllotalpa quindecim BACCETTI & CAPRA (Orthoptera Gryllotalpidae)*. Boll. Soc. entomol. ital., 121 (3): 231-234.
- SCHEMBRI, S. (1991a): *The Anthicidae of the Maltese Islands (Coleoptera)*. Boll. Soc. entomol. ital., 123 (1): 32-38.
- SCHEMBRI, S. P. (1991b): *Sphecid wasps of the Maltese Islands (Hymenoptera Sphecidae)*. Boll. Soc. entomol. ital., 122: 175-184.
- SCHEMBRI, S. (1992a): *A preliminarily list of the Ichneumonidae of the Maltese Islands (Hymenoptera)*. Boll. Soc. entomol. ital., 124 (1): 49-54.
- SCHEMBRI, S. S. (1993a): *An annotated catalogue of the Heteropteran Bugs of the Maltese Islands (Heteroptera)*. Mem. Soc. ent. ital., 71 (II): 467-503.
- SCHEMBRI, S. (1993b): *The Coccinellid fauna of the Maltese Islands (Central Mediterranean): An Annotated List (Coleoptera Coccinellidae)*. Boll. Soc. entomol. ital., 125 (1): 45-52.
- SCHEMBRI, P. J. (1993c): *The fauna of the Maltese Islands: A Review and Analysis*. Collected papers published on the occasion of the Collegium Melitense Quatercentenary Celebrations (1592-1992), Malta, 541-573.
- SCHEMBRI, S. P. & COLLINGWOOD, C. A. (1981): *A revision of the myrmecofauna of the Maltese Islands (Hymenoptera, Formicidae)*. Annali del Museo Civico di Storia Naturale di Genova, 83: 417-442.
- SCHEMBRI, S. P. & COLLINGWOOD, C. A. (1995): *The Myrmecofauna of the Maltese Islands. Remarks and Additions*. Boll. Soc. entomol. ital., 127 (2): 153-158.
- SCHEMBRI, S. P. & EBEJER, M. J. (1983): *A review of the Tettigoniidae of the Maltese Islands*. Boll. Soc. entomol. ital., 115: 135-138.
- SCHEMBRI, S. P. & EBEJER, M. J. (1984): *Recent additions to the Orthoptera of the Maltese Islands*. Boll. Soc. entomol. ital., 115: 81-82.
- SCHEMBRI, S. P., GATT, P. & SCHEMBRI, J. L. (1991): *Recent records of flies from the Maltese Islands (Diptera)*. Mem. Soc. ent. ital., 70: 255-277.
- SCHEMBRI, S. P. & JOHNSON, D. (1987): *The order Trichoptera in the Maltese Islands*. Bulletin of the Amateur Entomologists' Society, 46: 50-51.
- SCHEMBRI, P. J. & LANFRANCO, E. (1996): *Introduced species in the Maltese Islands*. Pp. 29-54. In BALDACCHINO, A. E. & PIZZUTO, A. [Eds.]. Introduction of Alien Species of Flora & Fauna. Environment Protection Department, Malta. 77 pp.
- SCHEMBRI, P. J., LANFRANCO, E., FARRUGIA, P., SCHEMBRI, S. & SULTANA, J. (1987): *Localities with conservation value in the Maltese Islands*. Malta. iii + 27 pp.
- SCHEMBRI, S. & SAMA, S. (1986): *The Cerambycidae of the Maltese Islands (Coleoptera)*. Boll. Soc. entomol. ital., 118 (4-7): 93-100.
- SCHEMBRI, S. P. & SCHEMBRI, J. L. (1978): *A preliminary report on the Dermaptera of the Maltese Islands*. Annali del Museo Civico di Storia Naturale di Genova, 82: 329-332.
- SCHEMBRI, J. L. & SCHEMBRI, S. P. (1979): *Freshwater insects in Malta*. Potamon, Malta, 1: 3-6+1 pl.
- SCHEMBRI, S. P. & SCHEMBRI, J. L. (1982): *Recent records of Coleoptera Staphylinidae from the Maltese Islands*. Lavori Soc. Ven. Sc. Nat., Venezia, 7: 45-53.
- SCHEMBRI, P. J. & SULTANA, J. [Eds.] (1989): *Red data book for the Maltese Islands*. Department of Information, Malta, viii + 142 pp. 8pls.
- STACH, J. (1963): *The Apterygotan fauna of Poland, in relation to the world-fauna of this group of insects. Tribe: Entomobryini*. Pan. Inst. Zool., Kraków, 3-126.
- STACH, J. (1967): *Collembola Fauna of Malta*. Acta Zool. Cracov., Kraków, 12: 393-418.
- STRUMIA, F. (1981): *Imenotteri Crisidiidae delle Isole Maltesi (Hymenoptera Chrysidae)*. Boll. Soc. entomol. ital., 113 (8-10): 167-168.
- SULTANA, J. & GAUCI, C. (1978) *Ectoparasites (other than Hippoboscidae) collected from birds*. Il-Merill, Malta (July, 1977 - December, 1978), 19: 21.
- THIBAUD, J. M. & CHRISTIAN, E. (1989): *Collemboles interstitiels aériens des sables littoraux Méditerranéens*. Annales de la Société Entomologique de France, 25: 71-81.
- TONNA-BARTHET, G. (1931): *A list of rare Coleoptera peculiar to the Island of Malta*. Science, Malta, 7.
- TRAUB, R., ROTHSCHILD, M. & HADDOW, J. F. (1983): *The Rothschild collection of Fleas*. In: Rothschild, M. & TRAUB, R. [Eds.]. *The Ceratophyllidae: key to the genera and host relationships with notes on their evolution, zoogeography and medical importance*. Academic Press, London. xv + 288 pp.

- VALLETTA, A. (1949): *A preliminary list of the Odonata of the Maltese Islands*. The Entomologist, 82: 85-87.
- VALLETTA, A. (1954): *A list of the Orthoptera of the Maltese Islands*. The Entomologist, 87: 11-15.
- VALLETTA, A. (1955): *Second contribution to a list of the Orthoptera of the Maltese Islands*. The Entomologist's Monthly Magazine, 91: 55-56.
- VALLETTA, A. (1957): *Second contribution to the Odonata of the Maltese Islands*. The Entomologist, 90: 306-307.
- VALLETTA, A. (1971): *A preliminary list of the Hymenoptera Aculeata (excluding ants) of the Maltese Islands*. Entomologist's Monthly Magazine, 107: 45-46.
- VALLETTA, A. (1978): *Second contribution to the Hymenoptera Aculeata (excluding ants) of the Maltese Islands*. Entomologist's Monthly Magazine, 114: 215.
- VAN HILLE, J. C. (1984): *Monograph of Aulacoderus la Ferté, a subgenus of Anthicus Paykull (Coleoptera: Anthicidae)*. Ann. Cape Prov. Mus. (Nat. Hist.) 15: 1-171.
- VIENNA, P. (1983): *Note su alcuni Histeridae (Coleoptera) dell'Archipelago Maltese*. Lavori Soc. Ven. Sc. Nat., Venezia, 8: 49-54.
- WAHIS, R. (1997): *Pompilides de l'Archipel maltais (Hymenoptera: Aculeata, Pompilidae)*. Entomofauna, Zeitschrift für Entomologie, 8 (12): 101-112.

Author's address:

David Mifsud
Naturhistorisches Museum
Augustinergasse 2
CH-4001 Basel
SWITZERLAND