

Zeitschrift: Entomologica Basiliensia et Collectionis Frey
Herausgeber: Naturhistorisches Museum Basel, Entomologische Sammlungen
Band: 29 (2007)

Artikel: The genus Derosphaerus Thomson, 1858 in the Nepal Himalayas (Coleoptera, Tenebrionidae)
Autor: Schawaller, Wolfgang
DOI: <https://doi.org/10.5169/seals-980934>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 11.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

The genus *Derosphaerus* Thomson, 1858 in the Nepal Himalayas (Coleoptera, Tenebrionidae)

by Wolfgang Schawaller¹⁾

Abstract. Five species of the tenebrionid genus *Derosphaerus* Thomson, 1858 are recorded for the first time from the Nepal Himalayas, and figured. A checklist of all Palaearctic species of *Derosphaerus* is compiled.

Key words. Coleoptera – Tenebrionidae – *Derosphaerus* – new records – Nepal – Himalayas

Introduction

The present paper is a continuation of revisions of tenebrionid genera from the Nepal Himalayas (former contributions, for example: SCHAWALLER 2002, 2006a, 2006b) and deals with the genus *Derosphaerus* Thomson, 1858 (type species *Derosphaerus globicollis* Thomson, 1858). Species of this genus have remained unknown from Nepal to date, so the 5 species herein are recorded for the first time from that country, and thus from the Central Himalayas. The genus contains about 100 species, occurring in the southeastern Palaearctic region in the wider sense that includes all of China (see species list below), in the Oriental, Papuan-Australian as well as the African-Madagascaran regions. KASZAB (1987) revised the Papuan-Australian species and also provided a preliminary diagnosis for the genus. The species of the other regions have never been revised, so definite species identifications remain problematical and the distributional ranges of all species are almost unknown. Further, newly collected species with particular characters may well modify the generic limits (SCHAWALLER 2005).

Knowledge of the biology and distribution of the Himalayan species is quite restricted. According to my own field observations, all congeners populate arboreal habitats and can be collected during the night on the bark of old trees, not only in mature dense forests (if any), but also in open cultivated land. All Nepalese species have a wider distributional pattern in the Oriental region. As yet, 3 species are known exclusively from the lowland *Shorea* forests in the Terai up to 500 m, 2 species have been collected in the lower montane altitudinal belt from 500 up to 2700 m.

Abbreviations

BMNH	Natural History Museum, London (Max Barclay)
CAPE	Andreas Pütz collection, Eisenhüttenstadt
HNHM	Hungarian Natural History Museum, Budapest (Dr. Ottó Merkl)
MNHG	Muséum d'Histoire Naturelle, Genève (Dr. Ivan Löbl)
MHNL	Muséum d'Histoire Naturelle, Lyon (Dr. Harold Labrique)
NHMB	Naturhistorisches Museum, Basel (Dr. Michel Brancucci)
NME	Naturkundemuseum, Erfurt (Matthias Hartmann)
SMNS	Staatliches Museum für Naturkunde, Stuttgart
ZSM	Zoologische Staatssammlung, München (Dr. Martin Baehr)

¹⁾Contributions to Tenebrionidae no. 67. – For no. 66 see: *Annales Zoologici* 57, 2007.

Species recorded for the first time from the Nepal Himalayas

Derosphaerus aeruginosus (Fabricius, 1787)

(Fig. 2)

Material examined. Nepal, Birganj, Lothar, 450 ft. (150 m), 16.IX.1967, 1 ex. SMNS.

Derosphaerus asperipennis Allard, 1896

(Fig. 4)

Material examined. Nepal, Khandbari Distr., above Ahale, 2300 m, 27.III.1982, leg. A. Smetana, 1 ex. SMNS (duplicate from MHNG). – Nepal, Solukumbu Distr., Junbesi, 2700 m, 11.V.1997, leg. M. Hauser & W. Schawaller, 1 ex. SMNS. – Nepal, Dailekh Distr., Talpokhari S Dailekh, 1800 m, 29.V.1998, leg. W. Schawaller, 3 ex. SMNS. – Nepal, Dailekh Distr., N Dailekh, 1600 m, 1.–2.VI.1998, leg. W. Schawaller, 1 ex. SMNS. – Nepal, Kosi, Pakhriras, 1700–1900 m, 27.–28.V.2001, Basel Expedition, 1 ex. NHMB. – Nepal, E Jiri, 2000 m, 7.–12.IV.1964, leg. W. Dierl, 1 ex. HNHM (*asperipennis* det. Kaszab, compared with type). – Nepal, Carikhola, Dudh Kosi Valley, 2700 m, 14.V.1964, leg. W. Dierl, 1 ex. ZSM. – E Nepal, Bhedeter Pass, 1500 m, 1.V.1988, leg. S. Bily, 1 ex. MHNL. – E Nepal, Taplejung Distr., 20 km NEE Taplejung, Phumphe, 1850 m, 24.V.2003, leg. A. Weigel, 1 ex. NME. – Nepal, Kathmandu Valley, Godavari, 12.VII.2003, leg. A. Chaudari, 1 ex. NME. – Nepal, Kathmandu, Gokarna, 7.VI.1983, leg. M.J.D. Brendell, 1 ex. BMNH. – N India, Sikkim, Gopaldhara, Rungbong Valley, leg. H. Stevens, 1 ex. BMNH. – N India, Assam, Lohit Valley, 1000–3000 ft., 15.III.1933, leg. F. Kingdon Ward, 1 ex. BMNH. – N India, Kumaon, Bhimtal, 1976, 1 ex. SMNS. – SE Tibet, Rong Tö Valley, 6000–7000 ft., 25.–30.IV.1933, leg. F. Kingdon Ward, 1 ex. BMNH.

Derosphaerus cibrum Fairmaire, 1896

(Fig. 3)

Material examined. Nepal, Simra, Adhabhar, 600 ft. (200 m), 15.VIII.1967, 1 ex. SMNS. – Nepal, Sankhua Sabha, Tumlingtar, 300 m, 28.V.1997, leg. M. Hauser & W. Schawaller, 1 ex. SMNS. – Nepal, Chitwan NP, Sauraha, 20.–25.V.1992, leg. I. Jeniš, 1 ex. ZSM (*niger* Wiedemann det. Bremer). – Nepal, Chitwan NP, Sauraha, Rapti River Bank, 180 m, 18.IV.2000, leg. Wolf, 1 ex. NME. – Nepal, Chitwan NP, Sauraha, 3.–5.VI.1983, leg. M.J.D. Brendell, 2 ex. BMNH.

Remarks. Probably a synonym of *Derosphaerus niger* (Wiedemann, 1819), described from Bengal.

Derosphaerus exularis (Gebien, 1913)


(Fig. 5)

Material examined. Nepal, Chitwan Distr., Chitwan NP, Sauraha, 150 m, 31.V.–4.VI.1997, leg. M. Hauser & W. Schawaller, 1 ex. SMNS. – Nepal, Taplejung Distr., Kabeli River S Taplejung, Angbung bridge, 450 m, 3.V.2001, leg. A. Weigel, 1 ex. NME. – N India, Assam, coll. F. Bates, 3 ex. BMNH. – N India, Darjeeling, Tista Valley, leg. J.C.M. Gardner, 1 ex. BMNH. – NE India, Meghalaya, E Tura, 500–600 m, 13.–18.V.2002, leg. Trýzna & P. Benda, 1 ex. SMNS.

Derosphaerus rugosus Gravely, 1915

(Fig. 1)

Material examined. Nepal, Sankhua Sabha Distr., Tumlingtar, 1300–450 m, 20.VI.1983, leg. M. Brancucci, 1 ex. SMNS (duplicate from NHMB). – N India, Darjeeling, Kalimpong, Vati-Dara, 900 m, 12.IV.1988, leg. N. Dangal, 1 ex. NME. – N India, Darjeeling, Kalimpong, Vati-Dara, 2100 m, 26.V.1986, leg. N. Dangal, 1 ex. NME. – N India, Assam, Kaziranga, VI.1991, leg. S. Jakl, 1 ex. CAPE. – N India, Sikkim, Gopaldhara, Rungbong Valley, 1916, leg. H. Stevens, 1 ex. BMNH. – N India, Assam, Umrongso, 700 m, 3.–8.VI.2002, leg. P. Benda, 1 ex. SMNS. – NE India, Meghalaya, E Tura, 500–600 m, 2.–5.V.2002, leg. P. Benda, 3 ex. SMNS.



Figs 1–5. Dorsal view of the *Derophaerus* species from the Nepal Himalayas: 1, *D. rugosus*; 2, *D. aeruginosus*; 3, *D. cribrum*; 4, *D. asperipennis*; 5, *D. exularis*.

List of Palaearctic species of *Derosphaerus* Thomson, 1858

Derosphaerus Thomson, 1858

Type species: *Derosphaerus globicollis* Thomson, 1858

- syn. *Cholipus* Pascoe, 1866 (type species *Cholipus brevicornis* Pascoe, 1866)
- syn. *Encyalesthus* Motschulsky, 1860 (type species *Encyalesthus subviolaceus* Motschulsky, 1860)
- syn. *Falsoencyalesthus* Pic, 1923 (type species *Falsoencyalesthus latipennis* Pic, 1923)
- syn. *Neandrosus* Pic, 1921 (type species *Neandrosus singularipes* Pic, 1921)
- syn. *Notiolesthus* Motschulsky, 1872 (type species *Notiolesthus natalensis* Motschulsky, 1872)
- syn. *Pachyurgus* LeConte, 1862 (type species *Iphthinus aeraeus* Melsheimer, 1846)

<i>aeruginosus</i> Fabricius, 1787	Indochina, Nepal, India, Sunda Islands
<i>asperipennis</i> Allard, 1896	SE Tibet, Bhutan, Assam, Sikkim, Darjeeling, Nepal, Uttar Pradesh
<i>crassicrus</i> Fairmaire, 1903	Fujian, Indochina
<i>cribripennis</i> Fairmaire, 1891	China
<i>cribrum</i> Fairmaire, 1896	India, Nepal
<i>exularis</i> Gebien, 1913	Nepal, Darjeeling, Assam, Indochina, Ryukyu Islands, Taiwan
<i>foveolatus</i> Marseul, 1876	Japan (Kyushu)
<i>foveoseriatus</i> Fairmaire, 1888	Thailand, Indochina, China
<i>grandipes</i> Fairmaire, 1893	China
<i>instriatus</i> Pic, 1922	China
<i>niger</i> (Wiedemann, 1819)	“Bengal” (? Palaearctic)
<i>nitidus</i> Pic, 1922	Taiwan
<i>rotundicollis</i> Laporte, 1840	Indochina, Taiwan
<i>rugosus</i> Gravely, 1915	Nepal, Darjeeling, Sikkim, Assam, Aborland
<i>sinensis</i> Hope, 1842	China
<i>stevensi</i> Gravely, 1915	Uttar Pradesh
<i>subviolaceus</i> Motschulsky, 1860	E Siberia, Japan, China, Korea
<i>thibetanus</i> Pic, 1922	Tibet
<i>violaceipennis</i> Marseul, 1876	Japan, Korea

Acknowledgements

Thanks are due to all the colleagues and friends listed in the compilation of the depositories for the loan of material. My own field work on various trips to Nepal was supported by Prof. Dr. J. Martens (Mainz), Dr. M. Hauser (Urbana/Illinois), G. Miksch and D. Bartsch (both Stuttgart), and last but not least by Sherpa guides, cooks and porters, here unnamed. The hospitality of Dr. Martin Baehr (München), Max Barclay (London), Dr. Ottó Merkl (Budapest) and Dr. Eva Sprecher (Basel) during my visits for comparative studies is greatly appreciated. I must also thank Johannes Reibnitz (Stuttgart) again for the professional automontage production of the photographs and for arranging the plates.

References

- KASZAB Z. (1987): *Die papuanisch-australischen Arten der Gattung Derosphaerus Thomson, 1858 (Coleoptera: Tenebrionidae)*. Acta Zoologica Academiae Scientiarum Hungarica 33: 41–85.
- SCHAWALLER W. (2002): *The genus Laena Latreille in Nepal, with taxonomic and faunistic notes on species from the adjacent Himalayas (Coleoptera: Tenebrionidae)*. Stuttgarter Beiträge zur Naturkunde (A) 641: 1–69.
- SCHAWALLER W. (2005): *Three new tenebrionids (Coleoptera: Tenebrionidae) from Sumatra – new species or new genera?* Annales Zoologici 55: 565–569.
- SCHAWALLER W. (2006a): *New species, new records and new synonyms of Tenebrionidae (Coleoptera) from Nepal*. Pp. 475–482, Tabs IX–X. In: HARTMANN M. & WEIPERT J. (Eds): *Biodiversität und Naturausstattung im Himalaya II*. Erfurt, Verein der Freunde und Förderer des Naturkundemuseums.
- SCHAWALLER W. (2006b): *The genus Blaps Fabricius, 1775 in the Nepal Himalayas (Coleoptera: Tenebrionidae)*. Entomologica Basiliensis 28: 193–203.

Author's address:

Dr. Wolfgang Schawaller
Staatliches Museum für Naturkunde
Rosenstein 1
D-70191 Stuttgart
GERMANY
E-mail: schawaller.smns@naturkundemuseum-bw.de

