

Zeitschrift: Entomologica Basiliensia et Collectionis Frey
Herausgeber: Naturhistorisches Museum Basel, Entomologische Sammlungen
Band: 33 (2011)

Artikel: A new catalogue of leaf beetles (Coleoptera, Chrysomelidae) from Nepal
Autor: Sprecher-Uebersax, Eva
DOI: <https://doi.org/10.5169/seals-980976>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 21.06.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

A new catalogue of leaf beetles (Coleoptera, Chrysomelidae) from Nepal

by Eva Sprecher-Uebersax

Abstract. A new and updated catalogue of Chrysomelidae from Nepal is presented. As of this moment, there is a total of 1037 species. The first catalogue, with 797 species, was published by Lev N. Medvedev and Eva Sprecher-Uebersax in 1999. Since then, many new species have been described and recorded in Nepal. New publications and data are included and 117 species are illustrated.

Keywords. Coleoptera – Chrysomelidae – Nepal – distribution – faunistics – catalogue

Introduction

The first catalogue of Chrysomelidae from Nepal, with 797 species, was published by MEDVEDEV & SPRECHER-UEBERSAX (1999). Since then many new species have been described and recorded in Nepal. The rising number of species prompted the publication of this new, updated catalogue. Furthermore, several taxonomical changes have been made since the last catalogue. Many new publications and data are included. The species number is currently 1037, an increase of nearly a quarter since 1999, and 117 species are illustrated with photographs.

The new catalogue represents the current state of knowledge of Nepalese Chrysomelidae. It cannot be complete, as new species are constantly being found and described. Therefore, this second catalogue contains what species are actually known, but new material will be added in future. New records for Nepal and species new to science will be discovered in the near future. The number of species recorded in Nepal is increasing; nearly every year new entomological expeditions go to Nepal, mainly German and Japanese.

The distribution of leaf beetles is described within Nepal with reference to the zones of the country, beginning in the west (Tab. 1, Fig. 1). The altitude is considered in 1000-m steps (Tab. 2). A general distribution is provided, starting with the countries neighbouring Nepal and extending to others in the Palaearctic region. As the distribution in the Oriental region is less than clear in some cases, it is mentioned only as “Oriental region” without specifying countries.

Some species are added without knowledge of their distribution within Nepal. They are mentioned in the catalogue of Palaearctic Coleoptera (LÖBL & SMETANA 2010), but no further information is available.

Material and methods

Veronika Preite (Basel, Switzerland) took the beetle photographs, using a Leica MZ 12 stereomicroscope and a Leica digital camera combined with Photoshop and Combine ZM software. All beetles photographed are held by the Natural History Museum in Basel.

The new catalogue presented here is based on the cited catalogue of 1999. New data are derived from our own collecting trips in 2001, 2009 and 2010, from the collections of the Natural History Museum of Basel (Switzerland) and the Naturkundemuseum of Erfurt (Germany), and from literature.

The nomenclature follows the catalogue by LÖBL & SMETANA (2010) for genera and species, but not for families and subfamilies. Some authors consider Bruchidae as an individual family, others as subfamily Bruchinae within the Chrysomelidae. They are not included. However, the Megalopodidae are here considered a subfamily of Chrysomelidae and are therefore included. Clytrinae, Chlamisinae and Hispinae are treated as subfamilies and not as tribes.

Tab. 1. The administrative zones of the FDR Nepal.

Region (Zone)	Geographical position
Mahakali	Far west, covering the whole depth of the country from north to south
Seti	West, covering the whole depth of the country from north to south
Karnali	West, covering the northern part of the country
Bheri	West, covering the southern part of the country
Rapti	Central-west, covering the southern part of the country
Dhawalagiri	Central-west, covering the northern part of the country
Lumbini	Central-west, covering the southern part of the country
Gandaki	Central-east, covering the northern part of the country
Narayani	Central-east, covering the southern part of the country
Bagmati	Central-east, covering the northern part of the country
Janakpur	East, covering the whole depth of the country from north to south
Sagarmatha	East, covering the whole depth of the country from north to south
Koshi	East, covering the whole depth of the country from north to south
Mechi	East, covering the whole depth of the country from north to south

Results

In Nepal, leaf beetles are numerous and rich in species diversity. Several species are known as agricultural pests, but the majority of species feed on wild plants of little or no agricultural importance. Recent expeditions have disclosed more about vertical and horizontal distribution. Most of the newly-recorded species belong to the subfamily Alticinae, followed by the Galerucinae. Since the last catalogue, with 230 Alticinae species, the number has increased to 335, a rise of nearly 50%. The number of species has increased in all subfamilies (Tab. 3), while the number of Chrysomelidae species stands at 1037.

Sagrinae, Donaciinae, Zeugophorinae, Megalopodinae, Criocerinae

Only three species of the Oriental subfamily Sagrinae are known in Nepal.

The Donaciinae are surprisingly represented by only a single species of *Donacia*.

Zeugophorinae and Megalopodinae are small subfamilies, with seven and eight species in Nepal respectively.

Criocerinae are quite well represented with 42 species, mostly belonging to the Palaearctic genera *Lema* and *Lilioceris*.

Tab. 2. Altitude levels used in the catalogue.

Clytrinae and Cryptocephalinae

The Clytrinae, with 42 Nepalese species, live mainly in the low valleys and plains. Only three species occur above 3000 m. *Smaragdina* is a Palaearctic genus, also well known in Europe, while *Miochira* is known only from the Himalayan region. There are some endemic species known only in Nepal, e.g. *Epimela tristis* and *Aetheomorpha schmidtii*.

The Cryptocephalinae are a subfamily with 70 species known in Nepal. Some species are found in the lowlands below 1000 m, but most of them occur between 1000 m and 3000 m. The genus *Cryptocephalus* is widely distributed in Palaearctic and Oriental regions. However, *Cryptocephalus subnepalensis*, *C. kopetzi* and certain other species are known only from Nepal.

Altitude	Level
0–1000 m	1
1000–2000 m	2
2000–3000 m	3
3000–4000 m	4
>4000 m	5

Eumolpinae and Chrysomelinae

Eumolpinae are a poorly investigated subfamily, although 94 species are known in Nepal. Many more species are assumed to be present and as yet undiscovered. The group occurs largely below 3000 m. Some species of *Xanthonia* and *Trichotheca* are also found at higher altitudes. There are many Oriental species distributed through India, China, Indo-China and even Indonesia. Among the endemic species known only to Nepal are, for example, *Xanthophorus nepalicus* and *Nodina martensi*.

The Chrysomelinae are quite a small subfamily with 50 species known in Nepal. Most of them occur between 2000 and 3000 m. *Semenovia* and *Sclerophaedon* are endemic genera of higher altitudes. Other endemic species known only to Nepal are, for example, *Phaedon gressitti* and *Chrysolina hartmanni*. There are also some Palaearctic species widely distributed in Europe, e.g. *Chrysomela populi*.

Tab. 3. A comparison of a number of species in the particular subfamilies as listed by MEDVEDEV & SPRECHER-UEBERSAX (1999) and in the present communication (2011).

Galerucinae

To date, 274 species of Galerucinae have been recorded in Nepal (27% of all Chrysomelidae there). Most of them occur at altitudes of between 1000 and 3000 m. The larger species are found mainly at altitudes below 2000 m, with the smaller ones also extending to high altitudes. Above 4000 m are only species endemic to the Himalayas. They live under stones and appear to feed on mosses. An example is

Subfamily	1999	2011
Sagrinae	2	4
Donaciinae	1	1
Zeugophorinae	6	7
Megalopodinae	7	8
Criocerinae	34	43
Clytrinae	34	42
Cryptocephalinae	51	70
Chlamisinae	8	8
Lamprosomatinae	4	4
Eumolpinae	79	94
Chrysomelinae	42	50
Galerucinae	219	274
Alticinae	230	335
Hispiinae	52	62
Cassidinae	28	35
Total	797	1037

the endemic genus *Nepalogaleruca* with five species. *Nepalogaleruca* is an apterous mountainous-dwelling genus. *Nepalogaleruca angustilineata*, found on stony, sandy paths without vegetation between 2000 m and 4500 m (Fig. 3), is the most frequent species of the genus. *Nepalogaleruca elegans* is found more in the east and also at lower altitudes. All species have a daily cycle and may be found on warm and sunny days.

Alticinae

To date, 335 species of Alticinae are known in Nepal, (33% of all Chrysomelidae there). The highest number of species is found between 2000 and 4000 m. Smaller-sized species occur at high altitudes, many of them apterous.

Above 4000 m there are several species endemic to Nepal. Many of them are highly specialised in terms of specific habitats and food plants. They are found on and under stones. Their natural history is largely unknown. It is assumed that some of them feed on mosses, algae and small alpine plants. The Alticinae are a subfamily perfectly adapted to high altitudes and 13 species live at altitudes of over 4000 m, where the climate conditions are extreme and unsuitable for many other subfamilies.

One of these high mountain specialists is the genus *Ivalia*, of which eight species are known. Some live at lower altitudes, but all are found where vegetation is scarce or on and under stones.

Ivalia minima was found on the ground, in a zone with little vegetation, and on stones near rivers above 3000 m. In the dark of evening it was seen under small, creeping alpine plants and under stones, but during warm and sunny days it was observed on warm stones. It is assumed that it feeds on mosses.

Neocrepidodera schenklingi lives in the leaf litter of rhododendron forests (Fig. 2).

Hispinæ and Cassidinae

Hispinæ are beetles of low altitudes. They are largely Oriental in distribution, also extending to India and Indo-China. Only one species, *Dactylispa brevispinosa*, occurs above 3000 m. There are a number of endemic species known only to Nepal, among them *Prionispa laeta* and *Dactylispa pectinata*. While in central Europe there are only very few species of Hispinæ, belonging to two genera, in Nepal they are represented by 62 species and 21 genera.

The Cassidinae are also beetles of the lower regions. Very few species occur at higher altitudes, only two of them above 3000 m. They are mainly Oriental with a distribution in China and Indo-China. A single endemic species, *Cassida schawalleri*, is known only from Nepal. Cassidinae are present with 10 genera and 35 species, while in central Europe there are only three genera but a similar number of species, mostly belonging to *Cassida*. In Nepal, the genus *Cassida* is represented by 16 species, nearly half of all Nepalese Cassidinae.

Distribution and endemism

The number of endemic species is high at 314, between a quarter and a third of all the species known from the country. Exclusive to Nepal are, for example, *Aphthona*

mimica, *Batophila nepalica*, *Clavicornaltica takizawai*, *Hespera flaviventris*, *Letzuella himalayana*, *Microcrepis smetanai*, *Paraminota minima*, *Trachytetra aptera*, and *Xuthea nepalensis*. About 317 species are also known from the Oriental region, mainly from Indo-China, with 113 species recorded from Bhutan, 228 from China and 564 from India; the last-cited constitute half of all the species in Nepal.

About 20 species are widely distributed in Asia and even in Europe, e.g. *Altica cyanea*, *Lema coromandeliana*, and *Longitarsus ochroleucus*. The Sagrinae are a typical Oriental subfamily mainly distributed in India and Indo-China. The Zeugophorinae are known from India, China and Indo-China. In contrast, genera such as *Lema* and *Lilioceris* also occur in Europe, but with several Oriental species. *Lema* has 22 species in Nepal, *Lilioceris* 15.

Chrysomela populi is definitely a species of temperate climate, very common and well-known throughout the Palaearctic region. There are also many tropical species among the Hispinae and Cassidinae, e.g. *Agonita maculigera*, *Estigmena chinensis*, *Craspedonta leayana*, and *Cassida circumdata*. More xerophilous species include, for example, *Aspidomorpha miliaris*, found in hot, dry regions. Species of the more humid areas belong largely to the Alticinae, e.g. all *Benedictus*, mostly found in mosses.

Species with an extended altitude range are *Lilioceris impressa*, *Miochira montana*, and *Cryptocephalus exsulans*. Species of only lower altitudes include *Basilepta laeta*, *Plagioderma rufescens* and *Galerucella birmanica*. Among the species of only high altitudes are *Nepalogaleruca schmidtii*, *Trachytetra aptera*, *Microcrepis schereri* and *Calomicrus annapurnae*. We recorded a concentration of species diversity at about 2000 m with a steady decrease towards the alpine zone.

Some genera are extremely rich in Nepal. *Cryptocephalus* is present with 55 species, *Longitarsus* with 34 species, *Monolepta* with 34 species and *Aphthona* with 31 species. Other genera such as *Donacia*, *Acolastus*, *Jacobyana*, *Phyllobrotica* and *Prionispa* are present with only a single species.

Some data on leaf-beetle habitats from the expedition in 2010

Cryptocephalus subnepalensis on rhododendron (Ericaceae), 2652 m, forest edge near river, and 2431 m.

Platycorynus undatus on wormwood (*Artemisia* sp., Asteraceae), 1015 m, near river.

Agrosteomela indica, on *Berberis* and other shrubs, 2431 m, on grassland and in forest.

Ambrostoma mahesa on shrubs near river, 2976 m.

Chrysolina vishnu on wormwood (*Artemisia* sp., Asteraceae), 1015 m, near river.

Plagiosterna adamsi on wormwood (*Artemisia* sp., Asteraceae), near river, 1015 m.

Agetocera hopei on shrub near river, 2317 m.

Aplosonyx chalybaeus, on herbs near river, 1015 m.

Arthrotidea nepalensis on *Viburnum erubescens* (Caprifoliaceae) at forest edge, 2652 m and *Neolitsea cuipala* in grassland, 2431 m, quite common on Mt. Phulchoki, 1926 m.

Lepthartra fasciata on *Pilea* sp. (Urticaceae), 1926 m, Mt. Phulchoki.

Mimastra unicitarsis on *rhododendron* (Ericaceae), fern and other shrubs, 2301 m and 2652 m.

Morphoshaera parva on various plants, 1926 m.

Paridea octomaculata on various plants, 1926 m.

Paridea fasciata on various plants, 2431 m.

Nonarthra variabilis on *Berberis aristata* (Berberidaceae) and *Pieris formosa* (Ericaceae), 2301 m.

Dactylispa brevispinosa on *Pieris formosa* (Ericaceae), 2301 m, near river, 2317 m, on shrubs at 2652 m, on *Berberis aristata* (Berberidaceae) in grassland and in forest, also at 1926 m on Mt. Phulchoki.

Dactylispa atkinsoni on *Berberis aristata* (Berberidaceae), 2431 m, in grassland and in forests.

Climatic differentiation from northwest to southeast

The level of precipitation is distinctly higher in the east of Nepal while the duration of snow cover is shorter in the west. The tree-lines are also different. The mean temperatures in the southwestern lowlands are very high. We recorded a progressive impoverishment of species diversity from east to west. To date, we count about 550 species in the east and about 450 in the west and <100 species in the far west. Typical eastern species are *Temnaspis quadriplagiata*, *Cleorina takizawai*, *Monolepta simlensis* and *Loeblaltica gerhardi*. Typical western species are *Cryptocephalus kopetzi*, *Chrysolina dhaulagirica* and *Halticorcus himalayensis*.

Patterns of altitudinal distribution: Vegetation zones

Colline zone (up to 1000 m). Relatively arid climate in winter, quite wet in summer. Many primary forests have disappeared in recent decades or are reduced to fragments. There are many settlements and villages, associated with grasslands where the grass may even reach three metres in height. In part, evergreen tropical forests of Dipterocarpaceae still exist. A few Indo-Malayan cloud forest species are present. Many species live in the tree canopies, a few in the sparse ground vegetation. A variety of Oriental Chrysomelidae are found on flowering shrubs. The subfamilies Criocerinae, Clytrinae and Eumolpinae as, for instance *Aspidolopha lesagei*, *Lema quadripunctata* and *Agonita maculigera*, are present.

Lower montane zone (1000–2000 m). This zone lies under the condensation level of the annual monsoon. Ferns are common on shadowy hillsides, open pine forests with *Pinus roxburghii* grow on sunny hillsides. Agricultural fields dominate (millet, rice, banana, citrus, tea). Many slopes are deforested and terraced for agriculture. Here we find several agricultural pests, among them a number of genera of Chrysomelidae such as *Basilepta*, *Lema*, *Pagria*, *Psylliodes* and *Cassida*. On various herbs, among them

wormwood, common species such as *Platycorynus undatus*, *Chrysolina vishnu*, *Lepthartra fasciata*, *Aplosonyx chalybaeus* and *Paridea octomaculata* occur.

Upper montane zone (2000–4000 m) – Lower cloud forest zone up to 2500 m. On sunny slopes there are forests of Ericaceae (*Rhododendron* spp.) reaching 5–10 m in height, as well as *Pinus* and *Quercus* together with succulent orchids as epiphytes. About 420 species of Chrysomelidae are known at this level. They can be beaten from trees, shrubs and herbs. Most of the subfamilies of Chrysomelidae are well represented. Several beetles, such as *Agrosteomela indica*, *Mimastra unicitarsis*, *Agetocera hopei* and *Nonarthra variabilis* are found on shrubs such as barberry (*Berberis*).

Upper montane zone (2000–4000 m) – Medium cloud forest zone up to 3000 m. The mid-cloud forest zone begins where permanent human habitations end. The trees are mostly evergreen, and the highest trees of the montane level occur here. In the wet, shadowy rhododendron forests many species live in the canopies of the trees while in the sparse scrub only a few species can be found. Various leaf beetles are present at the forest borders and on flowering shrubs such as rhododendron, for example *Ambrostoma mahesa*, *Cryptocephalus subnepalensis* and *Arthrotidea nepalensis*.

Upper montane zone (2000–4000 m) – Medium cloud forest zone up to 3000 m. At the same altitude, there are also woodless areas with various habitats. Such areas are often strongly grazed and therefore poor in species. On flowering shrubs and near forest edges the biodiversity is not very rich, and largely common species without special habitat requirements occur there. The first alpine species appear.

Upper montane zone (2000–4000 m) – Upper cloud forest zone up to 4000 m. The zone reaches the upper level of “knee-timber” trees and shrubs such as *Juniperus* and *Rhododendron*. It is frost-free for only three months of the year. Very wide temperature ranges occur, mainly in winter. At >3000 m the number of species decreases to a mere 160. In particular, the Galerucinae and Alticinae live on herbs, the sparse vegetation and under stones. The beating net can be put aside. This is the habitat of apterous endemic specialists such as *Nepalogaleruca angustilineata* at the margins of tracks, *Ivalia minima* on and under stones and *Asiolestia schenklingi* in leaf litter.

At a slightly higher altitude the weather becomes harsh and the nights are cold even in summer. The species number drops significantly and most Chrysomelidae are very small in size. Most species are hidden under stones, appearing only in the few sunny hours of warmer days.

Alpine zone (3800/4200–4800/5500 m). This extends to the altitude at which frost alternates with raw substrate. Dwarf shrubs, grasslands with Cyperaceae and cushion plant communities are characteristic of the alpine zone. Cold, fog, rain, snow and hail contribute to difficult collecting conditions. Only 30 species are known at altitudes above 4000 m, among them *Neocrepidodera thoracica*, *Paraminotella nepalensis* and *Sclerophaedon brendelli*.

CATALOGUE OF NEPALESE LEAF BEETLES

Genus species author, year

Original name author, year; original publication

Synonyms

Distribution in Nepal, zones (Tab. 1) arranged west to east

altitude level (Tab. 2)

General distribution

SAGRINAE

Sagra (Prosagra) carbunculus* Hope, 1842Sagra carbunculus* Hope, 1842; The Annals and Magazine of Natural History (1)9: 248

Karnali, Gandaki, Bagmati, Koshi

2, 3

Nepal, India, China, Oriental region

Sagra (Prosagra) femorata* (Drury, 1773)Tenebrio femorata* Drury, 1773; Illustrations of Natural History 2, London: 64

(numerous synonyms)

(no data)

2

Nepal, India, China, Pakistan, Oriental region

Sagra (Prosagra) odontopus* Gistel, 1831Sagra odontopus* Gistel, 1831; Isis von Oken 3: 309*Sagra peteli* Lacordaire, 1845; *Sagra pygmaea* Lacordaire, 1845

Bagmati, Koshi

2

Nepal, China, Indonesia, Oriental region

DONACIINAE

Donacia recticollis* Jacoby, 1893Donacia recticollis* Jacoby, 1893; Annales de la Société Entomologique de Belgique 37: 261

Gandaki

1

Nepal, India

ZEUGOPHORINAE

Zeugophora (Pedrillia) brancuccii* L. N. Medvedev, 1993Zeugophora brancuccii* L. N. Medvedev, 1993; Entomologica Basiliensia 16: 360

Bagmati, Janakpur, Koshi

2, 3

Nepal

Zeugophora (Pedrillia) longicornis* (Westwood, 1864)Pedrillia longicornis* Westwood, 1864; The Transactions of the Entomological Society of London (3) II: 280*Zeugophora andrewesi* Jacoby, 1903

Bagmati

2, 4

Nepal, India, Oriental region

Zeugophora (Pedrillia) maai* Gressitt et Kimoto, 1979Zeugophora maai* Gressitt et Kimoto; 1979, Pacific Insects 20 (2–3): 206

Dhawalagiri, Bagmati

2, 3

Nepal, Oriental region

Zeugophora (Pedrillia) nepalica* L. N. Medvedev, 1997Zeugophora (Pedrillia) nepalica* L. N. Medvedev, 1997; Russian Entomological Journal 6: 67

Karnali

2

Nepal

Zeugophora (Pedrillia) pallidicincta* Gressitt, 1945Zeugophora pallidicincta* Gressitt, 1945 ; Lingnan Science Journal 21: 139*Zeugophora unifasciata* Pic, 1917

Bagmati, Janakpur, Koshi

2, 3, 4

Nepal, India

Zeugophora (Pedrillia) parva* Crowson, 1946Zeugophora parva* Crowson, 1946; The Transactions of the Entomological Society of London 97: 96

Bagmati

3

Nepal, India

Zeugophora (Pedrillia) yunnanica* S. H. Chen et Pu, 1962Zeugophora yunnanica* S. H. Chen, et Pu, 1962; Acta Entomologica Sinica 11: 119

Bagmati

3

Nepal, India, China

MEGALOPODINAE***Colobaspis nigriceps* (Baly, 1859)***Temnaspis nigriceps* Baly, 1859; The Annals and Magazine of Natural History (3) 3: 207*Colobaspis bicoloriceps* Pic, 1922

(no data)

(no data)

Nepal, India, Oriental region

Colobaspis speciosus* (Baly, 1859)Temnaspis speciosa* Baly, 1859; The Annals and Magazine of Natural History (3) 3: 204

Koshi

2, 3

Nepal

Poecilomorpha downesi* (Baly, 1859)Temnaspis downesi* Baly, 1859; The Annals and Magazine of Natural History (2) 5: 205*Temnaspis inlineata* Pic, 1922; *Poecilomorpha penae* Gressitt, 1942

Bagmati, Janakpur, Koshi

2

Nepal, India, Oriental region

Temnaspis ashloki* Kimoto et Gressitt, 1979Temnaspis ashloki* Kimoto et Gressitt, 1979; Pacific Insects 20 (2–3): 208

Koshi

2

Nepal, Oriental region

***Temnaspis bengalensis* Westwood, 1864**

Temnaspis bengalensis Westwood, 1864; The Transactions of the Entomological Society of London (3) 2: 276
 Dhawalagiri, Narayani, Bagmati, Koshi 1, 2
 Nepal, India

***Temnaspis centromaculata* L. N. Medvedev et Sprecher-Uebersax, 1997**

Temnaspis centromaculata L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 206
 Bagmati 2
 Nepal

***Temnaspis quadriplagiata* Bryant, 1934**

Temnaspis quadriplagiata Bryant, 1934; Stylops 3 (10): 225
 Mechi 1
 Nepal, India

***Temnaspis septemmaculata* (Hope, 1831)**

Megalopus septemmaculata Hope, 1831; Gray, Zoological Miscellany 1: 28
Temnaspis nigroplagiata Jacoby, 1892; *Temnaspis quinquemaculata* Baly, 1859
 Karnali, Bagmati, Mechi 2, 3
 Nepal, India, Oriental region

CRIOCERINAE***Crioceris nigroornata* Clark, 1866**

Crioceris nigroornata Clark, 1866; A Catalogue of Phytophaga: 40
Crioceris multimaculata Jacoby, 1898
 Karnali, Dhawalagiri 2
 Nepal, India

***Lema (Petauristes) honorata* Baly, 1873**

Lema honorata Baly, 1873; The Transactions of the Entomological Society of London: 73
 Koshi 1, 2
 Nepal, China, Japan, Oriental region

***Lema (Petauristes) jansoni* Baly, 1861**

Lema jansoni Baly, 1861; The Journal of Entomology 1: 277
Lema histrio Clark, 1866
 Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3
 Nepal, India, Indonesia, Oriental region

***Lema (Petauristes) lacordairei* Baly, 1845**

Lema lacordairei Baly, 1845 ; The Transactions of the Entomological Society of London 3, 4 (1): 23
Lema cyanipennis Lacordaire, 1845 ; *Lema praeclara* Clark, 1866
 Gandaki, Bagmati, Koshi 1, 2
 Nepal, India, Oriental region

***Lema (Petauristes) nepalica* L. N. Medvedev, 2003**

Lema nepalica L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 317
 Gandaki 2
 Nepal

***Lema (Petauristes) palpalis* Lacordaire, 1845**

Lema palpalis Lacordaire, 1845; Mémoires de la Société Royale des Sciences de Liège 3: 315
 Dhawalagiri, Gandaki, Bagmati 1, 2
 Nepal, India, Indonesia

***Lema (Petauristes) pectoralis* Baly, 1865**

Lema pectoralis Baly, 1865; The Transactions of the Entomological Society of London (3) 4: 9
Lema major Pic, 1924; *Liliocercis nigrotibialis* L. N. Medvedev, 1958; *Lema vandae* Gressitt, 1942
 Narayani 1
 Nepal, China, Oriental region

***Lema (Petauristes) quadripunctata* Olivier, 1808**

Lema quadripunctata Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 731
 Narayani 1
 Nepal, India, Indonesia, Oriental region

***Lema (Petauristes) rufobrunnea* Jacoby, 1908**

Lema rufobrunnea Jacoby, 1908; Fauna of British India: 28
 Koshi 1, 2
 Nepal, India

***Lema (s. str.) balyana* Jacoby, 1908**

Lema balyana Jacoby, 1908; Fauna of British India: 20
 Koshi, Gandaki 2, 3
 Nepal, India, Oriental region

***Lema (s. str.) birmanica* Jacoby, 1892**

Lema birmanica Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 872
 Koshi 1, 2
 India, Nepal, Oriental region

***Lema (s. str.) castanea* Jacoby, 1908**

Lema castanea Jacoby, 1908; Fauna of British India: 37
 Karnali 3
 Nepal, India

***Lema (s. str.) constrictofasciata* Jacoby, 1908**

Lema constrictofasciata Jacoby, 1908; Fauna of British India 2: 46
Lema nepalensis Bryant, 1952
 Dhawalagiri, Bagmati 2, 3
 Nepal, India

***Lema (s. str.) coromandeliana* (Fabricius, 1798)**

Leptura coromandeliana Fabricius, 1798; Supplementum entomologicae systematicae: 154
Lema allardi Baly, 1890; *Lema binghami* Jacoby, 1908; *Lema bretinghami* Baly, 1861; *Lema cyanipennis* Olivier, 1808; *Lema dichroa* Blanchard, 1853; *Lema gangetica* Weise, 1903; *Lema lateralis* Jacoby, 1893; *Lema melanocera* Lacordaire, 1845; *Lema obscuriventris* Pic, 1935; *Lema philippina* Weise, 1922; *Lema rufipes* Weise, 1922; *Lema semifulva* Jacoby, 1889

Karnali, Gandaki, Bagmati, Koshi 1, 2, 3
Nepal, widely distributed in South Asia on rice

***Lema* (s. str.) *cyanea* Fabricius, 1798**

Lema cyanea Fabricius, 1798; Supplementum entomologicae systematicae: 92
Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3, 4
Nepal, India, China, Indonesia, Oriental region

***Lema* (s. str.) *kimotoi* L. N. Medvedev et Sprecher-Uebersax, 1999**

Lema kimotoi L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 356
Koshi 2, 3
Nepal, Oriental region

***Lema* (s. str.) *lacertosa* Lacordaire, 1845**

Lema lacertosa Lacordaire, 1845; Mémoires de la Société Royale des Sciences de Liège 3: 339
Lema diversipes Pic, 1921
Bagmati, Koshi 1, 2
Nepal, India, China, Oriental region

***Lema* (s. str.) *malabarica* Jacoby, 1908**

Lema malabarica Jacoby, 1908; Fauna of British India 1: 18
(no data) (no data)
Nepal, India, Oriental region

***Lema* (s. str.) *nepalensis* Bryant, 1952**

Lema nepalensis Bryant, 1952; The Annals and Magazine of Natural History (12) 5: 602
Bagmati 3
Nepal

***Lema* (s. str.) *nigrofrontalis* Clark, 1866**

Lema nigrofrontalis Clark, 1866; A Catalogue of Phytophaga: 40
Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi 1, 2
Nepal, India

***Lema* (s. str.) *paradoxa* Jacoby, 1904**

Lema paradoxa Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 380
(no data) (no data)
Nepal, Oriental region

***Lema* (s. str.) *psyche* Baly, 1865**

Lema psyche Baly, 1865; The Annals and Magazine of Natural History (3) 16: 157
Sagarmatha (no data)
Nepal, India

***Lema* (s. str.) *rufofrontalis* Jacoby, 1908**

Lema rufofrontalis Jacoby, 1908; Fauna of British India 2: 62
Lumbini 1
Nepal, India

Lema* (s. str.) *rufotestacea* Clark, 1866Lema rufotestacea* Clark, 1866; A Catalogue of Phytophaga 1: 29*Lema annulitarsis* Pic, 1924; *Lema bohemani* Gressitt, 1942; *Lema nitobei* Chûjô, 1933; *Lema palonensis* Jacoby, 1892; *Lema saigonensis* Pic, 1923Dhawalagiri, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, India, China, Oriental region***Lema* (s. str.) *semifulva* Jacoby, 1889***Lema semifulva* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 152

(no data) (no data)

Nepal, India, China, Oriental region

Lema* (s. str.) *terminata* Lacordaire, 1845Lema terminata* Lacordaire, 1845; Mémoires de la Société Royale des Sciences de Liège 3: 341

Koshi 1

Nepal, India

Lilioceris atrilateralis* Kimoto et Takizawa, 1973Lilioceris atrilateralis* Kimoto et Takizawa, 1973; Kontyû 41: 171Dhawalagiri, Bagmati, Janakpur, Sagarmatha, Koshi 1, 2, 3
Nepal***Lilioceris brancuccii* L. N. Medvedev, 1992***Lilioceris brancuccii* L. N. Medvedev, 1992; Entomologica Basiliensia 15: 379

Dhawalagiri 2, 3

Nepal, India

Lilioceris cheni* Gressitt et Kimoto, 1961Lilioceris cheni* Gressitt et Kimoto, 1961; Pacific Insects Monograph 22: 46

Mechi 1

Nepal, China, Oriental region

Lilioceris cyanicollis* (Pic, 1916)Crioceris cyanicollis* Pic, 1916; Mélanges Exotico-Entomologiques 19: 16

Mechi 3

Nepal, China, Oriental region

Lilioceris egena* (Weise, 1922)Crioceris egena* Weise, 1922; Tijdschrift voor Entomologie 65: 41

Narayani, Bagmati, Janakpur 1, 2, 3

Nepal, India, China, Oriental region

Lilioceris flavipennis* (Baly, 1859)Crioceris flavipennis* Baly, 1859; The Transactions of the Entomological Society of London (n. ser.) 5: 151

Koshi 3

Nepal, India

Lilioceris impressa* (Fabricius, 1787)Crioceris impressa* Fabricius, 1787; Mantissa insectorum 1: 88*Crioceris castanea* Lacordaire, 1845; *Crioceris coomani* Pic, 1928; *Lilioceris inflaticornis* Gressitt et Kimoto, 1961; *Crioceris omophloides* Lacordaire, 1845; *Crioceris subcostata* Pic, 1921Karnali, Bheri, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi
1, 2, 3, 4

Nepal, India, China, Indonesia, Oriental region

Lilioceris laosensis* (Pic, 1916)Crioceris laosensis* Pic, 1916; Mélanges Exotico-Entomologiques 33: 2*Lilioceris bechynei* L. N. Medvedev, 1958; *Crioceris thibetana* Pic, 1916

Bheri, Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi

1, 2, 3

Nepal, China, Oriental region

Lilioceris locuples* (Clark, 1866)Crioceris locuples* Clark, 1866; A Catalogue of Phytophaga 1: 64

Dhawalagiri, Koshi

2, 3

Nepal, India

Lilioceris merdigera* (Linnaeus, 1758)Chrysomela merdigera* Linnaeus, 1758; Systema naturae per regna tria naturae 1: 275*Crioceris abdominalis* Comolli, 1837; *Crioceris brunnea* Fabricius, 1792; *Crioceris collaris* Lacordaire, 1845; *Crioceris convallariae* Harrer, 1791; *Lilioceris forojuliensis* G. Müller, 1948; *Crioceris mediciana* Lacordaire, 1845; *Lilioceris nigratarsis* Doi, 1928; *Crioceris rufipes* Herbst, 1783; *Crioceris similis* Brahm, 1790; *Crioceris suffriani* F. J. Schmidt, 1842

Janakpur

1, 2

Nepal, China

Lilioceris nepalensis* Takizawa, 1989Lilioceris nepalensis* Takizawa, 1989; Japanese Journal of Entomology 57 (2): 320

Dhawalagiri, Bagmati

3

Nepal, India

Lilioceris neptis* (Weise, 1922)Crioceris neptis* Weise, 1922; Tijdschrift voor Entomologie 65: 41*Lilioceris cantonensis* Heinze, 1943; *Lilioceris melli* Heinze, 1943

Bagmati

(no data)

Nepal, China, Oriental region

Lilioceris nigropectoralis* (Pic, 1928)Crioceris nigropectoralis* Pic, 1928; Bulletin Bi-Mensuel de la Société Linnéenne de Lyon 7: 88

Bagmati

2

Nepal, China

Lilioceris semifoveolata* (Jacoby, 1908)Crioceris semifoveolata* Jacoby, 1908; Fauna of British India: 76

Dhawalagiri

2

Nepal, India

Lilioceris semipunctata* (Fabricius, 1801)Crioceris semipunctata* Fabricius, 1801; Systema Eleutheratorum 1: 472

Narayani, Bagmati, Janakpur, Koshi

1, 2

Nepal, India, China, Indonesia, Oriental region

Lilioceris unicolor* (Hope, 1831)Crioceris subcostata* Pic, 1921; Gray, Zoological Miscellany 1: 22

(no data)

(no data)

Nepal, Oriental region

Oulema downesi* (Baly, 1865)Lema downesi* Baly, 1865; The Annals and Magazine of Natural History (3) 16: 156*Lema melania* Chûjô, 1951

Bagmati

2

Nepal, India

CLYTRINAE***Aetheanta higuchii* (Kimoto et Takizawa, 1981)***Smaragdina higuchii* Kimoto et Takizawa, 1981; Entomogical Revue of Japan 35 (1–2): 5*Aetheanta fasciata* Medvedev, 1988

Karnali, Gandaki, Bagmati, Janakpur

2, 3, 4

Nepal, India

Aetheodactyla dimitiatipennis* (Baly, 1880)Coptocephala dimitiatipennis* Baly, 1880; Cistula Entomologica 2: 371

Janakpur, Koshi

1

Nepal, India

Aetheomorpha apicata* L. N. Medvedev, 1988Aetheomorpha apicata* L. N. Medvedev, 1988; Entomologica Basiliensia 12: 474*Smaragdina nigroapicalis* Lopatin, 2005

Gandaki, Narayani, Janakpur

1, 2

Nepal, India

Aetheomorpha cochinchinensis* (Lefèvre, 1889)Gynandrophthalma cochinchinensis* Lefèvre, 1889; Annales de la Société Entomologique de France 9: 290

(no data)

(no data)

Nepal, Oriental region

Aetheomorpha coerulea* (Jacoby, 1892)Aspidolopha coerulea* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 882

Gandaki, Bagmati, Koshi

2

Nepal, Oriental region

Aetheomorpha fuscicornis* (Lacordaire, 1848)Damia fuscicornis* Lacordaire, 1848; Mémoires de la Société Royale des Sciences de Liège 5: 386

Narayani, Bagmati, Koshi

1, 2, 3

Nepal, India

***Aetheomorpha malayana* (Baly, 1865)**

Gynandrophthalma malayana Baly, 1865; The Transactions of the Entomological Society of London ser. 3, 4 (1): 51

Cyaniris cochinchinensis Lefèvre, 1889; *Gynandrophthalma birmanica* Jacoby, 1892

Dhawalagiri, Bagmati

1, 2

Nepal, India, Oriental region

***Aetheomorpha nitidicollis* (Jacoby, 1908)**

Aspidolopha nitidicollis Jacoby, 1908; Fauna of British India: 143

Gandaki

2

Nepal, India

***Aetheomorpha pictipennis* (Jacoby, 1892)**

Gynandrophthalma pictipennis Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 883

Gandaki

2

Nepal, Oriental region

***Aetheomorpha schmidtii* L. N. Medvedev, 2003**

Aetheomorpha schmidtii L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 318

Gandaki

2

Nepal

***Aetheomorpha substriata* L. N. Medvedev, 2003**

Aetheomorpha substriata L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 317

Bagmati

1, 2

Nepal, India

***Aetheomorpha suturata* Jacoby, 1898**

Aetheomorpha suturata Jacoby, 1898; Annales de la Société Entomologique de Belgique 42: 185

Clythra morimotoi Kimoto et Gressitt, 1981; *Aetheomorpha multiplagiata* Jacoby, 1903

Gandaki, Bagmati

1, 2

Nepal, India, Oriental region

***Aetheomorpha virgula* Jacoby, 1908**

Aetheomorpha virgula Jacoby, 1908; Fauna of British India 1: 128

Dhawalagiri, Narayani, Bagmati, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India

***Aspidolopha buqueti egregia* (Boheman, 1859)**

Clythra buqueti egregia Boheman, 1858; Coleoptera. Species novae descriptae: 154

Aspidolopha siamensis Pic, 1941; *Aspidolopha trinotata* Pic, 1928

Koshi

2

Nepal, India, China, Oriental region

***Aspidolopha melanophthalma* (Lacordaire, 1848)**

Clythra melanophthalma Lacordaire, 1848; Mémoires de la Société Royale des Sciences de Liège 5: 254

Diapromorpha minuta Pic, 1933

Koshi

1

Nepal, India, China, Indonesia, Oriental region

***Aspidolopha pseudospilota* L. N. Medvedev, 1988**

Aspidolopha pseudospilota L. N. Medvedev, 1988; Fauna i ekologiya nasekomykh Vietnama: 47
 Bagmati, Koshi 1, 2
 Nepal, India

***Aspidolopha quadrinotata* Bryant, 1952**

Aspidolopha quadrinotata Bryant, 1952; The Annals and Magazine of Natural History (12) 5: 603
 Dhawalagiri, Gandaki, Bagmati 1, 2, 3
 Nepal, India

***Aspidolopha spilota* Hope, 1831**

Aspidolopha spilota Hope, 1831; Gray, Zoological Miscellany 1: 30
Aspidolopha rugosa Jacoby, 1891
 Bheri, Dhawalagiri, Bagmati, Janakpur, Mechi 1, 2, 3
 Nepal, India

***Ceratobasis koenigii* (Fabricius, 1775)**

Cryptocephalus koenigii Fabricius, 1775; Systema entomologiae sistens insectorum: 111
Miopristis bimaculata Jacoby, 1908; *Ceratobasis binotaticeps* Pic, 1943; *Ceratobasis ceylonensis* Jacoby, 1908; *Ceratobasis discoidalis* Pic, 1943; *Coptocephala impolita* Weise, 1913; *Ceratobasis innotatithorax* Pic, 1943; *Clythra nair* Lacordaire, 1848; *Gynandrophthalma opacipennis*, Jacoby, 1903
 Narayani 1
 Nepal, India

***Clytrasoma palliatum* (Fabricius, 1801)**

Clytra palliata Fabricius, 1801; Systema Eleutheratorum 2: 30
Clytrasoma ceylonense Jacoby, 1908; *Clytrasoma donckieri* Pic, 1932; *Clythra gibbosum* Vigors, 1826; *Clytrasoma marginatum* Pic, 1932; *Clytrasoma quadrisignatum* Pic, 1937; *Clythra transversum* Illiger, 1802
 Narayani 1
 Nepal, India, China, Oriental region

***Coptocephala crassipes nepalica* L. N. Medvedev, 1999**

Coptocephala crassipes nepalica L.N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 181
 Karnali 2
 Nepal

***Diapromorpha dejeani* Lacordaire, 1848**

Diapromorpha dejeani Lacordaire, 1848 ; Mémoires de la Société Royale des Sciences de Liège 5: 231
 Gandaki, Bagmati, Janakpur, Mechi 1, 2
 Nepal, India

***Diapromorpha pallens* (Fabricius, 1787)**

Cryptocephalus pallens Fabricius, 1787; Mantissa insectorum 1: 81
Diapromorpha melanopus Lacordaire, 1848; *Aspidolopha pallidiceps*, Gressitt, 1942; *Diapromorpha elongata* Pic, 1932
 Narayani, Bagmati 1, 2
 Nepal, India, China, Oriental region

Diapromorpha turcica* Fabricius, 1801Diapromorpha turcica* Fabricius, 1801; Systema Eleutheratorum 2: 37

doubtful record in Nepal

1

Nepal, India, Oriental region

Epimela nepalensis* Takizawa, 1987Epimela nepalensis* Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 47

Narayani

1

Nepal

Epimela trimaculata* (Fabricius, 1798)Clytra trimaculata* Fabricius, 1798; Supplementum entomologicae systematicae: 110*Aspidolopha trimaculata* Jacoby, 1798

Koshi

1

Nepal, India

Epimela tristis* L. N. Medvedev, 2003Epimela tristis* L. N. Medvedev, 2003; Entomologica Basiliensia 25: 283

Karnali

2

Nepal

Miochira gracilis* Lacordaire, 1848Miochira gracilis* Lacordaire, 1848 ; Mémoires de la Société Royale des Sciences de Liège 5: 316*Melitonoma affine* Jacoby, 1889; *Gynandrophthalma argyrica* Weise, 1913; *Clytra cardoni* Jacoby, 1897;*Melitonoma indica* Jacoby, 1889; *Aetheomorpha pectoralis* Lefèvre, 1893

Dhawalagiri, Narayani, Bagmati, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India, Afghanistan, Oriental region

Miochira montana* (Jacoby, 1895)Clythra montana* Jacoby, 1895; Annales de la Société Entomologique de Belgique 39: 255*Miochira nuristanica* Lopatin, 1966

Karnali, Bagmati, Janakpur

1, 2, 3, 4

Nepal, India, China, Afghanistan

Miochira nepalica* L. N. Medvedev, 1998Miochira nepalica* L. N. Medvedev, 1998; Serangga 3: 27

Gandaki

2

Nepal

Physosmaragdina crassipes* (Duvivier, 1891)Clytra crassipes* Duvivier, 1891 ; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique: 31

(no data)

(no data)

Nepal, India, China

Physosmaragdina motschulskyi* (L. N. Medvedev, 1992)Smaragdina motschulskyi* L. N. Medvedev, 1992; Entomologica Basiliensia 15: 382

Narayani, Bagmati, Janakpur, Koshi

1, 2, 3

Nepal

***Physosmaragdina tonkinensis* (Lefèvre, 1891)**

Damia tonkinensis Lefèvre, 1891; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique 35: 254

Smaragdina brancuccii Medvedev, 1988; *Gynandrophthalma mungphuensis* Jacoby, 1908

Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur 1, 2, 3, 4
Nepal, India, Oriental region

***Smaragdina divisa* (Jacoby, 1889)**

Gynandrophthalma divisa Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 156

Gynandrophthalma indica Jacoby, 1895

Gandaki 1
Nepal, India, Oriental region

***Smaragdina dohertyi* (Jacoby, 1908)**

Gynandrophthalma dohertyi Jacoby, 1908; Fauna of British India 2: 107

Gandaki 2, 3
Nepal, India

***Smaragdina fabrei* (Lefèvre, 1883)**

Cyaniris fabrei Lefèvre, 1883; Bulletin de la Société Entomologique de France (6) 3: 111

Janakpur 3
Nepal, India

***Smaragdina flavobasalis* (Jacoby, 1908)**

Gynandrophthalma flavobasalis Jacoby, 1908; Fauna of British India 2: 121

Koshi 3
Nepal, India

***Smaragdina fulvitarsis* L. N. Medvedev, 1992**

Smaragdina fulvitarsis L. N. Medvedev, 1992; Entomologica Basiliensia 15: 380

Koshi 1
Nepal

***Smaragdina laticollis* (Duvivier, 1892)**

Gynandrophthalma laticollis Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 399

Bagmati (no data)
Nepal, India

***Smaragdina minutissima* (Lopatin, 1967)**

Antipa minutissima Lopatin, 1967; Annalen des Naturhistorischen Museums in Wien 70: 437

Karnali 2
Nepal, India, Pakistan, Afghanistan

***Smaragdina nigriscutis* L. N. Medvedev, 1970**

Smaragdina nigriscutis L. N. Medvedev, 1970; Entomologische Arbeiten aus dem Museum G. Frey 21: 187

Bagmati (no data)
Nepal, India

Smaragdina sikkimia* (Jacoby, 1903)Gynandrophthalma sikkimia* Jacoby, 1903; Annales de la Société Entomologique de Belgique 47: 86

Dhawalagiri, Gandaki

1, 2

Nepal, India

CRYPTOCEPHALINAE***Acolastus costatus* (L. N. Medvedev et Sprecher-Uebersax, 1999)***Thelyterotarsus costatus* L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 361

Karnali

2

Nepal

Adiscus angulatus* L. N. Medvedev et Sprecher-Uebersax, 1997Adiscus angulatus* L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 220

Koshi

2

Nepal

Adiscus hauseri* (Weise, 1895)Dioryctus hauseri* Weise, 1895; Deutsche Entomologische Zeitschrift: 327

Gandaki, Bagmati, Koshi

1, 2

Nepal, India

Adiscus nigroplagiatus* (Jacoby, 1903)Dioryctus nigroplagiatus* Jacoby, 1903; Annales de la Société Entomologique de Belgique 47: 92

Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi

1, 2, 3

Nepal, India, Oriental region

Adiscus obscurus* L. N. Medvedev et Sprecher-Uebersax, 1997Adiscus obscurus* L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 221

Bagmati

2

Nepal

Adiscus wittmeri* L. N. Medvedev, 1992Adiscus wittmeri* L. N. Medvedev, 1992; Entomologica Basiliensia 15: 384

Bagmati, Koshi

1, 2, 3

Nepal

Coenobius baronii* Lopatin, 1979Coenobius baronii* Lopatin, 1979; Entomologica Basiliensia 4: 438

Dhawalagiri

2

Nepal, India

Coenobius birmanicus* Jacoby, 1892Coenobius birmanicus* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 889

Mehi

1, 2

Nepal, Oriental region

***Coenobius fulvipes* Baly, 1877**

Coenobius fulvipes Baly, 1877; The Transactions of the Entomological Society of London: 213
Coenobius bhaktai Lopatin, 1995; *Coenobius fulvicornis* Jacoby, 1908; *Coenobius lateralis* Weise, 1903;
Coenobius pakistanicus Lopatin, 1995; *Coenobius pallipes* Jacoby, 1908; *Coenobius wittmeri* Lopatin, 1995

Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3
 Nepal, Bhutan, India, Oriental region

***Coenobius indicus* Weise, 1913**

Coenobius indicus Weise, 1913; Wiener Entomologische Zeitung 32: 219
Coenobius aterrimus Jacoby, 1908 (nec Jacoby 1896)

Dhawalagiri 3
 Nepal, India

***Coenobius variegatus* Jacoby, 1908**

Coenobius variegatus Jacoby, 1908; Fauna of British India: 190

Dhawalagiri 2, 3
 Nepal, India

***Cryptocephalus (Burlinius) darjilingensis* Jacoby, 1908**

Cryptocephalus darjilingensis Jacoby, 1908; Fauna of British India: 263

Dhawalagiri, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi 2, 3
 Nepal, India

***Cryptocephalus (Burlinius) hartmanni* Medvedev, 2003**

Cryptocephalus (Burlinius) hartmanni Medvedev, 2003; Biodiversität und Naturausstattung im Himalaya 1, Erfurt: 318

Karnali 3
 Nepal

***Cryptocephalus (Burlinius) kabaki* Lopatin, 2002**

Cryptocephalus kabaki Lopatin, 2002; Eurasian Entomological Journal 1: 84

(no data) 4
 Nepal, China

***Cryptocephalus (Burlinius) notogrammus* Suffrian, 1854**

Cryptocephalus notogrammus Suffrian, 1854; Linnaea Entomologica 9: 143

Karnali (no data)
 Nepal, India, Pakistan, Afghanistan

***Cryptocephalus (Burlinius) polymorphus parallelus* Jakobson, 1896**

Cryptocephalus parallelus Jakobson, 1896; Horae Societatis Entomologicae Rossicae 29: 534

Bagmati (no data)
 Nepal, Tadjikistan

***Cryptocephalus (s. str.) alpigradus* Lopatin, 1982**

Cryptocephalus alpigradus Lopatin, 1982; Entomologica Basiliensia 7: 416

Bagmati, Janakpur 3, 4
 Nepal

***Cryptocephalus* (s. str.) *alpigradus kharikolensis* Lopatin, 1982**

Cryptocephalus alpigradus kharikolensis Lopatin, 1982; Entomologica Basiliensia 7: 418
 Sagarmatha (no data)
 Nepal

***Cryptocephalus* (s. str.) *analisis* Olivier, 1808**

Cryptocephalus analisis Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 786
 Janakpur 1, 2
 Nepal, India

***Cryptocephalus* (s. str.) *bahadur* Lopatin, 1984**

Cryptocephalus bahadur Lopatin, 1984; Entomologica Basiliensia 9: 331
 Bheri, Dhawalagiri, Gandaki, Bagmati 1, 2
 Nepal

***Cryptocephalus* (s. str.) *baroniurbani* Lopatin, 1982**

Cryptocephalus baroniurbani Lopatin, 1982; Entomologica Basiliensia 7: 414
 Bagmati, Janakpur, Sagarmatha, Koshi, Mechi 1, 2, 3
 Nepal, Bhutan, India

***Cryptocephalus* (s. str.) *bhutanicus* Lopatin, 1975**

Cryptocephalus bhutanicus Lopatin, 1975; Entomologica Basiliensia 1: 368
 Mechi 3
 Nepal, Bhutan

***Cryptocephalus* (s. str.) *bissexsignatus* Suffrian, 1854**

Cryptocephalus bissexsignatus Suffrian, 1854; Linnaea Entomologica 9: 56
 Gandaki, Koshi 1, 2
 Nepal, India, Oriental region

***Cryptocephalus* (s. str.) *boreoindicus* Lopatin, 1995**

Cryptocephalus boreoindicus Lopatin, 1995; Entomologica Basiliensia 18: 458
 Bagmati 3
 Nepal

***Cryptocephalus* (s. str.) *brahminus* Jacoby, 1908**

Cryptocephalus brahminus Jacoby, 1908; Fauna of British India: 223
 Bagmati, Janakpur 3, 4
 Nepal, India

***Cryptocephalus* (s. str.) *brancuccii* Lopatin, 1984**

Cryptocephalus brancuccii Lopatin, 1984; Entomologica Basiliensia 9: 333
 Bheri, Janakpur, Koshi 1, 2
 Nepal, India

***Cryptocephalus* (s. str.) *chitwanus* Medvedev, 2009**

Cryptocephalus chitwanus Medvedev, 2009; Vernate 28: 409
 Narayani 1
 Nepal

Cryptocephalus* (s. str.) *deficiens* Suffrian, 1854Cryptocephalus deficiens* Suffrian, 1854; Linnaea Entomologica 9: 146

Bagmati

2, 3

Nepal, India

Cryptocephalus* (s. str.) *dimidiatipennis* Jacoby, 1895Cryptocephalus dimidiatipennis* Jacoby, 1895; Annales de la Société Entomologique de Belgique 39: 269*Cryptocephalus manipurensis* Jacoby, 1908

Gandaki, Bagmati, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India

Cryptocephalus* (s. str.) *eberti* Kimoto, 2004Cryptocephalus eberti* Kimoto, 2004; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 2: 47

Koshi

3

Nepal

Cryptocephalus* (s. str.) *ensifer* Hope, 1831Cryptocephalus ensifer* Hope, 1831; Gray, Zoological Miscellany 1: 30*Cryptocephalus rasuanus* Bryant, 1952

Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi

1, 2, 3

Nepal, India

Cryptocephalus* (s. str.) *erberi* Lopatin, 1991Cryptocephalus erberi* Lopatin, 1991; Entomologica Basiliensia 14: 405

Koshi

1

Nepal

Cryptocephalus* (s. str.) *evae* Lopatin, 2002Cryptocephalus evae* Lopatin, 2002; Eurasian Entomological Journal 1: 84

Mechi

2, 3

Nepal

Cryptocephalus* (s. str.) *exsulans* Suffrian, 1854Cryptocephalus exsulans* Suffrian, 1854; Linnaea Entomologica 9: 149*Cryptocephalus nepalensis* Bryant, 1952

Karnali, Gandaki, Bagmati, Sagarmatha, Koshi, Mechi

1, 2, 3, 4, 5

Nepal, Bhutan, India, China

Cryptocephalus* (s. str.) *foveatus* L. N. Medvedev, 2003Cryptocephalus foveatus* L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 318

Bagmati

3

Nepal

Cryptocephalus* (s. str.) *gestroi* Jacoby, 1892Cryptocephalus gestroi* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 890*Cryptocephalus talianus* Pic, 1915

Mechi

1, 2

Nepal, India, China, Oriental region

Cryptocephalus* (s. str.) *gorbunovi* L. N. Medvedev, 1999Cryptocephalus gorbunovi* L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 182

Bagmati

2

Nepal

Cryptocephalus* (s. str.) *guttifer* Suffrian, 1854Cryptocephalus guttifer* Suffrian, 1854; Linnaea Entomologica 9: 22*Cryptocephalus kashmirensis* Jacoby, 1908

Gandaki

1

Nepal, India, China

Cryptocephalus* (s. str.) *heraldicus* Suffrian, 1854Cryptocephalus heraldicus* Suffrian, 1854; Linnaea Entomologica 9: 145*Cryptocephalus poultoni* Jacoby, 1908

Bheri, Dhawalagiri, Gandaki, Karnali, Bagmati, Janakpur, Sagarmatha 2, 3, 4

Nepal, India

Cryptocephalus* (s. str.) *hopei* L. N. Medvedev et Sprecher-Uebersax, 1997Cryptocephalus hopei* L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 214

Bheri, Karnali, Dhawalagiri, Bagmati, Janakpur, Koshi

1, 2, 3

Nepal

Cryptocephalus* (s. str.) *indicus* Suffrian, 1854Cryptocephalus indicus* Suffrian, 1854; Linnaea Entomologica 9: 58

Koshi

1

Nepal, India

Cryptocephalus* (s. str.) *kopetzi* L. N. Medvedev, 2003Cryptocephalus kopetzi* L. N. Medvedev, 2003; Biodiversität und Naturausstattung im Himalaya 1, Erfurt: 318

Seti

2, 3

Nepal

Cryptocephalus* (s. str.) *lefèvrei* Jacoby, 1895Cryptocephalus lefèvrei* Jacoby, 1895; Annales de la Société Entomologique de Belgique : 39: 268

Gandaki

2

Nepal, Oriental region

Cryptocephalus* (s. str.) *maytreiae* Lopatin, 1979Cryptocephalus maytreiae* Lopatin, 1979; Entomologica Basiliensia 4: 434

Gandaki, Bagmati

1, 2

Nepal, India

Cryptocephalus* (s. str.) *multiplex* Suffrian, 1860Cryptocephalus multiplex* Suffrian, 1860; Linnaea Entomologica 14: 39*Cryptocephalus jacobsoni* Clavareau, 1913; *Cryptocephalus parvicollis* Jakobson, 1896; *Cryptocephalus savioi* Pic, 1928

Lumbini

3

Nepal, China, Japan, Oriental region

***Cryptocephalus* (s. str.) *nepalensis* Bryant, 1952**

Cryptocephalus nepalensis Bryant, 1952; The Annals and Magazine of Natural History (12) 5: 605
 Bagmati, Janakpur, Sagarmatha 3, 4
 Nepal

***Cryptocephalus* (s. str.) *nigronotatus* Bryant, 1954**

Cryptocephalus nigronotatus Bryant, 1954; The Annals and Magazine of Natural History (12) 7: 453
Cryptocephalus balajensis Kimoto et Takizawa, 1973
 Bagmati, Janakpur 2, 3
 Nepal, India

***Cryptocephalus* (s. str.) *nilghiriensis* Jacoby, 1903**

Cryptocephalus nilghiriensis Jacoby, 1903; Annales de la Société Entomologique de Belgique 47: 90
 Gandaki, Janakpur, Koshi 1, 2
 Nepal, India

***Cryptocephalus* (s. str.) *oppositus* Jacoby, 1908**

Cryptocephalus oppositus Jacoby, 1908; Fauna of British India 2: 249
 Narayani, Janakpur 1, 2, 3
 Nepal, India

***Cryptocephalus* (s. str.) *ovulum* Suffrian, 1854**

Cryptocephalus ovulum Suffrian, 1854; Linnaea Entomologica 9: 30
Cryptocephalus suavis Duvivier, 1892
 Bheri, Bagmati 1, 2, 3
 Nepal, India, Oriental region

***Cryptocephalus* (s. str.) *pokharensis* L. N. Medvedev et Sprecher-Uebersax,, 1999**

Cryptocephalus pokharensis L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 360
 Dhawalagiri 3
 Nepal

***Cryptocephalus* (s. str.) *pulvillatus* Suffrian, 1854**

Cryptocephalus pulvillatus Suffrian, 1854; Linnaea Entomologica 9: 24
 (no data) (no data)
 Nepal, India

***Cryptocephalus* (s. str.) *rubripes* Hope, 1831**

Cryptocephalus rubripes Hope, 1831; Gray, Zoological Miscellany 1: 30
 (no data) (no data)
 Nepal, India

***Cryptocephalus* (s. str.) *sannio* Kollar et L. Redtenbacher, 1844**

Cryptocephalus sannio Kollar et L. Redtenbacher, 1844; Hügel, Kasschmir und das Reich der Siek 4: 561
 (no data) (no data)
 Nepal, India, Afghanistan

Cryptocephalus* (s. str.) *seductus* Lopatin, 1995Cryptocephalus seductus* Lopatin, 1995; Entomologica Basiliensia 18: 458

Koshi

2

Nepal

Cryptocephalus* (s. str.) *sehestedti* Fabricius, 1798Cryptocephalus sehestedti* Fabricius, 1798; Supplementum entomologicae systematicae: 107

Koshi

1, 2

Nepal, India, Oriental region

Cryptocephalus* (s. str.) *sexsignatus* (Fabricius, 1801)Chrysomela sexsignatus* Fabricius, 1801; Systema Eleutheratorum 2: 41

Bagmati

2

Nepal, India, Oriental region

Cryptocephalus* (s. str.) *sikkimensis* Jacoby, 1908Cryptocephalus sikkimensis* Jacoby, 1908; Fauna of British India 2: 203

Sagarmatha, Koshi

2

Nepal, India

Cryptocephalus* (s. str.) *spilotus* Hope, 1831Cryptocephalus spilotus* Hope, 1831; Gray, Zoological Miscellany 1: 30

(no data)

(no data)

Nepal

Cryptocephalus* (s. str.) *sprecheri* Lopatin, 2005Cryptocephalus sprecheri* Lopatin, 2005; Eurasian Entomological Journal 4: 232*Cryptocephalus micheli* Medvedev et Sprecher, 1997

Koshi

2

Nepal

Cryptocephalus* (s. str.) *suavis* Duvivier, 1892Cryptocephalus suavis* Duvivier, 1892; Annales de la Société Entomologique de Belgique : 39: 401

Bheri, Gandaki, Bagmati

2, 3

Nepal, India, China

Cryptocephalus* (s. str.) *subnepalensis* Lopatin, 1982Cryptocephalus subnepalensis* Lopatin, 1982; Entomologica Basiliensia 7: 423

Bagmati

2, 3

Nepal

Cryptocephalus* (s. str.) *triangularis* Hope, 1831Cryptocephalus triangularis* Hope, 1831; Gray, Zoological Miscellany 1: 30*Cryptocephalus bifurcatus* Pic, 1917; *Cryptocephalus dodecaspilus* Suffrian, 1854; *Cryptocephalus interjectus* Baly, 1878; *Cryptocephalus lopatianus* Medvedev et Sprecher, 1997; *Cryptocephalus pygidiomaculatus* Pic, 1928; *Cryptocephalus postunifasciatus* Pic, 1917

Karnali, Dhawalagiri, Lumbini, Bagmati, Koshi, Mechi

1, 2, 3, 4

Nepal, India, China, Oriental region

***Cryptocephalus triangulomimus* L. N. Medvedev, 2011**

Cryptocephalus triangulomimus L. N. Medvedev, 2011; Entomologica Basiliensia et Collectionis Frey 33: ii
 Gandaki 2
 Nepal

***Cryptocephalus* (s. str.) *tricinctus* Redtenbacher, 1848**

Cryptocephalus tricinctus Redtenbacher, 1848; Hügel, Kasschmir und das Reich der Siek 4: 562
Cryptocephalus lallieri Pic, 1920
 Bagmati, Koshi 2, 3
 Nepal, India

***Cryptocephalus* (s. str.) *trifasciatus* (Fabricius, 1787)**

Chrysomela trifasciatus Fabricius, 1787; Mantissa insectorum 1: 81
Cryptocephalus fainanensis Pic, 1928; *Cryptocephalus orientalis* Hope, 1831
 (no data) (no data)
 Nepal, China, Japan, Oriental region

***Melixanthus atriventris* Pic, 1927**

Melixanthus atriventris Pic, 1927; Bulletin Bi-Mensuel de la Société Linnéenne de Lyon 6: 6
 Gandaki 1
 Nepal, Oriental region

***Melixanthus luridus* (Motschulsky, 1866)**

Monachus luridus Motschulsky, 1866; Bulletin de la Société Impériale des Naturalistes de Moscou 39: 411
Cryptocephalus binhanus Pic, 1927; *Cryptocephalus brevebilineatus* Pic, 1922; *Cryptocephalus internefasciatus* Pic, 1927; *Cryptocephalus internelineatus* Pic, 1927; *Melixanthus monticola* Bryant, 1952; *Melixanthus pallidipennis* Pic 1922; *Melixanthus placidus* Baly, 1877; *Melixanthus subarcuatus* Pic, 1927
 Gandaki (no data)
 Nepal, China, Oriental region

***Stylosomus hartmanni* L. N. Medvedev, 2003**

Stylosomus hartmanni L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 320
 Seti 2, 3
 Nepal

***Stylosomus nepalicus* L. N. Medvedev, 2003**

Stylosomus nepalicus L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 319
 Karnali 3
 Nepal

CHLAMISINAE***Chlamisus brancuccii* L. N. Medvedev et Sprecher-Uebersax, 1997**

Chlamisus brancuccii L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 226
 Bagmati 2
 Nepal

Chlamisus collaris* L. N. Medvedev et Sprecher-Uebersax, 1997Chlamisus collaris* L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 223

Bagmati 2

Nepal

Chlamisus fulvipes* (Baly, 1878)Chlamys fulvipes* Baly, 1878; The Journal of the Linnean Society of London 16: 345

Dhawalagiri, Bagmati, Koshi 2, 3

Nepal, India

Chlamisus holzschuhi* Lopatin, 1995Chlamisus holzschuhi* Lopatin, 1995; Entomologica Basiliensia 18: 465

Koshi 2, 3

Nepal

Chlamisus indicus* (Guérin-Méneville, 1840)Chlamys indicus* Guérin-Méneville, 1840; Revue Zoologique par la Société Cuvierienne: 41

Koshi 2

Nepal, India

Chlamisus nepalensis* Lopatin, 1995Chlamisus nepalensis* Lopatin, 1995; Entomologica Basiliensia 18: 464

Bagmati 2

Nepal

Chlamisus orientalis* (Jacoby, 1895)Chlamys orientalis* Jacoby, 1895 ; Annales de la Société Entomologique de Belgique 39: 269

Dhawalagiri, Bagmati 2, 3

Nepal, India

Chlamisus stercoralis* Gressitt, 1942Chlamisus stercoralis* Gressitt, 1942; Lingnan Natural History Survey and Museum, Special Publication 2: 371*Chlamisus indicus* Jacoby, 1901

Dhawalagiri, Bagmati, Koshi, Mechi 2

Nepal, India

LAMPROSOMATINAE***Asisia assamensis* (Jacoby, 1908)***Lamprosoma assamensis* Jacoby, 1908; Fauna of British India: 281

Koshi, Dolahat 1

Nepal, India

Oomorphoides chujoi* Takizawa, 1987Oomorphoides chujoi* Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 48

Karnali, Dhawalagiri, Bagmati 2, 3

Nepal

***Oomorphoides martensi* L. N. Medvedev, 1990**

Oomorphoides martensi L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A 453: 7
 Bagmati, Koshi, Mechi 2, 3
 Nepal

***Oomorphoides nepalensis* Takizawa, 1987**

Oomorphoides nepalensis Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 49
 Dhawalagiri, Bagmati 3
 Nepal, India

EUMOLPINAE***Aoria bowringi* (Baly, 1860)**

Adoxus bowringi Baly, 1860; The Journal of Entomology 1: 27
Aoria quinquemaculata Bates, 1866
 Karnali, Dhawalagiri, Bagmati, Koshi 2, 3
 Nepal, India, China, Oriental region

***Aoria nepalica* L. N. Medvedev et Sprecher-Uebersax, 1997**

Aoria nepalica L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 228
 Dhawalagiri, Bagmati, Janakpur, Koshi 1, 2
 Nepal

***Aoria nigripes* (Baly, 1860)**

Adoxus nigripes Baly, 1860; The Journal of Entomology 1: 28
Aoria bicolor Pic, 1935; *Aoria fulvifrons* Jacoby, 1892; *Eumolpus fuscus* Motschulsky, 1866; *Aoria mouhoti* Baly, 1878; *Aoria nigrita* Jacoby, 1892; *Aoria pusilla* Lefèvre, 1889; *Eumolpus rufus* Motschulsky, 1866; *Aoria taiwana* Chûjô, 1956
 Karnali, Dhawalagiri, Bagmati, Koshi 2, 3
 Nepal, India, China, Indonesia, Oriental region

***Aulexis hochii* S. H. Chen, 1940**

Aulexis hochii S. H. Chen, 1940; Sinensia 11 (5–6): 519
Syneta hainana Gressitt, 1942
 Koshi 2
 Nepal, China, Oriental region

***Aulexis nepalensis* L. N. Medvedev et Sprecher-Uebersax, 1997**

Aulexis nepalensis L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 230
 Dhawalagiri, Bagmati, Sagarmatha, Koshi 2, 3, 4
 Nepal, India

***Aulexis nigripennis* Jacoby, 1908**

Aulexis nigripennis Jacoby, 1908; Fauna of British India: 411
 Koshi 3
 Nepal, Oriental region

***Basilepta abdominalis* (Jacoby, 1908)**

Nodostoma abdominalis Jacoby, 1908; Fauna of British India 2: 337
 Gandaki, Bagmati, Janakpur 2
 Nepal, India, Oriental region

Basilepta beccarii* (Jacoby, 1884)Nodostoma beccarii* Jacoby, 1884; Annali del Museo Civico di Storia Naturale di Genova 20: 214

Koshi, Mechi 1, 2, 3

Nepal, Oriental region

Basilepta binhana* (Pic, 1930)Nodostoma binhanum* Pic, 1930; Mélanges Exotico-Entomologiques 56: 8*Basilepta distincta* S. H. Chen, 1935; *Basilepta kumatai* Kimoto et Takizawa, 1973

Gandaki, Bagmati 2, 3

Nepal, India, China, Oriental region

Basilepta dhunchena* Kimoto et Takizawa, 1981Basilepta dhunchena* Kimoto et Takizawa, 1981; Entomological Revue of Japan 35 (1/2): 51–65

Bagmati (no data)

Nepal

Basilepta fabrei* Lefèvre, 1888Nodostoma fabrei* Lefèvre, 1888; Bulletin de la Société Entomologique de France (6) 7, Bull.: 175

Dhawalagiri, Gandaki, Bagmati 2, 3

Nepal, India, Oriental region

Basilepta laeta* L. N. Medvedev, 1992Basilepta laeta* L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde, A (485): 7

Gandaki 1

Nepal

Basilepta makiharai* Kimoto, 2001Basilepta makiharai* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 25

Koshi 1

Nepal

Basilepta nigrita* L. N. Medvedev, 1997Basilepta nigrita* L. N. Medvedev, 1997; Elytra 25 (2): 257

Bagmati (no data)

Nepal

Basilepta plagiosa* (Baly, 1880)Nodostoma plagiosum* Baly, 1880; Cistula Entomologica 2: 373

Karnali, Bheri, Gandaki, Bagmati, Koshi, Mechi 1, 2, 3, 4

Nepal, India, China

Basilepta puncticollis* (Lefèvre, 1889)Nodostoma puncticollis* Lefèvre, 1889; Annales de la Société Entomologique de France 9: 295*Nodostoma atritarsis* Pic, 1930; *Nodostoma atrithorax* Pic, 1930; *Nodostoma birmanica* Jacoby, 1892;*Nodostoma brunneopunctata* Pic, 1933; *Nodostoma femoralis* Pic, 1934; *Nodostoma hanoiensis* Pic,1933; *Nodostoma limbata* Lefèvre, 1893; *Nodostoma nigriventris* Lefèvre, 1893; *Nodostoma notaticeps*Pic, 1930; *Basilepta robusta* Weise, 1922

Dhawalagiri, Lumbini, Gandaki, Narayani, Bagmati, Janakpur 2

Nepal, India, China

Basilepta quadrifasciata* (Jacoby, 1908)Nodostoma quadrifasciatum* Jacoby, 1908; Fauna of British India 2: 314

Dhawalagiri, Bagmati

1

Nepal, India

Basilepta schawalleri* L. N. Medvedev, 1992Basilepta schawalleri* L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde, A (485): 6

Koshi

3

Nepal

Basilepta sculpturata* (Motschulsky, 1860)Nodostoma sculpturatum* Motschulsky, 1860; Schrenck, Reisen und Forschungen im Amur-Lande 2: 177*Nodostoma bharnoensis* Jacoby, 1892

(no data)

(no data)

Nepal, India, Oriental region

Basilepta separata* (Jacoby, 1908)Nodostoma separatum* Jacoby, 1908; Fauna of British India 2: 324

Gandaki, Koshi

1, 2

Nepal, India

Basilepta sikkimensis* (Jacoby, 1900)Nodostoma sikkimense* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 102

Bagmati

3

Nepal, China

Basilepta splendens* (Hope, 1831)Eumolpus splendens* Hope, 1831; Gray, Zoological Miscellany 1: 30*Nodostoma femoratum* Jacoby, 1908

Gandaki, Bagmati, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India

Basilepta subcostata* (Jacoby, 1889)Nodostoma subcostatum* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 164*Nodostoma cyanipennis* Lefèvre, 1893; *Nodostoma obscurum* Jacoby, 1908; *Basilepta sakaii* Takizawa, 1987

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 2, 3

Nepal, India, Oriental region

Basilepta variabilis* (Duvivier, 1892)Nodostoma variabile* Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 406*Nodostoma abbreviatum* Jacoby, 1900; *Nodostoma mandarensis* Jacoby, 1900

Karnali, Bheri, Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 2, 3, 4

Nepal, India

Basilepta viridipennis* (Motschulsky, 1860)Nodostoma viridipennis* Motschulsky, 1860; Schrenck, Reisen und Forschungen im Amur-Lande 2: 177*Nodostoma aeneipenne* Baly, 1867; *Nodostoma apicipes* Jacoby, 1892; *Nodostoma frontale* Baly, 1867;*Nodostoma haroldi* Jacoby, 1908; *Nodostoma occipitale* Jacoby, 1908

Dhawalagiri, Gandaki, Bagmati

1, 2

Nepal, India, China, Indonesia, Oriental region

Chrysonopa longipes* (Jacoby, 1894)Dermorhytis longipes* Jacoby, 1894; Novitates Zoologicae 1: 275

Dhawalagiri, Koshi, Mechi

2

Nepal, Oriental region

Chrysonopa rotundicollis* (Jacoby, 1900)Nodostoma rotundicollis* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 104

Karnali, Dhawalagiri, Gandaki, Janakpur, Koshi

2, 3

Nepal, India

Cleoporus lineatus* L. N. Medvedev et Sprecher-Uebersax, 1999Cleoporus lineatus* L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 363

Gandaki

2

Nepal

Cleorina aeneomicans* (Baly, 1867)Nodostoma aeneomicans* Baly, 1867; The Transactions of the Entomological Society of London (3) 4 (2): 237*Cleorina aulica* Lefèvre, 1885; *Nodostoma bella* Jacoby, 1892; *Cleorina janthina* Lefèvre, 1885; *Cleorina lefèvrei* Jacoby, 1890; *Nodostoma purpureicollis* Baly, 1867; *Nodostoma violaceipennis* Pic, 1937

Dhawalagiri, Gandaki, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India, China, Oriental region

Cleorina chlorina* Takizawa, 1988Cleorina chlorina* Takizawa, 1988; Entomological Revue of Japan 43 (1): 11

Bagmati

2, 3

Nepal, India

Cleorina fulva* Jacoby, 1908Cleorina fulva* Jacoby, 1908; Fauna of British India 2: 489

Koshi

1

Nepal, India

Cleorina jacobyi* Duvivier, 1892Cleorina jacobyi* Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 415

Karnali, Dhawalagiri, Koshi, Mechi

2, 3

Nepal, India

Cleorina nepalensis* (Chûjô, 1966)Basilepta nepalensis* Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 4

Karnali, Dhawalagiri

2

Nepal

Cleorina takizawai* L. N. Medvedev et Sprecher-Uebersax, 1999Cleorina takizawai* L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 364*Cleorina nepalensis* Takizawa, 1985

Koshi, Mechi

2, 4

Nepal

Colaspoides bengalensis* Duvivier, 1892Colaspoides bengalensis* Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 418*Colaspoides montana* Jacoby, 1900; *Colaspoides subrugosa* Jacoby, 1908Seti, Narayani, Bagmati, Janakpur, Sagarmatha, Koshi 1, 2
Nepal, India***Colaspoides brancuccii* L. N. Medvedev, 2003***Colaspoides brancuccii* L. N. Medvedev, 2003; Russian Entomological Journal 12: 261Narayani, Bagmati, Janakpur, Koshi 1, 2
Nepal, India***Colaspoides nepalensis* Kimoto, 2001***Colaspoides nepalensis* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 28Bagmati, Koshi, Mechi 1, 2, 3
Nepal***Colasposoma downesi asperatum* Lefèvre, 1885***Colasposoma asperatum* Lefèvre, 1885; Mémoires de la Société Royale des Sciences de Liège (2) 11: 104*Colasposoma andrewesi* Jacoby, 1895; *Colasposoma multipunctatum* Jacoby, 1895; *Colasposoma planifrons* Jacoby, 1900; *Colasposoma prosternale* Jacoby, 1896; *Colasposoma serratum* Lefèvre, 1885Koshi 2
Nepal, India, China, Oriental region***Colasposoma downesii* Baly, 1862***Colasposoma downesii* Baly, 1862; The Annals and Magazine of Natural History (3) 10: 19*Colasposoma angulicolle* Lefèvre, 1893; *Colasposoma aureovittatum* Baly, 1864; *Colasposoma confusum* Tan et S. Y. Wang, 1981; *Colasposoma igneicolle* Baly, 1865; *Colasposoma insuturatum* Pic, 1937;*Colasposoma ornaticolle* Jacoby, 1881; *Colasposoma purpureicolle* Pic, 1937; *Colasposoma saigonense* Pic, 1937; *Colasposoma transversicollis* Jacoby, 1889; *Colasposoma viridiaeneum* Baly, 1865Dhawalagiri, Bagmati, Koshi, Mechi, 1, 2, 3
Nepal, India, China, Oriental region***Colasposoma laticolle* Jacoby, 1900***Colasposoma laticolle* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 115Narayani, Bagmati 1, 2, 3
Nepal, India***Colasposoma pretiosum* Baly, 1860***Colasposoma pretiosum* Baly, 1860; The Journal of Entomology 1: 36*Colasposoma bonneuili* Pic, 1943; *Colasposoma coeruleatum* Baly, 1879; *Colasposoma purpureum* Pic, 1937;*Colasposoma rufipenne* Pic, 1943; *Colasposoma thibetanum* Jacoby, 1891Bagmati (no data)
Nepal, India***Colasposoma semicostatum* Jacoby, 1908***Colasposoma semicostatum* Jacoby, 1908; Fauna of British India: 443Karnali, Dhawalagiri, Lumbini, Gandaki, Narayani, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
Nepal, India

***Colasposoma viridicoeruleum* Motschulsky, 1860**

Colasposoma viridicoeruleum Motschulsky, 1860; Schrenck, Reisen und Forschungen im Amur-Lande: 178
Colasposoma affine Lefèvre, 1885; *Colasposoma annamita* Lefèvre, 1885; *Colasposoma auripenne*
 Motschulsky, 1860; *Colasposoma brevenotatum* Pic, 1937; *Colasposoma capitatum* Jacoby, 1889;
Colasposoma jeanvoinei Pic, 1937; *Colasposoma metallicum* Clark, 1865; *Colasposoma mutabile* Baly,
 1867; *Colasposoma oberthuri* Jacoby, 1896; *Colasposoma perroudi* Pic, 1937; *Colasposoma*
pulcherrimum Baly, 1888

Karnali, Dhawalagiri, Bagmati, Koshi, Mechi 2, 3
 Nepal, widely distributed in South Asia

***Demotina minuta* Jacoby, 1908**

Demotina minuta Jacoby, 1908; Fauna of British India 2: 428

Dhawalagiri, Bagmati 1, 3
 Nepal, India

***Demotina modesta* Baly, 1874**

Demotina modesta Baly, 1874; The Transactions of the Entomological Society of London: 164

Gandaki, Bagmati 2
 Nepal, China, Japan, Oriental region

***Demotina serriventris* Isono, 1990**

Demotina serriventris Isono, 1990; Japanese Journal of Entomology 58: 377

Bagmati 2
 Nepal, China, Japan

***Heteraspis dillwyni* (Stephens, 1831)**

Eumolpus dillwyni Stephens, 1831; Illustrations of British Entomology, Mandibulata 4: 364

Scelodonta coomani Pic, 1926; *Scelodonta indica* Duvivier, 1891; *Scelodonta nitidula* Baly, 1864; *Scelodonta*
strigicollis Motschulsky, 1866

Gandaki, Narayani, Janakpur, Koshi, 1, 2
 Nepal, India

***Heteraspis vittata* (Olivier, 1808)**

Eumolpus vittata Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 907

Narayani 1
 Nepal, India, China, Oriental region

***Lypesthes albidus* Pic, 1923**

Lypesthes albidus Pic, 1923; Mélanges Exotico-Entomologiques 40: 16

Koshi 1
 Nepal, Oriental region

***Lypesthes brancuccii* (L. N. Medvedev, 1993)**

Hyperaxis brancuccii L. N. Medvedev, 1993; Entomologica Basiliensia 16: 362

Bagmati, Koshi 1, 2, 3
 Nepal

***Lypesthes indicus* Jacoby, 1908**

Lypesthes indica Jacoby, 1908; Fauna of British India: 412

Bagmati 1
Nepal, Oriental region

***Macrocoma indica* (Baly, 1878)**

Eubraxis indica Baly, 1878; The Journal of the Linnean Society of London 14: 249

Ischyromus banghaasi Breit, 1913

Karnali, Bheri 3, 4
Nepal, India

***Macrocoma rufotibialis* (Jacoby, 1908)**

Eubraxis rufotibialis Jacoby, 1908; Fauna of British India: 433

Karnali 3, 4
Nepal, India

***Nodina aeneicollis* Jacoby, 1895**

Nodina aeneicollis Jacoby, 1895; Annales de la Société Entomologique de Belgique 39: 271

Bagmati (no data)
Nepal, Oriental region

***Nodina dhadinga* L. N. Medvedev, 1992**

Nodina dhadinga L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A, 485: 6

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi, Sikles 1, 2
Nepal

***Nodina martensi* L. N. Medvedev, 1992**

Nodina martensi L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde, A, 485: 6

Gandaki 3
Nepal

***Nodina nepalensis* Takizawa, 1987**

Nodina nepalensis Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 52

Gandaki, Bagmati, Janakpur 2
Nepal, India

***Nodina obliquocostata* L. N. Medvedev, 2011**

Nodina obliquostriata L. N. Medvedev, 2011; Vernate 30: 249

Gandaki 2
Nepal

***Nodina parvula* Jacoby, 1892**

Nodina parvula Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 902

Karnali, Bheri, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi 2, 3, 4
Nepal, Oriental region

***Nodina robusta* Jacoby, 1892**

Nodina robusta Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 903

Nodina crassipes Jacoby, 1908; *Nodina major* Gressitt, 1982; *Nodina indica* Medvedev, 1992

Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
Nepal, India, Oriental region

***Pachnephoptrus indicus* Jacoby, 1895**

Bromiodes indicus Jacoby, 1895; Annales de la Société Entomologique de Belgique 39: 286

Gandaki 1

Nepal, India

***Pachnephorus lewisii* Baly, 1878**

Pachnephorus lewisii Baly, 1878; The Journal of the Linnean Society of London 14: 257

Pachnephorus bretinghami Baly, 1878; *Pachnephorus formosanus* Chûjô, 1938; *Pachnephorus plagiatus* Jacoby, 1892; *Pachnephorus variegatus* Lefèvre, 1887

Karnali, Bheri, Gandaki, Bagmati, Janakpur, Koshi 1, 2, 3

Nepal, India, China, Oriental region

***Pachnephorus porosus* Baly, 1878**

Pachnephorus porosus Baly, 1878; The Journal of the Linnean Society of London 14: 257

Pachnephorus sauteri Chûjô, 1938; *Pachnephorus seriatus* Lefèvre, 1887; *Pachnephorus squamosus* Chûjô, 1936

Bheri, Karnali, Gandaki, Narayani, Koshi 1, 2, 3

Nepal, India, China, Siberia, Oriental region

***Pagria flavopustulata* (Baly, 1874)**

Nodostoma flavopustulatum Baly, 1874; The Transactions of the Entomological Society of London: 169

Pagria grandis Chûjô, 1938; *Pagria innotata* Pic, 1929; *Nodostoma kanarensis* Jacoby, 1895; *Pagria nodieri* Pic, 1949

Karnali, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur, Koshi, Mechi, 1, 2, 3

Nepal, widely distributed in Southeast Asia on Fabaceae

***Pagria ingibbosa* Pic, 1929**

Pagria ingibbosa Pic, 1929; Mélanges Exotico-Entomologiques 53: 35

Pagria lineolata Pic, 1949

(no data) (no data)

Nepal, India, China, Japan

***Platycorynus asphodelus* (Marshall, 1865)**

Corynodes asphodelus Marshall, 1865; The Journal of the Linnean Society of London 8: 43

(no data) (no data)

Nepal, Oriental region

***Platycorynus lateralis* (Hope, 1831)**

Eumolpus lateralis Hope, 1831; Gray, Zoological Miscellany 1: 30

Eumolpus nitens Hope, 1831

Koshi 2, 3

Nepal, India

***Platycorynus peregrinus* (Herbst, 1783)**

Cryptocephalus peregrinus Herbst, 1783; Archiv der Insectengeschichte 4: 63

Corynodes chapuisi Lefèvre, 1885; *Eumolpus cyaneus* Olivier, 1808; *Platycorynus major* Gressitt et Kimoto, 1961

Narayani 1
Nepal, India, China, Oriental region

***Platycorynus pyrophorus* (Parry, 1845)**

Eumolpus pyrophorus Parry, 1845; The Transactions of the Entomological Society of London 4: 86

Corynodes gloriosus Baly, 1859

Gandaki, Narayani, Bagmati, Janakpur, Mechi 1, 2, 3
Nepal, India, China, Oriental region

***Platycorynus speciosus* (Lefèvre, 1891)**

Corynodes speciosus Lefèvre, 1891; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique 35: 276

Corynodes florentini Lefèvre, 1893; *Corynodes purpureipennis* Pic, 1928

Karnali, Bagmati 2, 3, 4
Nepal, India

***Platycorynus undatus* Olivier, 1791**

Cryptocephalus undatus Olivier, 1791; Encyclopédie méthodique (1) 6, Insectes: 614

Eumolpus bifasciatus Olivier, 1808; *Corynodes flosculus* Marshall, 1865; *Eumolpus groendalii* Swartz, 1808

Koshi, Mechi 1, 2
Nepal, India, China, Oriental region

***Pseudostonopa bicolor* Jacoby, 1903**

Pseudostonopa bicolor Jacoby, 1903; Annales de la Société Entomologique de Belgique 47: 99

Bagmati 3

Nepal, India, Oriental region

***Pseudostonopa fulviventris* Kimoto, 2004**

Pseudostonopa fulviventris Kimoto, 2004; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 2: 49

Narayani 1
Nepal

***Pseudostonopa picea* Jacoby, 1908**

Pseudostonopa picea Jacoby, 1908; Fauna of British India 2: 352

Gandaki, Bagmati, Janakpur 2
Nepal, India

***Rhyparida khasianensis* Jacoby, 1899**

Rhyparida khasiensis Jacoby, 1899; The Entomologist 32: 80

Dhawalagiri, Bagmati, Sagarmatha 2, 3, 4
Nepal, India

***Trichochrysea fortipunctata* Lopatin 2005**

Trichochrysea fortipunctata Lopatin, 2005; Eurasian Entomological Journal: 231

Narayani 1
Nepal

Trichochrysea nitidissima* (Jacoby, 1888)Heteraspis nitidissima* Jacoby, 1888; Proceedings Scientific Meeting Zool. Soc. London: 345*Heteraspis viridis* Jacoby, 1892; *Trichochrysea diversicolor* Pic, 1939

Seti, Koshi

2, 3

Nepal, India, China, Indonesia, Oriental region

Trichochrysea nitidissima scutellaris* Pic, 1926Trichochrysea nitidissima scutellaris* Pic, 1926; Mélanges Exotico-Entomologiques 46: 11*Trichochrysea donckieri* Pic, 1926

(no data)

(no data)

Nepal, Oriental region

Trichochrysea truncata* L. N. Medvedev et Sprecher-Uebersax, 1999Trichochrysea truncata* L. N. Medvedev et Sprecher-Uebersax, 1998; Entomologica Basiliensia 21: 363

Koshi

1, 2, 3

Nepal

Trichochrysea vestita* Baly, 1860Trichochrysea vestita* Baly, 1860; The Journal of Entomology 1: 196*Trichochrysea severini* Jacoby, 1900

Dhawalagiri

2

Nepal, India, Oriental region

Trichotheca hirta* Baly, 1860Trichotheca hirta* Baly, 1860; The Journal of Entomology: 26*Trichotheca basifemorata* Duvivier, 1812; *Trichotheca duvivieri* Jacoby, 1904; *Trichotheca fusca* Jacoby, 1908; *Trichotheca scutellaris* Pic, 1926; *Trichotheca sikkimensis* Takizawa, 1987

Karnali, Bheri, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi

1, 2, 3, 4

Nepal, India, China, Pakistan, Oriental region

Trichotheca variabilis* Gressitt et Kimoto, 1961Trichotheca variabilis* Gressitt et Kimoto, 1961; Pacific Insects Monograph 22: 268

Sagarmatha

4

Nepal, China

Trichoxantha nigripennis* L. N. Medvedev, 1992Trichoxantha nigripennis* L. N. Medvedev, 1992; Entomologica Basiliensia 15: 385

Gandaki, Janakpur, Koshi

1, 2

Nepal, India

Tricliona bifasciata* Jacoby, 1895Tricliona bifasciata* Jacoby, 1895; Annales de la Société Entomologique de Belgique 39: 284

Gandaki

1

Nepal, India

Tricliona glabricollis* Jacoby, 1908Tricliona glabricollis* Jacoby, 1908; Fauna of British India: 471*Tricliona laevicollis* Jacoby, 1900

Koshi 1
Nepal, India

***Tricliona microdentata* L. N. Medvedev et Sprecher-Uebersax, 1999**

Tricliona microdentata L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 364
Karnali, Dhawalagiri 2
Nepal

***Tricliona puncticeps* Duvivier, 1891**

Tricliona puncticeps Duvivier, 1891; Annales de la Société Entomologique de Belgique 35: 4
Tricliona apicata Jacoby, 1895
Narayani, Koshi 1, 2
Nepal, India

***Xanthonia dorsalis* Chûjô, 1966**

Xanthonia dorsalis Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 5
Karnali, Bagmati, Janakpur, Koshi 2, 3, 4
Nepal

***Xanthonia fulva* Takizawa, 1987**

Xanthonia fulva Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 55
Karnali, Dhawalagiri, Bagmati, Janakpur, Koshi 1, 2, 3, 4
Nepal

***Xanthonia nepalensis* Takizawa, 1987**

Xanthonia nepalensis Takizawa, 1987; Proceedings of the Japanese Society of Systematic Zoology 35: 52
Bagmati, Koshi 1, 2, 3, 4
Nepal

***Xanthonia oblonga* Takizawa et Basu, 1987**

Xanthonia oblonga Takizawa et Basu, 1987; Kontyû 55: 275
Lumbini, Bagmati, Koshi 1, 2
Nepal, India

***Xanthophorus nepalica* L. N. Medvedev et Sprecher-Uebersax, 1999**

Xanthophorus nepalica L. N. Medvedev et Sprecher-Uebersax, 1998; Entomologica Basiliensia 21: 363
Sagarmatha (no data)
Nepal

***Xanthophorus seriatus* Weise, 1922**

Xanthophorus seriatus Weise, 1922; Tijdschrift voor Entomologie 65: 49
(no data) (no data)
Nepal, India

CHRYSOMELINAE

***Agasta formosa* Hope, 1840**

Agasta formosa Hope, 1840; The Coleopterist's Manual 3: 177
Agasta fleutiauxi Laboissière, 1840

Mechi 2
Nepal, India, China, Indonesia, Oriental region

***Agrosteella fallaciosa* (Stal, 1862)**

Paralina fallaciosa Stal, 1862; Nova Acta Societatis Scientiarum Upsaliensis (3) 4, 1: 5
Sagarmatha (no data)
Nepal, India

***Agrosteella medvedevi* Daccordi, 2001**

Agrosteomela medvedevi Daccordi, 2001; Entomologica Basiliensia 23: 89
Koshi 2
Nepal

***Agrosteomela indica* (Hope, 1831)**

Chrysomela indica Hope, 1831; Gray, Zoological Miscellany 1.: 29
Chrysomela cashmirensis L. Redtenbacher, 1844; *Lina elata* Stal, 1857
Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha,
Koshi, Mechi 2, 3, 4
Nepal, Bhutan, India, China, Oriental region

***Ambrostoma ambiguum* S. H. Chen, 1934**

Ambrostoma ambiguum S. H. Chen, 1934; Sinensia 7 (6): 728
Bagmati 3
Nepal, India

***Ambrostoma mahesa* (Hope, 1831)**

Chrysomela mahesa Hope, 1831; Gray, Zoological Miscellany 1: 30
Ambrostoma nepalense Motschulsky, 1840
Bagmati, Koshi 2, 3
Nepal

***Ambrostoma montana* L. N. Medvedev, 1990**

Ambrostoma montana L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A, 453: 11
Karnali, Bagmati 3
Nepal

***Ambrostoma shuteae* Daccordi, 1977**

Ambrostoma shuteae Daccordi, 1977; Bollettino della Società Entomologica Italiana 109 (7–8): 133
Karnali, Bheri 3, 4
Nepal

***Ambrostoma sublaevis* S. H. Chen, 1934**

Ambrostoma sublaevis S. H. Chen, 1934; Stylops 3: 66
Dhawalagiri, Narayani, Bagmati 2, 3
Nepal, India, Oriental region

***Chrysolina (Chalcoidea) vishnu* (Hope, 1831)**

Chrysomela vishnu Hope, 1831; Gray, Zoological Miscellany 1: 30
Chrysomela cingulata Baly, 1860; *Chrysolina parvati* Daccordi, 1982

Karnali, Dhawalagiri, Lumbini, Gandaki, Narayani, Bagmati, Janakpur, Sagarmatha,
Koshi, Mechi 1, 2, 3
Nepal, India

***Chrysolina (Diachalcoidea) dhaulagirica* L. N. Medvedev, 1990**

Chrysolina dhaulagirica L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde, A (453): 12
Karnali, Dhawalagiri 3, 4
Nepal

***Chrysolina (Diachalcoidea) dhaulagirica arunensis* L. N. Medvedev, 1992**

Chrysolina dhaulagirica arunensis L. N. Medvedev, 1992; Entomologica Basiliensia 15: 386
Koshi 4
Nepal

***Chrysolina (Diachalcoidea) hartmanni* L. N. Medvedev, 1999**

Chrysolina hartmanni L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 182
Karnali 5
Nepal

***Chrysolina (Lithopteroides) exanthematica* (Wiedemann, 1821)**

Chrysolina exanthematica Wiedemann, 1821; Germar, Magazin der Entomologie 4: 178
Chrysomela guttata Gebler, 1817; *Neopotaninia hamidi* Abdullah et Qureshi, 1969; *Chrysomela laevipunctata* Lewis, 1879; *Chrysomela musiva* Gebler, 1830; *Chrysomela sericata* Jakobson, 1901; *Chrysomela speculifera* L. Redtenbacher, 1844
Bagmati 2
Nepal, India, China, Japan, Siberia, Oriental region

***Chrysolina (Pierryvettia) conglomerata* Maulik, 1926**

Chrysolina conglomerata Maulik, 1926; Fauna of British India: 37
Gandaki, Bagmati (no data)
Nepal, India

***Chrysolina (Pierryvettia) inconstans* (Wiedemann, 1823)**

Chrysomela inconstans Wiedemann, 1823; Zoologisches Magazin 2 (1): 74
Gandaki, Bagmati, Mechi 2, 3
Nepal, India, Oriental region

***Chrysolina (Pierryvettia) separata* (Baly, 1860)**

Chrysomela separata Baly, 1860; The Journal of Entomology 1: 96
Chrysomela aurata Suffrian, 1851; *Chrysomela foveopunctata* Fairmaire, 1888; *Chrysomela grutii* Baly, 1862;
Chrysomela siamensis Jacoby, 1900
Gandaki, Bagmati, Koshi, Mechi 1, 2
Nepal, Bhutan, India, China, Oriental region

***Chrysolina (Semenowia) daccordii* (L. N. Medvedev et Sprecher-Uebersax, 1999)**

Semenovia daccordii L. N. Medvedev et Sprecher-Uebersax, 1998; Entomologica Basiliensia 21: 366
Dhawalagiri, Gandaki 4, 5
Nepal

Chrysolina (Semenovia) nagaja* (Daccordi, 1982)Semenovia nagaja* Daccordi, 1982; Entomologica Basiliensia 7: 397

Koshi, Mechi

3, 5

Nepal, Pakistan

Chrysolina* (s. str.) *tangalaensis* Kimoto, 2001Chrysolina tangalaensis* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 32

Koshi

5

Nepal

Chrysomela populi* (Linnaeus, 1758)Melasoma populi* Linnaeus, 1758; Systema naturae per regna tria naturae 10: 368*Melasoma asiatica*, Jacob, 1952; *Melasoma janaceki* Reitter, 1892; *Melasoma kitaica* Jacob, 1952; *Melasoma nigricollis* Jacob, 1952; *Melasoma parvicollis* Jacob, 1955; *Melasoma violaceipennis* Bechyné, 1954

Karnali, Bheri, Dhawalagiri, Gandaki, Bagmati

2, 3, 4, 5

Nepal, whole Palaearctic region

Gonioctena (Brachyphytodecta) incondita* (Weise, 1898)Phytodecta inconditus* Weise, 1898; Archiv für Naturgeschichte 64: 213

Koshi

1, 2

Nepal, Bhutan

Gonioctena ornata* L. N. Medvedev, 2009Gonioctena ornata* L. N. Medvedev, 2009; Vernate 28: 411

Gandaki

2

Nepal

Gonioctena (Goniomena) quinquepunctata nepalica* V. Medvedev, 1999Gonioctena quinquepunctata nepalica* L. N. Medvedev, 1999; Serangga 4: 14

(no data)

(no data)

Nepal

Humba cyanicollis* (Hope, 1831)Chrysomela cyanicollis* Hope, 1831; Gray, Zoological Miscellany 1: 29*Sphaerolina davidis* Fairemaire, 1878; *Chrysomela pyrrhopyga* Stal, 1857; *Eumela tonkinensis* Weise, 1902

(no data)

(no data)

Nepal, India, China

Oreomela annapurnae* L. N. Medvedev et Sprecher-Uebersax, 1998Oreomela annapurnae* L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 2

Gandaki

(no data)

Nepal

Oreomela himalayensis nepalica* L. N. Medvedev et Sprecher-Uebersax, 1998Oreomela himalayensis nepalica* L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 2

Karnali

5

Nepal

***Paropsides nigropunctata* Jacoby, 1892**

Paropsides nigropunctata Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 918
 Gandaki, Bagmati 2
 Nepal, India, Oriental region

***Phaedon gressitti* Daccordi 1979**

Phaedon gressitti Daccordi, 1979; Entomologica Basiliensia 4: 448
 Bagmati 3, 4
 Nepal

***Phaedon kimotoi* Daccordi, 1979**

Phaedon kimotoi Daccordi, 1979; Entomologica Basiliensia 4: 449
Gonioctena (Brachyphytodecta) nepala Gruev, 1989
 Bagmati, Janakpur, Sagarmatha, Koshi, Manhari, Bhandar 1, 3, 4
 Nepal

***Phaedon lesagei* Daccordi, 1984**

Phaedon lesagei Daccordi, 1984; Revue suisse de Zoologie 91 (2): 326
 Bagmati 4, 5
 Nepal

***Phaedon thompsoni* Daccordi, 1978**

Phaedon thompsoni Daccordi, 1978; Bulletin et Annales de la Société Royale Belge d'Entomologie 114: 209
 Bagmati, Koshi, Mechi 2, 3, 4
 Nepal, India

***Phaedon yodai* Chûjô, 1966**

Phaedon yodai Chûjô, 1966; Journal of the College of Arts and Sciences 4 (4): 553
 Bagmati, Sagarmatha, Koshi 3, 4
 Nepal

***Phaедonia indica* (S.-H. Chen, 1933)**

Phaедon indicus S.-H. Chen, 1933; Bulletin du Muséum National d'Histoire Naturelle Paris 5: 381
 Karnali, Dhawalagiri 4
 Nepal, India, China

***Phratora* (s. str.) *tamangi* L. N. Medvedev, 2009**

Phratora tamangi L. N. Medvedev, 2009; Vernate 28: 409
 Gandaki 4
 Nepal

***Phratora (Phyllodecta) abdominalis* (Baly, 1878)**

Phyllodecta abdominalis Baly, 1878; Cistula Entomologica 2: 375
 Bagmati 4
 Nepal, India

***Phratora (Phyllodecta) flavipes* S. H. Chen 1963**

Phratora flavipes S. H. Chen, 1963; Acta Entomologica Sinica 12: 452

Karnali, Dhawalagiri, Sagarmatha
Nepal, Bhutan, China

3, 4

***Phratora (Phyllodecta) vitellinae* (Linnaeus, 1758)**

Chrysomela vitellinae Linnaeus, 1758; Systema naturae per regna tria naturae 10: 370

Phratora angusticollis Motschulsky, 1860; *Phratora brevicollis* Motschulsky, 1860; *Phratora funestus* Faldermann, 1837; *Phratora latipennis* Motschulsky, 1860; *Phratora major* Stierlin, 1863; *Phratora nigrica* Motschulsky, 1860; *Coccinella riparia* Scopoli, 1763; *Phyllodecta sinensis* S. H. Chen, 1934

Mechi

2

Nepal, widely distributed in the Palaearctic region

***Plagiodera miniaticollis* (Hope, 1831)**

Chrysomela miniaticollis Hope, 1831; Gray, Zoological Miscellany 1 : 30

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha
Nepal, India, Oriental region

2, 3

***Plagiodera rufescens* Gyllenhal, 1808**

Plagiodera rufescens Gyllenhal, 1808; Schoenherr, Synonyma Insectorum (1) 2: 267

Plagiodera cinctipennis Baly, 1862

Gandaki

1

Nepal, India, Oriental region

***Plagiodera subglobosa* (Hope, 1831)**

Coccinella subglobosa Hope, 1831; Gray, Zoological Miscellany 1: 31

(no data)

(no data)

Nepal

***Plagiodera versicolora* (Laicharting, 1781)**

Chrysomela versicolora Laicharting, 1781; Verzeichniss und Beschreibung der Tyroler Insecten 1: 148

Chrysomela armoniacae Fabricius, 1775; *Plagiodera chinensis* Weise, 1898; *Phaedon clavicornis* Stephens, 1831; *Plagiodera coelestina* Baly, 1864; *Chrysomela cognata* Herbst, 1783; *Plagiodera distincta* Baly, 1874; *Plagiodera hanoiensis* S.H. Chen, 1934; *Plagiodera laevicollis* Lopatin, 1962; *Plagiodera orientalis* S.H. Chen, 1934; *Plagiodera rufithorax* S.H. Chen, 1934; *Galleruca salicis* Panzer, 1795; *Chrysomela similis* Herbst, 1783

Karnali, Bagmati

2, 3

Transpalaearctic species, also in Nepal, India

***Plagiodera virescens* (Hope, 1831)**

Coccinella virescens Hope, 1831; Gray, Zoological Miscellany 1: 31

Plagiodera rufescens ab. *virescens* Hope, 1831

Gandaki 2, 3

Nepal

***Plagiosterna adamsi* (Baly, 1884)**

Melasoma adamsi Baly, 1884; The Transactions of the Entomological Society of London (3) 2: 229

Chrysomela minutior Bechyné, 1954; *Chrysomela ornaticollis* S. H. Chen, 1936; *Chrysomela placida* Chen, 1934; *melasoma emmerichi* Pic, 1934

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Mechi

2, 3, 4

Nepal, India, China

Potania assamensis* (Baly, 1879)Entomoscelis assamensis* Baly, 1879; Cistula Entomologica 2: 437*Potania collaris* Weise, 1905; *Entomoscelis metallica* Baly, 1888; *Potania polita* Weise, 1889

Dhawalagiri, Gandaki, Bagmati, Koshi

2

Nepal, India

Sclerophaedon besucheti* (Daccordi, 1984)Phaedon besucheti* Daccordi, 1984; Revue suisse de Zoologie 91 (2): 323

Mechi

3

Nepal

Sclerophaedon brendelli* Daccordi et L. N. Medvedev, 2000Sclerophaedon brendelli* Daccordi et L. N. Medvedev, 1998; Bollettino della Società Entomologica Italiana 132: 228

Gandaki

5

Nepal

Sclerophaedon nepalicus* Daccordi et L. N. Medvedev, 2000Sclerophaedon nepalicus* Daccordi et L. N. Medvedev, 1998; Bollettino della Società Entomologica Italiana 132: 224

Bagmati

3, 4

Nepal

Sclerophaedon prajapati* Daccordi et L. N. Medvedev, 2000Sclerophaedon prajapati* Daccordi et L. N. Medvedev, 2000; Memorie della Società Entomologica Italiana 132: 222

Gandaki

4, 5

Nepal

Sclerophaedon takizawai* Daccordi et L. N. Medvedev, 2000Sclerophaedon takizawai* Daccordi et L. N. Medvedev, 1998; Bollettino della Società Entomologica Italiana 132: 222

Dhawalagiri, Gandaki, Bagmati

4, 5

Nepal

GALERUCINAE***Acroxena martensi* L. N. Medvedev, 1990***Acroxena martensi* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A 453: 20

(no data)

(no data)

Nepal, India

Acroxena nasuta* Baly, 1879Acroxena nasuta* Baly, 1879; Cistula Entomologica 2: 462*Acroxena paradoxa* Laboissière, 1936

Dhawalagiri

2

Nepal, India, Oriental region

Agelopsis coerulea* Jacoby, 1896Agelopsis coerulea* Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 301

Dhawalagiri, Bagmati

3

Nepal, India

Agetocera flaviventris* Jacoby, 1879Agetocera flaviventris* Jacoby, 1879; Proceedings of the Scientific Meetings of the Zoological Society of London: 788

Koshi

2

Nepal, Bhutan, India, Oriental region

Agetocera hopei* Baly, 1865Agetocera hopei* Baly, 1865; The Transactions of the Entomological Society of London (3) II 5: 438*Agetocera pulchella* Chapuis, 1875

Gandaki, Bagmati

1, 2, 3

Nepal, Bhutan, India, China, Indonesia, Oriental region

Agetocera lobicornis* Baly, 1865Agetocera lobicornis* Baly, 1865; The Transactions of the Entomological Society of London (3) 2: 437

Sagarmatha

1

Nepal, India, Oriental region

Agetocera mirabilis* (Hope, 1831)Aeglocerus mirabilis* Hope, 1831; Gray, Zoological Miscellany 1: 29*Aplosonyx heterocera* L. Redtenbacher, 1867

Bagmati, Janakpur, Koshi

2, 3

Nepal, Bhutan, India, China, Oriental region

Anadimonia latifascia* (Gressitt et Kimoto, 1963)Trichocerophysa latifascia* Gressitt et Kimoto, 1961; Pacific Insects Monograph 1: 472*Anadimonia hainana* Gressitt et Kimoto, 1963

Koshi

2

Nepal, China

Aplosonyx chalybaea* (Hope, 1831)Galleruca chalybaea* Hope, 1831; Gray, Zoological Miscellany 1: 28*Aplosonyx elongata* Baly, 1863; *Aplosonyx jeanvoinei* Laboissière, 1934

Dhawalagiri, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi

1, 2, 3

Nepal, Bhutan, India, China, Oriental region

Aplosonyx orientalis* (Jacoby, 1892)Haplosonyx orientalis* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 962*Galerucida indica* Allard, 1889; *Sphenoraia tonkinensis* Laboissière, 1922; *Haplosonyx varipes* Jacoby, 1892

Janakpur, Koshi

1, 2, 3

Nepal, China, Oriental region

Aplosonyx scutellata* (Baly, 1878)Haplosonyx scutellatus* Baly, 1878; Cistula Entomologica 2: 452

Janakpur, Koshi

1, 2, 3

Nepal, India, Pakistan

Apophylia aeruginosa* (Hope, 1831)Auchenia aeruginosa* Hope, 1831; Gray, Zoological Miscellany 1: 29

Dhawalagiri, Bagmati, Janakpur

Nepal, India

2, 3

Apophylia assamensis* (Jacoby, 1891)Malaxia assamensis* Jacoby, 1891; The Entomologist 25 (Supplement): 34*Apophylia ciliaticornis* Pic, 1931; *Apophylia himalayana* L. N. Medvedev, 1993

Janakpur, Dhawalagiri, Gandaki, Narayani, Bagmati, Koshi

Nepal, India, Oriental region

1, 2

Apophylia brancuccii* L. N. Medvedev et Sprecher-Uebersax, 1998Apophylia brancuccii* L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 4

Gandaki, Narayani, Koshi, Mechi

Nepal, India, Oriental region

1, 2, 3

Apophylia hajeki* Bezděk, 2003Apophylia hajeki* Bezděk, 2003; Stuttgarter Beiträge zur Naturkunde A 649: 4

Koshi

Nepal, Bhutan, India

2, 3

Apophylia lebongana* Maulik, 1936Apophylia lebongana* Maulik, 1936; Fauna of British India: 82*Apophylia maculata* Kimoto, 1977

Sagarmatha, Bagmati

Nepal, Bhutan, India, China

2, 3

Apophylia martensi* Bezděk, 2003Apophylia martensi* Bezděk, 2003; Genus 14: 213

Karnali, Gandaki, Bagmati, Janakpur, Koshi

Nepal, Bhutan, India, Oriental region

2, 3

Apophylia micheli* Bezděk, 2003Apophylia micheli* Bezděk, 2003; Stuttgarter Beiträge zur Naturkunde A 649: 7

Mechi

Nepal, India

2, 3

Apophylia nepalica* Bezděk, 2003Apophylia nepalica* Bezděk, 2003; Genus 14: 218

Koshi

Nepal

2, 3

Apophylia nilakrishna* Maulik, 1936Apophylia nilakrishna* Maulik, 1936; Fauna of British India 83

Karnali, Mechi

Nepal, Bhutan, India

2, 3, 4

Apophylia samoderzhenskovi* L. N. Medvedev, 1993Apophylia samoderzhenskovi* L. N. Medvedev, 1993; Entomologica Basiliensia 16: 363

Dhawalagiri, Koshi 1, 2
Nepal

***Apophylia schawalleri* L. N. Medvedev, 1992**

Apophylia schawalleri L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (453): 12
Gandaki, Bagmati, Koshi, Mechi 2, 3
Nepal

***Arthrotidea nepalensis* (Kimoto, 1970)**

Dercetina nepalensis Kimoto, 1970; Khumbu Himal 3 (3): 418
Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha,
Koshi 1, 2, 3, 4, 5
Nepal, India

***Arthrotus cyaneus* (Chûjô, 1966)**

Anastena cyaneus Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 8
Arthrotus hauseri Kimoto, 1967; *Dercetina viridicyanea* Kimoto, 1977
Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 1, 2, 3, 4
Nepal, Bhutan, India

***Arthrotus melanocephalus* (Jacoby, 1884)**

Cerostrus melanocephalus Jacoby, 1884; Notes from the Leyden Museum 6: 34
Arthrotus antennalis Laboissière, 1932; *Anicera bimaculatus* Jacoby, 1884; *Arthrotus frontalis* Laboissière, 1932; *Arthrotus pallidus* Laboissière, 1932; *Arthrotus phaseoli* Laboissière, 1932; *Arthrotus pumilus* Laboissière, 1932; *Arthrotus tarsalis* Laboissière, 1932
Karnali, Dhawalagiri, Narayani, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, Bhutan, India, Indonesia, Oriental region

***Arthrotus nigripennis* (Jacoby, 1889)**

Taphinella nigripennis Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 224
Cerostrus nigromarginatus Jacoby, 1892
(no data) 1
Nepal, China, Oriental region

***Atrachya kusamai* Takizawa, 1985**

Atrachya kusamai Takizawa, 1985; Entomological Revue of Japan 40 (2): 109
Bagmati (no data)
Nepal

***Atysa marginata* (Hope, 1831)**

Auchenia marginata Hope, 1831; Gray, Zoological Miscellany 1 29
Atysa sudyana Maulik, 1936
Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3
Nepal, India, China, Pakistan, Oriental region

***Atysa montivaga* Maulik, 1936**

Atysa montivaga Maulik, 1936; Fauna of British India: 250
Mechi (no data)
Nepal, India, Oriental region

Atysa mureana* Maulik, 1936Atysa mureana* Maulik, 1936; Fauna of British India: 247

(no data)

3

Nepal, India, China, Pakistan

Atysa nepalica* L. N. Medvedev, 2005Atysa nepalica* L. N. Medvedev, 2005; Entomologica Basiliensia et Collectionis Frey 27: 231

Koshi, Mechi

2

Nepal

Aulacophora bhamoensis* Jacoby, 1892Aulacophora bhamoensis* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 944

(no data)

(no data)

Nepal, Oriental region

Aulacophora carinicauda* S. H. Chen et Kung, 1958Aulacophora carinicauda* S. H. Chen et Kung, 1958; Acta Entomologica Sinica 9 (4): 386

Gandaki

2, 3

Nepal, China, Oriental region

Aulacophora impressa* (Fabricius, 1801)Galleruca impressa* Fabricius, 1801; Systema Eleutheratorum secundum ordines 1: 485*Galleruca bidentata* Fabricius, 1803; *Orthaulaca limbatipennis* Jacoby, 1903

(no data)

(no data)

Nepal, Oriental region

Aulacophora indica* (Gmelin, 1790)Crioceris indica* Gmelin, 1790; Caroli a Linnaeus, systema naturae per regna tria naturae 1 (4): 1720*Rhaphidopalpa begalensis* Weise, 1892; *Rhaphidopalpa ceramensis* Weise, 1892; *Rhaphidopalpa chinensis*Weise, 1892; *Rhaphidopalpa femoralis* Motschulsky, 1857; *Rhaphidopalpa flavipes* Jacoby, 1883;*Rhaphidopalpa niasiensis* Weise, 1892; *Galeruca similis* Olivier, 1808; *Crioceris testacea* Fabricius, 1787

Gandaki, Narayani, Bagmati, Janakpur, Bhairahwa,

1, 2, 3

Nepal, widely distributed in Southeast Asia

Aulacophora lewisii* (Baly, 1886)Ceratia lewisii* Baly, 1886; The Journal of the Linnean Society of London 20: 24*Orthaulaca cattigarensis* Weise, 1892; *Aulacophora intermedia* Jacoby, 1892

Gandaki, Bagmati

1, 2, 3

Nepal, Bhutan, India, China, Japan, Oriental region

Aulacophora semifusca* Jacoby, 1892Aulacophora semifusca* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 942*Aulacophora almora* Maulik, 1936; *Aulacophora simplex* Chûjô, 1962

Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi

1, 2, 3

Nepal, Bhutan, India, China, Japan, Oriental region

Brachyphora vittata* L. N. Medvedev, 1999Brachyphora vittata* L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 183

Bagmati

2, 3

Nepal

Calomicrus annapurnae* Medvedev et Sprecher-Uebersax, 1999Calomicrus annapurnae* Medvedev et Sprecher-Uebersax, 1998; Entomologica Basiliensia 21: 367

Gandaki

4

Nepal

Calomicrus brunneus* L. N. Medvedev, 1992Calomicrus brunneus* L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (453): 15

Karnali, Gandaki, Bagmati, Mechi

1, 2, 3

Nepal

Calomicrus hartmanni* L. N. Medvedev, 1999Calomicrus hartmanni* L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 182

Bagmati

1, 2, 3

Nepal

Calomicrus takagii* Takizawa, 1988Calomicrus takagii* Takizawa, 1988; Entomological Revue of Japan 43: 15

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi

2, 3, 4

Nepal

Calomicrus yasudai* (Chûjô, 1966)Cynorta yasudai* Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 11

Dhawalagiri, Gandaki, Mechi

1, 3, 4

Nepal, Bhutan

Cassena antenata* Takizawa, 1988Cassena antennata* Takizawa, 1988; Kontyû 56 (3): 546

Dhawalagiri, Bagmati, Janakpur, Koshi, Mechi

3, 4

Nepal

Cassena collaris* (Baly, 1879)Euphyma collaris* Baly, 1879; Cistula Entomologica 2: 457*Solenia robusta* Jacoby, 1896; *Solephyma tinkhami* Gressitt et Kimoto, 1963; *Cassena tonkinensis* Weise, 1922

Narayani

1

Nepal, Bhutan, China, Oriental region

Cassena (Nepalocassena) takizawai* L. N. Medvedev 2009Cassena (Nepalocassena) takizawai* L. N. Medvedev 2009; Entomologica Basiliensia et Collectionis Frey 31: 223

Koshi

(no data)

Nepal

Cerophysa andrewesi* Jacoby, 1904Cerophysa andrewesi* Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 396

Lumbini, Dhawalagiri, Gandaki

1, 2

Nepal, India

Cerophysa cyanipennis* (Kollar et Redtenbacher, 1848)Oedicerus cyanipennis* Kollar et Redtenbacher, 1848; Hügel, Kaschmir und das Reich der Siek 4: 557

Narayani 1
Nepal, India

***Cerophysa darjeelingensis* Takizawa et Basu, 1987**

Cerophysa darjeelingensis Takizawa et Basu, 1987; Kontyû 55 (2): 280
Gandaki 1, 2
Nepal, India

***Cerophysa mandarensis* Jacoby, 1904**

Cerophysa mandarensis Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 397
Dhawalagiri, Bagmati 1, 2, 3
Nepal, India

***Cerophysa monstrosa* Jacoby, 1892**

Cerophysa monstrosa Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 948
Koshi 1, 2
Nepal, Oriental region

***Cerophysella viridipennis* (Allard, 1889)**

Phyllectrus viridipennis Allard, 1889; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique 33: 83
Chongania duporti Laboissière, 1930
Koshi 2
Nepal, Oriental region

***Charaea balyi* (L. N. Medvedev et Sprecher-Uebersax, 1997)**

Calomicrus balyi L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 32
Charaea flaviventris Baly, 1878
Karnali, Dhawalagiri, Bagmati, Koshi 1, 2, 3
Nepal, India

***Charaea iniqua* (Weise, 1889)**

Luperus iniquus Weise, 1889; Horae Societatis Entomologicae Rossicae 23: 617
Taphinellina aconiticola Chûjô, 1959
Bagmati, Janakpur, Sagarmatha, Koshi, Mechi 2, 3, 4
Nepal, Bhutan, China

***Cneorane birmanica* Jacoby, 1900**

Cneorane birmanica Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 132
Koshi 2
Nepal, India

***Cneorane dohertii* Maulik, 1936**

Cneorane dohertii Maulik, 1936 ; Fauna of British India: 341
Bagmati 2
Nepal, India

***Cneorane hirsuta* Kimoto et Takizawa, 1973**

Cneorane hirsuta Kimoto et Takizawa, 1973 ; Kontyû 40 (4): 219

Karnali, Dhawalagiri, Lumbini, Bagmati
Nepal

2

***Cneorane manipurana* Maulik, 1936**

Cneorane manipurana Maulik, 1936; Fauna of British India: 343

Bagmati
Nepal, India

2, 3

***Cneorane medvedevi* Beenen, 2010**

Cneorane medvedevi Beenen, 2010; Löbl & Smetana, Catalogue of Palaearctic Coleoptera 6: 473

Cneorane nigripennis L. N. Medvedev, 2004

Janakpur
Nepal

2

***Cneorane minuta* L. N. Medvedev, 1992**

Cneorane minuta L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (453): 14

Koshi, Mechi
Nepal

2, 3

***Cneorane nigripennis* L. N. Medvedev, 2011**

Cneorane nigripennis L. N. Medvedev, 2011; Veröffentlichungen des Naturkundemuseums Erfurt 23: 203

Janakpur
Nepal

2

***Cneorane orientalis* Jacoby, 1892**

Cneorane orientalis Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 946

Bagmati
Nepal, India, Oriental region

2

***Cneorane rubricollis* (Hope, 1831)**

Galleruca rubricollis Hope, 1831; Gray, Zoological Miscellany 1: 29

Cneorane fulvicollis Baly, 1865

Bagmati, Janakpur, Mechi
Nepal, Bhutan, India, Oriental region

1, 2, 3

***Cneorane rugulipennis* Baly, 1886**

Cneorane rugulipennis Baly, 1886; The Transactions of the Entomological Society of London 1886: 27

Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi
Nepal, Bhutan, India, Pakistan, Oriental region

2, 3, 4

***Cneorane tibialis* Chûjô, 1966**

Cneorane tibialis Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 10

Bheri, Lumbini, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi
Nepal, India

2, 3, 4, 5

***Cneorane varipes* Jacoby, 1896**

Cneorane varipes Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 299

Galleruca bicolor Kollar et L. Redtenbacher, 1844

Bagmati 1, 2, 3, 4
Nepal, Bhutan, India

***Dercetina bretinghami* (Baly, 1879)**

Antipha bretinghami Baly, 1879; The Annals and Magazine of Natural History (5) 4: 118
Dercetina bhutanensis Kimoto, 1977; *Dercetina hainana* Gressitt et Kimoto, 1963; *Antipha inornata* Jacoby, 1892; *Dercetes laetifera* Weise, 1922; *Antipha pallida* Allard, 1889; *Arthrotus pallidus* Laboissière, 1932
Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3, 4
Nepal, Bhutan, India, Oriental region

***Dercetina collina* (Weise, 1924)**

Dercetes collina Weise, 1924; Coleopterorum Catalogus 78: 144
Antipha bifasciata Jacoby, 1904
Gandaki 2
Nepal, India

***Dercetina flavocincta* (Hope, 1831)**

Galleruca flavocincta Hope, 1831; Gray, Zoological Miscellany 1: 29
Arthrotus chinensis Weise, 1889; *Dercetes femoralis* Weise, 1922; *Antipha flavofasciata* Baly, 1879; *Dercetes taiwana* Chûjô, 1938; *Antipha unifasciata* Allard, 1889; *Antipha varipennis* Jacoby, 1890
Dhawalagiri, Bagmati, Mechi 1, 2, 3
Nepal, Bhutan, India, China, Oriental region

***Dercetina fulvomaculata* Takizawa, 1990**

Dercetina fulvomaculata Takizawa, 1990; Japanese Journal of Entomology 58 (2): 285
Bagmati 2, 3
Nepal, India

***Dercetina grandis* Kimoto, 1970**

Dercetina grandis Kimoto, 1970; Khumbu Himal 3: 417
Bagmati 2, 3
Nepal, Bhutan

***Dercetina laetissima* L. N. Medvedev, 2011**

Dercetina laetissima L. N. Medvedev, 2011; Vernate 30: 253
Gandaki 2
Nepal

***Dercetina major* Kimoto, 1977**

Dercetina major Kimoto, 1977; Entomologica Basiliensia, 2: 386
Bagmati, Janakpur, Koshi, Mechi 1, 2
Nepal, Bhutan, India

***Dercetina mandarensis* (Jacoby, 1900)**

Dercetes mandarensis Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 134
Bagmati 2
Nepal, India

Dercetina miniaticollis* (Hope, 1831)Galleruca miniaticollis* Hope, 1831 ; Gray, Zoological Miscellany 1: 29

Dhawalagiri, Gandaki, Narayani, Bagmati, Buri Gandaki

1, 2

Nepal, Bhutan

Dercetina picipes* (Baly, 1865)Antipha picipes* Baly, 1865; The Annals and Magazine of Natural History (3) 16: 251*Dercetina indica* (Duvivier, 1891), *Dercetina punctipennis* Kimoto, 1977

Karnali, Dhawalagiri, Koshi

1, 2, 3

Nepal, Bhutan, India

Dercetina posticata* (Baly, 1879)Antipha posticata* Baly, 1879; The Annals and Magazine of Natural History (3) 16: 455

Narayani

1

Nepal, India, China, Oriental region

Dercetina shona* (Maulik, 1936)Dercetis shona* Maulik, 1936 ; Fauna of British India: 361

Bagmati

1, 2

Nepal, Bhutan, India

Dercetina variabilis* Kimoto, 1977Dercetina variabilis* Kimoto, 1977; Entomologica Basiliensia 2: 383

Koshi, Mechi

2, 3

Nepal

Dercetina viridipennis* (Duvivier, 1887)Antipha viridipennis* Duvivier, 1887; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique: 49

Dhawalagiri

2

Nepal

Dercetisoma concolor* (Jacoby, 1889)Dercetes concolor* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 222*Antipha brunnea* Allard, 1889; *Sutrea modesta* Allard, 1889; *Antipha puncticollis* Jacoby, 1889

Dhawalagiri, Bagmati, Koshi

2, 3, 4

Nepal, India, Oriental region

Dercetisoma nepalicum* L. N. Medvedev et Sprecher-Uebersax, 1998Dercetisoma nepalica* L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 11

Dhawalagiri, Janakpur

2, 3

Nepal

Dercetisoma persimile* (Kimoto, 1977)Arthrotus persimilis* Kimoto, 1977; Entomologica Basiliensia 2: 389

Karnali, Dhawalagiri, Gandaki, Bagmati

3

Nepal, Bhutan

***Doryida flava* Allard, 1890**

Doryida flava Allard, 1890; Bulletin ou Comptes-Rendus des Séances de la Société Entomologique de Belgique 34: 93

(no data)

(no data)

Nepal

***Doryscus niger* L. N. Medvedev et Sprecher-Uebersax, 1998**

Doryscus niger L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 10

Dhawalagiri, Gandaki, Bagmati

2, 3

Nepal

***Doryscus testaceus* Jacoby, 1887**

Doryscus testaceus Jacoby, 1887; Proceedings of the Scientific Meetings of the Zoological Society of London: 115

Doryscus chujoi Takizawa, 1978; *Trichobalya varians* Gressitt et Kimoto, 1963

Dhawalagiri, Bagmati

1, 2, 3

Nepal, Bhutan, India, China, Oriental region

***Doryxena geniculata* Baly, 1879**

Doryxena geniculata Baly, 1879; Cistula Entomologica 2: 451

Gandaki

3

Nepal, India, Oriental region

***Doryxena grossa* (Hope, 1831)**

Galleruca grossa Hope, 1831; Gray, Zoological Miscellany 1: 28

Bagmati

2

Nepal, India

***Doryxena minor* Kimoto, 2004**

Doryxena minor Kimoto, 2004; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 4: 53

Bagmati

2

Nepal

***Doryxenoides tibialis* Laboissière, 1927**

Doryxenoides tibialis Laboissière, 1927; Annales de la Société Entomologique de France 96: 58

Dhawalagiri, Bagmati

2

Nepal, China

***Eumelepta biplagiata* Jacoby, 1892**

Eumelepta biplagiata Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 988

Gandaki

1, 2

Nepal

***Exosoma tomokunii* Takizawa, 1990**

Exosoma tomokunii Takizawa, 1990; Japanese Journal of Entomology 58: 290

(no data)

4

Nepal, India

Galeruca indica* Baly, 1878Galeruca indica* Baly, 1878; Cistula Entomologica 2: 181*Pseudadimonia holzschuhi* Mandl, 1986

Karnali, Dhawalagiri, Lumbini, Gandaki

3, 4, 5

Nepal, India

Galerucella birmanica* (Jacoby, 1889)Lochmaea birmanica* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 215

Karnali, Lumbini

1

Nepal, Bhutan, India

Galerucella consentanea* (Hope, 1831)Galleruca consentanea* Hope, 1831; Gray, Zoological Miscellany 1 : 29

(no data)

(no data)

Nepal

Galerucella placida* Baly, 1878Galerucella placida* Baly, 1878; Cistula Entomologica 2: 381*Galerucella angulosa* Pic, 1928; *Adimonia masteri* Blackburn, 1896; *Galerucella rugosa* Jacoby, 1884;*Galerucella vartiani* Lopatin, 1967

Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur

1, 2

Nepal, India, Afghanistan, Indonesia, Oriental region

Gallerucida indica* (Harold, 1880)Gallerucida indica* Harold, 1880; Entomologische Zeitung Stettin 41: 146*Pseudadimonia holzschuhi* Mandl, 1986

Dhawalagiri, Bagmati

2

Nepal, India, Oriental region

Gallerucida longicornis* (Baly, 1865)Hylaspes longicornis* Baly, 1865; The Transactions of the Entomological Society of London (3) 2: 436*Hylaspes assamensis* Baly, 1879; *Hylaspes dohrni* Duvivier, 1885

Lumbini, Gandaki, Bagmati, Sagarmatha, Koshi, Mechi

1, 2, 3

Nepal, Bhutan, India, Oriental region

Gallerucida magica* Harold, 1880Gallerucida magica* Harold, 1880; Entomologische Zeitung Stettin 41: 145

(no data)

(no data)

Nepal, India

Gallerucida nigricornis* Laboissière, 1940Gallerucida nigricornis* Laboissière, 1940; Bulletin du Musée Royal d'Histoire Naturelle de Belgique 16 (3): 24*Gallerucida binotata* Takizawa, 1988; *Parastetha nigricollis* Weise, 1924; *Parastetha nigricornis* Duvivier, 1892

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 2, 3

Nepal, India

Haplosomoides rasha* (Maulik, 1936)Hoplasomedia rasha* Maulik, 1936; Fauna of British India: 497*Hoplasomedia nirada* Maulik, 1936

Lumbini, Dhawalagiri, Gandaki, Narayani, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, India

***Hesperomorpha hirsuta* (Jacoby, 1885)**

Luperus hirsuta Jacoby, 1885; Proceedings Scientific Meetings Zool. Soc. London: 742
(no data) (no data)
Nepal, China, Japan, Oriental region

***Hoplasoma carinatum* Kimoto, 1977**

Hoplasoma carinata Kimoto, 1977; Entomologica Basiliensia 2: 355
Janakpur 2, 3
Nepal, Bhutan, India

***Hoplasoma costatipennis* Jacoby, 1896**

Haplosoma costatipennis Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 273
Bagmati 1, 2
Nepal, India, Oriental region

***Hoplasoma furcatum* L. N. Medvedev, 2000**

Haplosoma furcatum L. N. Medvedev, 2000; Russian Entomological Journal 8: 126
Bagmati 1, 2, 3
Nepal, India

***Hoplasoma sexmaculatum* (Hope, 1831)**

Auchenia sexmaculata Hope, 1831; Gray, Zoological Miscellany 1: 29
Haplosoma bifasciatum Allard, 1889; *Mimastra quadrinotatum* Gressitt et Kimoto, 1963; *Haplosoma sexmaculatum* Jacoby, 1899
Karnali, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Koshi, 1, 2, 3, 4
Mechi
Nepal, Bhutan, India, China, Pakistan

***Hoplasoma unicolor* (Illiger, 1800)**

Galleruca unicolor Illiger, 1800; Archiv für Zoologie und Zootomie 2: 135
Haplosoma abdominale Jacoby, 1896; *Haplosoma corniculatum* Allard, 1889; *Aulacophora pannonicum* Csiki, 1953
Lumbini, Gandaki, Narayani, Bagmati, Koshi 1, 2, 3
Nepal, widely distributed in Southeast Asia

***Hoplosaenidea fulva* Kimoto, 1977**

Hoplosaenidea fulva Kimoto, 1977; Entomologica Basiliensia 2: 377
Narayani, Bagmati 1, 2
Nepal, Bhutan

***Hoplosaenidea nepalica* L. N. Medvedev, 2011**

Hoplosaenidea nepalica L. N. Medvedev, 2011; Vernate 30: 250
Koshi 2
Nepal

Hoplosaenidea gorbunovi* L. N. Medvedev, 2011Hoplosaenidea gorbunovi* L. N. Medvedev, 2011; Vernate 30: 251

Gandaki

2

Nepal

Hyphaenia apicalis* Takizawa, 1988Hyphaenia apicalis* Takizawa, 1988; Kontyû 56 (3): 551

Bagmati 2

Nepal

Hyphaenia convexicollis* L. N. Medvedev et Sprecher-Uebersax, 1997Hyphaenia convexicollis* L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 233

Dhawalagiri, Bagmati, Koshi

2, 3

Nepal

Hyphaenia yasudai* Takizawa, 1985Hyphaenia yasudai* Takizawa, 1985; Entomogical Revue of Japan 40 (2): 100

Bagmati

2

Nepal

Issikia dimidiaticornis* (Jacoby, 1889)Menippus dimidiaticornis* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 218*Galerucella garoana* Maulik, 1936; *Galerucella sericea* Weise, 1889

Janakpur

1, 2

Nepal, India, China, Oriental region

Japonitata difformis* L. N. Medvedev et Sprecher-Uebersax, 1998Japonitata difformis* L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21: 31

Koshi

3

Nepal

Japonitata eberti* (Kimoto, 1970)Paridea eberti* Kimoto, 1970; Khumbu Himal 2: 417

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi

1, 2, 3, 4

Nepal, Bhutan, India

Japonitata mirabilis* L. N. Medvedev et Sprecher-Uebersax, 1999Japonitata mirabilis* L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 368

Bagmati, Koshi

3

Nepal

Japonitata tricostata* S. H. Chen et Jiang, 1981Japonitata tricostata* S. H. Chen, et Jiang, 1981; Insects of Xizang 1: 470

Karnali, Dhawalagiri, Bagmati, Janakpur

1, 2, 3

Nepal, India, China

Kanarella unicolor* Jacoby, 1896Kanarella unicolor* Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 280

Dhawalagiri, Bagmati 1, 2, 4
Nepal, Bhutan, India, Oriental region

***Khasia kraatzi* Jacoby, 1889**

Khasia kraatzi Jacoby, 1889; The Entomologist 32: 83
Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 2, 3
Nepal, India, Oriental region

***Leptarthra abdominalis* Baly, 1861**

Leptarthra abdominalis Baly, 1861; The Journal of Entomology 1: 203
Gandaki, Bagmati, Janakpur, Koshi, Mechi 2, 3
Nepal, Bhutan, India

***Leptarthra fasciata* Jacoby, 1894**

Leptarthra fasciata Jacoby, 1894; Novitates Zoologicae 1: 314
Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi 2, 3
Nepal, India, Oriental region

***Liroetis brancuccii* L. N. Medvedev, 2007**

Liroetis brancuccii L. N. Medvedev, 2007; Entomologica Basiliensia et Collectionis Frey 29: 295
Bagmati, Koshi 2, 3
Nepal

***Liroetis nepalensis* Chûjô, 1966**

Liroetis nepalensis Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 15
Dhawalagiri, Bagmati, Mechi 2, 3, 4
Nepal, Bhutan, India

***Liroetis nigricollis* Medvedev, 2009**

Liroetis nigricollis Medvedev, 2009; Biodiversität und Naturlandschaft im Himalaya 3, Erfurt: 407
Gandaki 3
Nepal, India

***Liroetis suwai* (Takizawa, 1988)**

Mimastra suwai Takizawa, 1988; Entomological Review of Japan 53 (1): 14
Dhawalagiri, Bagmati, Janakpur 4
Nepal

***Lochmaea maculata* Kimoto, 1979**

Lochmaea maculata Kimoto, 1979; Entomologica Basiliensia 4: 466
(no data) 3, 4
Nepal, India

***Lochmaea nepalica* L. N. Medvedev, 2005**

Lochmaea nepalica L. N. Medvedev, 2005; Entomologica Basiliensia et Collectionis Frey 27: 287
Gandaki 2
Nepal

Macrima armata* Baly, 1878Macrima armata* Baly, 1878; Cistula Entomologica 2: 377*Sepharia frontalis* Jacoby, 1890

Karnali, Gandaki, Bagmati

1, 2, 3

Nepal, India, Pakistan

Macrima aurantiaca* (Laboissière, 1936)Sepharia aurantiaca* Laboissière, 1936; Annales de la Société Entomologique de France 105: 250

Bagmati, Janakpur, Sagarmatha

2, 3

Nepal, India, China

Macrima hartmanni* L. N. Medvedev, 2009Macrima hartmanni* L. N. Medvedev, 2009; Vernate 28: 411

Bagmati

2, 3

Nepal

Macrima pallida* (Laboissière, 1936)Sepharia pallida* Laboissière, 1936; Annales de la Société Entomologique de France 105: 249

Karnali, Bheri, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur,

Sagarmatha, Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India

Macrima roseofulva* L. N. Medvedev, 2011Macrima roseofulva* L. N. Medvedev, 2011; Vernate 30: 251

Koshi

2

Nepal

Madurasia obscurella* Jacoby, 1896Madurasia obscurella* Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 381*Neorudolphia bedforti* Laboissière, 1926

Gandaki

(no data)

Nepal, India

Medythia nigrobilineata* (Motschulsky, 1860)Cnecodes nigrobilineatus* Motschulsky, 1860; Etudes entomologiques 9: 26

Bagmati

3

Nepal, China, Siberia, Japan

Medythia suturalis* (Motschulsky, 1858)Cnecodes suturalis* Motschulsky, 1858; Etudes entomologiques 7: 100*Luperodes abbreviata* Weise, 1922

Bagmati

2

Nepal, India, China, Indonesia, Oriental region

Menippus brevicornis* (Jacoby, 1889)Diorrhabda brevicornis* Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 214

Bagmati

2

Nepal, Oriental region

Menippus cervinus* (Hope, 1831)Galleruca cervinus* Hope, 1831; Gray, Zoological Miscellany 1: 29

Bagmati

2

Nepal, India, China, Oriental region

Meristata dohrni* (Baly, 1861)Leptarthra dohrni* Baly, 1861; The Journal of Entomology 1: 203*Merista cardoni* Duvivier, 1892; *Merista rufipennis* Harold, 1880

Dhawalagiri, Narayani, Bagmati, Janakpur, Koshi, Mechi

2, 3

Nepal, Bhutan, India, Oriental region

Meristata fallax* (Harold, 1880)Merista fallax* Harold, 1880; Entomologische Zeitung Stettin 41: 143

Koshi

2, 3

Nepal, Bhutan, India, Oriental region

Meristata pulunini* (Bryant, 1952)Merista pulunini* Bryant, 1952; The Annals and Magazine of Natural History (12) 5: 607

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi,

Mechi, Kosi

2, 3, 4, 5

Nepal

Meristata pulunini occidentalis* L. N. Medvedev, 1999Meristata pulunini occidentalis* Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt 32: 186

Karnali, Dhawalagiri

3, 4

Nepal

Meristata quadrifasciata* (Hope, 1831)Galleruca quadrifasciata* Hope, 1831; Gray, Zoological Miscellany 1: 28*Galleruca interrupta* Redtenbacher, 1848

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha,

Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India, Oriental region

Meristata sexmaculata* (Kollar et L. Redtenbacher, 1848)Galleruca sexmaculata* Kollar et L. Redtenbacher, 1848; Hügel, Kasschmir und das Reich der Siek 4: 555

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India, China, Pakistan, Oriental region

Meristata spilota* (Hope, 1831)Galleruca spilota* Hope, 1831; Gray, Zoological Miscellany 1: 28*Merista flaviventris* Harold, 1880; *Galleruca trifasciata* Hope, 1831; *Merista variabilis* Harold, 1880

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha,

Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India, China, Pakistan, Oriental region

Miltina dilatata* Chapuis, 1875Miltina dilatata* Chapuis, 1875; Genera des coléoptères 11: 173*Bonesia balyi* Jacoby, 1889

Koshi 1, 2
Nepal, Bhutan, India, China, Indonesia, Oriental region

***Mimagitocera flava* (Jacoby, 1904)**

Agetocera flava Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 394

Mechi 3
Nepal, India

***Mimastra arcuata* Baly, 1865**

Mimastra arcuata Baly, 1865; The Annals and Magazine of Natural History (3) 16: 253

Dhawalagiri, Mechi 2, 3
Nepal, India, Oriental region

***Mimastra brancuccii* L. N. Medvedev, 2011**

Mimastra brancuccii L. N. Medvedev, 2011; Vernate 30: 249

Koshi 3
Nepal

***Mimastra cyanura* (Hope, 1831)**

Auchenia cyanura Hope, 1831; Gray, Zoological Miscellany 1: 29

Mimastra apicalis Baly, 1886; *Andraxantha davidis* Fairmaire, 1878; *Phyllobrotica lunata* Koller et L. Redtenbacher, 1848

Karnali, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur, Koshi 1, 2, 3
Nepal, India

***Mimastra fortipunctata* Maulik, 1936**

Mimastra fortipunctata Maulik, 1936; Fauna of British India: 542

Mechi 3
Nepal, Bhutan, India

***Mimastra fulva* Kimoto et Takizawa, 1983**

Mimastra fulva Kimoto et Takizawa, 1983; Bulletin of the Natural Science Museum Tokyo A 9 (2): 87

Gandaki, Janakpur, Sagarmatha 2, 3
Nepal, India

***Mimastra gracilicornis* Jacoby, 1889**

Mimastra gracilicornis Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 210

Karnali (no data)
Nepal, India, Oriental region

***Mimastra gracilis* Baly, 1878**

Mimastra gracilis Baly, 1878; Cistula Entomologica 2: 378

Hoplosomedia nainitalensis Gangola, 1969

Karnali, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha 2, 3, 4
Nepal, Bhutan, China

***Mimastra limbata* Baly, 1879**

Mimastra limbata Baly, 1879; Cistula Entomologica 2: 449

Koshi 2
Nepal, India, China

***Mimastra lunata* (Kollar et L. Redtenbacher, 1844)**

Phyllobrotica lunata Kollar et L. Redtenbacher, 1844; Hügel, Kashmir und das Reich der Siek 4: 556
Mahakali, Bheri, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur 1, 2
Nepal, India

***Mimastra nitida* Maulik, 1936**

Mimastra nitida Maulik, 1936; Fauna of British India: 540
Bagmati 3
Nepal, India

***Mimastra riedeli* Bezděk, 2009**

Mimastra riedeli Bezděk, 2009; Acta Entomologica Musei Nationalis Pragae 49: 834
Karnali 2
Nepal, India

***Mimastra scutellata* Jacoby, 1904**

Mimastra scutellata Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 395
Mechi 2, 3
Nepal, India, Oriental region

***Mimastra unicitarsis* Laboissière, 1940**

Mimastra unicitarsis Laboissière, 1940; Bulletin du Musée Royal d'Histoire Naturelle de Belgique 16 (37): 4
Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur 1, 2, 3
Nepal, Bhutan, India, China, Pakistan, Oriental region

***Monolepta albomaculata* Maulik, 1936**

Monolepta albomaculata Maulik, 1936; Fauna of British India: 399
Monolepta albplagiata Jacoby, 1892
Gandaki 1
Nepal, Bhutan, Oriental region

***Monolepta bhutanensis* Kimoto, 1977**

Monolepta bhutanensis Kimoto, 1977; Entomologica Basiliensia 2: 374
Bagmati, Janakpur, Koshi 1, 2
Nepal, Bhutan

***Monolepta bimaculicollis* Jacoby, 1904**

Monolepta bimaculicollis Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 405
Koshi 2
Nepal, India

***Monolepta bimaculipennis* Kimoto, 1977**

Monolepta bimaculipennis Kimoto, 1977; Entomologica Basiliensia 2: 373
Dhawalagiri, Koshi 2, 3
Nepal, Bhutan

Monolepta braeti* (Duvivier, 1892)Luperodes praeti* Duvivier, 1862; Annales de la Société Entomologique de Belgique 36: 437

Dhawalagiri 2

Nepal, India

Monolepta cardoni* Jacoby, 1900Monolepta cardoni* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 137

Gandaki, Narayani, Bagmati 1, 2

Nepal, India

Monolepta conformis* Weise, 1922Monolepta conformis* Weise, 1922; Tijdschrift voor Entomologie 45: 105

Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3

Nepal, India

Monolepta erythrocephala* (Baly, 1878)Luperodes erythrocephala* Baly, 1878; Cistula Entomologica 2: 380*Monolepta fulvifrons* Jacoby, 1896

Karnali, Dhawalagiri, Lumbini, Bagmati, Janakpur, Sagarmatha, Koshi

1, 2, 3, 4

Nepal, Bhutan, India, China

Monolepta godavariensis* Takizawa, 1988Monolepta godavariensis* Takizawa, 1988; Kontyû 56 (3): 547

Narayani, Bagmati 2

Nepal

Monolepta himalayensis* Kimoto, 1970Monolepta himalayensis* Kimoto, 1970; Khumbu Himal (3) 3: 419

Gandaki, Bagmati, Janakpur, Mechi, 1, 2, 3

Nepal, India

Monolepta labiata* (Jacoby, 1900)Candezea labiata* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 138

Karnali 2

Nepal, India

Monolepta laterimarginata* L. N. Medvedev, 1999Monolepta laterimarginata* L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt: 183

Bheri, Narayani 1

Nepal

Monolepta leechi* Jacoby, 1890Monolepta leechi* Jacoby, 1890; The Entomologist 23: 216

Bagmati, Janakpur 2, 3

Nepal, India, China, Oriental region

Monolepta lesagei* Takizawa, 1988Monolepta lesagei* Takizawa, 1988; Kontyû 56: 548

Bagmati, Koshi, Mechi 1, 2, 3
Nepal

***Monolepta madrasensis* Wilcox, 1973**

Monolepta madrasensis Wilcox, 1973; Coleopterorum Catalogus Supplementa 78 (3): 562

Monolepta duvivieri Jacoby, 1904; *Monolepta lineata* Weise, 1915

(no data) (no data)

Nepal

***Monolepta martensi* L. N. Medvedev, 1992**

Monolepta martensi L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 16

Koshi, Mechi 1, 2, 3

Nepal

***Monolepta nepalensis* Kimoto, 1970**

Monolepta nepalensis Kimoto, 1970; Khumbu Himal 3 (3): 420

Bagmati 1

Nepal

***Monolepta nigrobasalis* L. N. Medvedev 1999**

Monolepta nigrobasalis L. N. Medvedev 1999; Veröffentlichungen des Naturkundemuseums Erfurt 32: 149

Bagmati 2

Nepal

***Monolepta nigripennis* (Motschulsky, 1866)**

Teinodactyla nigripennis Motschulsky, 1866; Bulletin de la Société Impériale des Naturalistes de Moscou 39: 418

Karnali, Dhawalagiri, Bagmati, Mechi 2, 3

Nepal, India

***Monolepta orientalis* Jacoby, 1889**

Monolepta orientalis Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 227

Monolepta konbirensis Duvivier, 1891

Gandaki, Narayani, Bagmati, Janakpur, Koshi 1, 2, 3

Nepal, India, Oriental region

***Monolepta pallidula* (Baly, 1874)**

Luperodes pallidula Baly, 1874; The Transactions of the Entomological Society of London: 187

Monolepta gracilipes Chûjô, 1938

(no data) (no data)

Nepal, India, China, Siberia, Japan

***Monolepta quadricavata* S. H. Chen, 1976**

Monolepta quadricavata S. H. Chen, 1976; Acta Entomologica Sinica 19 (2): 205

Bagmati 2

Nepal, China

***Monolepta rufa* Takizawa, 1988**

Monolepta rufa Takizawa, 1988; Kontyû 56 (3): 549

Dhawalagiri, Bagmati 2, 3
Nepal, India

***Monolepta satoi* Kimoto et Takizawa, 1983**

Monolepta satoi Kimoto et Takizawa, 1983; Bulletin of the Natural Science Museum Tokyo A 9 (2): 89
Dhawalagiri, Bagmati, Janakpur 2
Nepal, India

***Monolepta schawalleri* L. N. Medvedev, 1990**

Monolepta schawalleri L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 21
Bagmati, Koshi, Mechi 1, 2
Nepal

***Monolepta semiluperina* Kimoto, 1989**

Monolepta semiluperina Kimoto, 1989; Esakia 27: 148
Gandaki 2, 3
Nepal, Oriental region

***Monolepta severini* (Jacoby, 1896)**

Luperus severini Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 276
(no data) (no data)
Nepal, Oriental region

***Monolepta sexlineata* Chûjô, 1938**

Monolepta sexlineata Chûjô, 1938; Arbeiten über Morphologische und Taxonomische Entomologie 5 (2): 150
Monolepta mandrasensis Wilcox, 1973; *Monolepta duvivieri* Jacoby, 1904; *Monolepta lineata* Weise, 1915
Bagmati, Mechi 1, 2
Nepal, Bhutan, India, China, Oriental region

***Monolepta signata* (Olivier, 1808)**

Galeruca signata Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 665
Crioceris neglecta C. R. Sahlberg, 1829; *Luperodes quadripustulata* Motschulsky, 1858
Karnali, Dhawalagiri, Lumbini, Gandaki, Narayani, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
Nepal, Bhutan, India, China, Indonesia, Oriental region

***Monolepta simlensis* Kimoto, 1967**

Monolepta simlense Kimoto, 1967; Esakia 6: 73
Koshi, Mechi 2
Nepal, India

***Monolepta surkheta* L. N. Medvedev, 2000**

Monolepta surkheta L. N. Medvedev, 2000; Stuttgarter Beiträge zur Naturkunde A 606: 13
Bheri 1, 2
Nepal

***Monolepta tatemizo* Kimoto, 2004**

Monolepta tatemizo Kimoto, 2004; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 4: 58

Janakpur, Koshi 2
Nepal, Bhutan

***Monolepta trifasciata* Jacoby, 1896**

Monolepta trifasciata Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 295
(no data) (no data)
Nepal, Oriental region

***Monolepta tuberculipygus* L. N. Medvedev, 2007**

Monolepta tuberculipygus L. N. Medvedev, 2007; Entomologica Basiliensia et Collectionis Frey 29: 297
Bagmati 2
Nepal

***Monolepta undulato vittata* (Motschulsky, 1866)**

Teinodactyla undulato vittata Motschulsky, 1866; Bulletin de la Société Impériale des Naturalistes de Moscou 39 (2): 417
(no data) (no data)
Nepal, Oriental region

***Morphosphaera brunnea* Maulik, 1936**

Morphosphaera brunnea Maulik, 1936; Fauna of British India: 321
Janakpur (no data)
Nepal, Oriental region

***Morphosphaera japonica* (Hornstedt, 1788)**

Chrysomela japonica Hornstedt, 1788; Schriften der Gesellschaft Naturforschender Freunden zu Berlin 2: 1
Bagmati, Koshi 1, 2
Nepal, China, Japan

***Morphosphaera margaritacea* Laboissière, 1930**

Morphosphaera margaritacea Laboissière, 1930; Annales de la Société Entomologique de France 99: 365
(no data) 2
Nepal, Bhutan, India, Oriental region

***Morphosphaera prava* Maulik, 1936**

Morphosphaera prava Maulik, 1936; Fauna of British India.: 320
Bagmati 2, 3
Nepal, India, Oriental region

***Nepalogaleruca angustilineata* Kimoto et Takizawa, 1972**

Nepalogaleruca elegans angustilineata Kimoto et Takizawa, 1972; Kontyû 40: 216
Karnali, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur 3, 4, 5
Nepal

***Nepalogaleruca elegans* Kimoto, 1970**

Nepalogaleruca elegans Kimoto, 1970; Khumbu Himal 3 (3): 413
Bagmati, Janakpur, Sagarmatha, Koshi 1, 2, 3, 4
Nepal

***Nepalogaleruca hartmanni* L. N. Medvedev, 2003**

Nepalogaleruca hartmanni L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 320

Janakpur 3
Nepal

***Nepalogaleruca laeta* L. N. Medvedev, 1990**

Nepalogaleruca laeta L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 15

Bagmati, Janakpur 3, 4
Nepal

***Nepalogaleruca schmidtii* L. N. Medvedev et Sprecher-Uebersax, 1997**

Nepalogaleruca schmidtii L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 232

Gandaki 5
Nepal

***Nepalolepta carinata* L. N. Medvedev, 1992**

Nepalolepta carinata L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 17

Koshi 3
Nepal

***Oides flava* (Olivier, 1807)**

Adorium flavum Olivier, 1807; Entomologie ou histoire naturelle des insectes 5: 611

Lumbini, Narayani 1
Nepal, India, China, Indonesia, Oriental region

***Oides livida* (Fabricius, 1801)**

Adorium lividum Fabricius, 1801; Systema Eleutheratorum 1: 410

Rhombopalpa pectoralis Clark, 1865; *Oides nigripes* Jacoby, 1891; *Oides pallidicornis* Jacoby, 1899; *Oides pectoralis* Maulik, 1936; *Oides livida* Vachon, 1980

Lumbini, Gandaki 1
Nepal, Bhutan, India, China, Indonesia, Oriental region

***Oides maculata* (Olivier, 1807)**

Adorium maculatum Olivier, 1807; Entomologie ou histoire naturelle des insectes 5: 611

Adorium laticlavum Fairmaire, 1889

Bagmati 2, 3
Nepal, India, China, Indonesia, Oriental region

***Oides scutellata* (Hope, 1831)**

Adorium scutellatum Hope, 1831; Gray, Zoological Miscellany 1: 28

Dhawalagiri, Lumbini 3
Nepal, India, Pakistan, Oriental region

***Paleosepharia pokharensis* (Kimoto, 1982)**

Monolepta pokharensis Kimoto, 1982; Entomological Revue of Japan 37 (1): 17

Paleosepharia costata Takizawa et Basu, 1987

Gandaki 1
Nepal

***Paleosepharia tomokunii* Kimoto et Takizawa, 1983**

Paleosepharia tomokunii Kimoto et Takizawa, 1983; Bulletin of the Natural Science Museum Tokyo A 9 (2): 89

Bagmati, Janakpur, Sagarmatha 2, 3
Nepal

***Palpoxena konbirensis* (Weise, 1924)**

Platyxantha konbirensis Weise, 1924; Coleopterorum Catalogus 78: 157

Platyxantha indica Duvivier, 1892

Narayani, Bagmati, Koshi 1, 2
Nepal, India, China

***Palpoxena nasuta* (Westwood, 1837)**

Luperus nasutus Westwood, 1837; Magasin de Zoologie 7 (9): 177

Bagmati 2
Nepal, India

***Palpoxena rufifulva* (Jacoby, 1896)**

Aenidea rufifulva Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 287

(no data) (no data)
Nepal, India, China

***Palpoxena viridis* (Hope, 1831)**

Auchenia viridis Hope, 1831; Gray, Zoological Miscellany 1: 29

Bagmati, Koshi 2, 3
Nepal, India, Oriental region

***Paraplotes indica* Takizawa et Basu, 1987**

Paraplotes indica Takizawa et Basu, 1987; Kontyû 55 (2): 279

Bagmati 1, 2, 3
Nepal, India

***Paraplotes nepalensis* L. N. Medvedev et Sprecher-Uebersax, 1998**

Paraplotes nepalensis L. N. Medvedev et Sprecher-Uebersax, 1998; Spixiana 21 (10): 10

Bagmati 2
Nepal

***Parexosoma cuprescens* Chûjô, 1966**

Parexosoma cuprescens Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 23

Karnali, Gandaki, Bagmati, Sagarmatha, Mechi 2, 3, 4
Nepal, Bhutan

***Parexosoma flaviventre* (Baly, 1878)**

Malacosoma flaviventre Baly, 1878; Cistula Entomologica 2: 379

Malacosoma balyi Duvivier, 1884

Dhawalagiri, Lumbini, Bagmati 2, 3
Nepal, Bhutan, India, China, Oriental region

***Paridea* (s. str.) *fasciata* Laboissière, 1932**

Paridea fasciata Laboissière, 1932; Bulletin du Muséum National d'Histoire Naturelle Paris (2) 4: 970
 Dhawalagiri, Gandaki, Narayani, Bagmati, Koshi, Mechi, Daman 2, 3
 Nepal, India

***Paridea* (s. str.) *hirtipes* S. H. Chen, 1981**

Paridea hirtipes S. H. Chen, 1981; Insects of Xizang 1: 470
 Karnali, Dhawalagiri 2, 3
 Nepal, India, China

***Paridea* (s. str.) *livida* Duvivier, 1892**

Paridea livida Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 432
 Bagmati, Koshi 2
 Nepal, Bhutan, India

***Paridea* (s. str.) *mimica* L. N. Medvedev et Samoderzhenkov, 1997**

Paridea mimica L. N. Medvedev et Samoderzhenkov, 1997; Russian Entomological Journal 6 (1–4): 64
 Dhawalagiri, Bagmati, Mechi 2
 Nepal

***Paridea* (s. str.) *nepalica* L. N. Medvedev et Samoderzhenkov, 1998**

Paridea nepalica L. N. Medvedev et Samoderzhenkov, 1998; Russian Entomological Journal 6 (1–4): 63
 Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
 Nepal

***Paridea* (s. str.) *octomaculata* (Baly, 1886)**

Aulacophora octomaculata Baly, 1886; The Journal of the Linnean Society of London 20: 17
Paridea bimaculata Laboissière, 1932; *Paridea patkaiensis* Maulik, 1836
 Dhawalagiri, Lumbini, Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
 Nepal, Bhutan, India, China

***Paridea* (s. str.) *pallida* Bryant, 1954**

Paridea pallida Bryant, 1954; Arkiv för Zoologi (2) 6 (18): 419
 Gandaki 2
 Nepal, Bhutan, India, China

***Paridea* (s. str.) *perplexa* (Baly, 1879)**

Aulacophora perplexa Baly, 1879; Cistula Entomologica 2: 447
Paridea harmandi Laboissière, 1930
 Dhawalagiri 2
 Nepal, India, China, Oriental region

***Paridea* (s. str.) *quadrinaculata* Kimoto, 2004**

Paridea quadrinaculata Kimoto, 2004; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 4: 58
 Bagmati 3
 Nepal

***Paridea* (s. str.) *ruficollis* Jacoby, 1892**

Paridea ruficollis Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 953
 (no data) (no data)
 Nepal, Bhutan, India

***Paridea* (s. str.) *tetraspilota* (Hope, 1831)**

Galleruca tetraspilota Hope, 1831; Gray, Zoological Miscellany 1: 29
Paridea balyi Jacoby, 1898; *Paridea thoracica* Baly, 1886
 Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 2
 Nepal, India, China, Oriental region

***Paridea* (*Semacia*) *lateralis* L. N. Medvedev et Samoderzhnikov, 1989**

Paridea lateralis L. N. Medvedev et Samoderzhnikov, 1989; Entomofauna 10 (29): 460
Paridea biconvexa Yang, 1991
 Dhawalagiri 2, 3
 Nepal, Oriental region

***Periclitenia* *vigorsi* (Hope, 1831)**

Galleruca vigorsi Hope, 1831; Gray, Zoological Miscellany 1: 29
Galleruca coerulans Hope, 1831; *Galleruca fulgida* Laboissière, 1927; *Clitena igneipennis* Baly, 1865;
Clitena melancholica Baly, 1864; *Galleruca viridissima* Weise, 1922
 Karnali, Gandaki, Narayani, Bagmati, Koshi, Mechi 1, 2, 3
 Nepal, India, China, Oriental region

***Phyllobrotica* *komiya* Takizawa, 1985**

Phyllobrotica komiya Takizawa, 1985; Entomological Revue of Japan 40 (2): 107
 Janakpur 2
 Nepal, India

***Proegmena* *nepalensis* Chûjô, 1966**

Proegmena nepalensis Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 24
 Koshi 2
 Nepal

***Pseudadimonia* *variolosa* (Hope, 1831)**

Colaspis variolosa Hope, 1831; Gray, Zoological Miscellany 1: 30
 Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha,
 Koshi 1, 2, 3, 4
 Nepal, Bhutan, India, China, Oriental region

***Pseudocophora* *bicolor* Jacoby, 1887**

Pseudocophora bicolor Jacoby, 1887; Proceedings of the Scientific Meetings of the Zoological Society of
 London: 111
Pseudocophora nitens Allard, 1889
 Dhawalagiri 2
 Nepal, India, China, Oriental region

***Pseudocophora* *pectoralis* Baly, 1888**

Pseudocophora pectoralis Baly, 1888; The Journal of the Linnean Society of London 20: 174

Bagmati 2
Nepal, India, China, Oriental region

***Pseudoides flavovittis* (Motschulsky, 1858)**

Calomicrus flavovittis Motschulsky, 1858; Etudes entomologiques 7: 101

Pseudoides bivittata Jacoby, 1892

Gandaki, Narayani, Koshi, Mechi 1, 2
Nepal, Bhutan, Oriental region

***Pseudoides marginalis* (Chûjô, 1966)**

Exosoma marginalis Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 12

Koshi 2, 3
Nepal

***Pyrrhalta darjeelingensis* Kimoto, 1979**

Pyrrhalta darjeelingensis Kimoto, 1979; Entomologica Basiliensia 4: 463

Dhawalagiri, Janakpur, Koshi 2, 3, 4
Nepal, India

***Pyrrhalta digambara* (Maulik, 1936)**

Galerucella digambara Maulik, 1936; Fauna of British India: 221

(no data) 4
Nepal, India

***Pyrrhalta maculata* Gressitt et Kimoto, 1963**

Pyrrhalta maculata Gressitt et Kimoto, 1963; Pacific Insects Monograph 22: 456

Bagmati 3
Nepal, India, China, Oriental region

***Pyrrhalta martensi* L. N. Medvedev et Sprecher-Uebersax, 1999**

Pyrrhalta martensi L. N. Medvedev et Sprecher-Uebersax, 1998; Entomologica Basiliensia 21: 366

Dhawalagiri, Gandaki 1, 2
Nepal

***Pyrrhalta medvedevi* Sprecher-Uebersax et Zoia, 2002**

Pyrrhalta medvedevi Sprecher-Uebersax et Zoia, 2002; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 75: 162

Bagmati 3, 4
Nepal

***Pyrrhalta scutellata* (Hope, 1831)**

Galleruca scutellata Hope, 1831; Gray, Zoological Miscellany 1: 29

Pyrrhalta tumida Gressitt et Kimoto, 1963

Gandaki, Bagmati 2, 3
Nepal, Bhutan, China

***Pyrrhalta tatesuji* Kimoto, 2001**

Pyrrhalta tatesuji Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 45

Dhawalagiri 3
Nepal

***Sastra fulvomarginata* Takizawa, 1988**

Sastra fulvomarginata Takizawa, 1988; Kontyû 56 (3): 540

Bagmati 3
Nepal

***Sastra medvedevi* Bezděk et Beenen, 2010**

Sastra medvedevi Bezděk et Beenen, 2010; Löbl & Smetana, Catalogue of Palaearctic Coleoptera 6: 454

Sastra suturalis L. N. Medvedev, 2003

Janakpur 3
Nepal

***Sastracella collaris* Kimoto, 2001**

Sastracella collaris Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 46

Koshi 2
Nepal

***Sastracella himalayana* L. N. Medvedev, 2007**

Sastracella himalayana L. N. Medvedev, 2007; Entomologica Basiliensia et Collectionis Frey 29: 293

Gandaki, Koshi 2
Nepal, India

***Sastroides dohertyi* Maulik, 1936**

Sastroides dohertii Maulik, 1936; Fauna of British India: 265

Gandaki, Janakpur, Koshi 3, 4
Nepal, Oriental region

***Sastroides indica* Jacoby, 1894**

Sastroides indicus Jacoby, 1894; Novitates Zoologicae 1: 315

Bagmati 2
Nepal, India, Oriental region

***Sastroides purpurascens* (Hope, 1831)**

Galleruca purpurascens Hope, 1831; Gray, Zoological Miscellany 1: 29

Sastra actipennis Laboissière, 1932; *Haplosonyx sublaevicollis* Jacoby, 1889

Bagmati, Koshi 2
Nepal, India, Oriental region

***Shamshera bennetti* (Hope, 1831)**

Galleruca bennetti Hope, 1831; Gray, Zoological Miscellany 1: 29

Gandaki, Bagmati 2
Nepal, India

***Sinoluperoides marginalis* Kimoto, 1989**

Sinoluperodes marginalis Kimoto, 1989; Esakia 27: 195

Bagmati 2
Nepal, Oriental region

***Sphenoraia hopei* Beenen, 2005**

Sphenoraia hopei Beenen, 2005; Entomologische Blätter 101: 18
Galerucida bombayana Harold, 1880; *Galleruca bicolor* Hope, 1831; *Sphenoraia nigripennis* Clark, 1865
Karnali, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur, Koshi,
Mechi, Koshi 1, 2, 3, 4
Nepal, India, Pakistan, Oriental region

***Sphenoraia lopatini* Bezděk et Beenen, 2010**

Sphenoraia lopatini Bezděk et Beenen, 2010; Löbl & Smetana, Catalogue of Palaearctic Coleoptera 6: 463
Sphenoraia cyanella Lopatin, 2005
(no data) (no data)
Nepal

***Sphenoraia rutilans* (Hope, 1831)**

Galeruca rutilans Hope, 1831; Gray, Zoological Miscellany 1: 30
Sphenoraia cyanea Allard, 1890; *Galleruca fulgida* Kollar & L. Redtenbacher, 1844; *Chrysomela mutabilis*
Hope, 1831
Karnali, Bheri, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur,
Sagarmatha, Koshi, Mechi 1, 2, 3, 4
Nepal, Bhutan, India, China, Pakistan, Oriental region

***Sphenoraia trifasciata* Kimoto et Takizawa, 1972**

Sphenoraia trifasciata Kimoto et Takizawa, 1972; Kontyû 40 (4): 221
Karnali, Dhawalagiri, Gandaki, Bagmati 2, 3
Nepal

***Sphenorella maculata* (Kimoto et Takizawa, 1972)**

Sphenoraia maculata Kimoto et Takizawa, 1972; Kontyû 40 (4): 220
Sphenoraia apicalis Kimoto et Takizawa, 1983
Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha 2, 3, 4
Nepal

***Spitiella collaris* (Baly, 1878)**

Leptarthra collaris Baly, 1878; Cistula Entomologica 2: 382
Spitiella auriculata Laboissière, 1931
Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Sagarmatha,
Koshi, Mechi 1, 2, 3, 4
Nepal, Bhutan, India

***Strobiderus fulvus* Kimoto, 1977**

Strobiderus fulvus Kimoto, 1977; Entomologica Basiliensia 2: 379
Dhawalagiri, Gandaki 2
Nepal, Bhutan, India

***Trichobalya apicalis* Kimoto, 1982**

Trichobalya apicalis Kimoto, 1982; Entomological Revue of Japan 37: 23

Dhawalagiri, Koshi, Mechi 1, 2
Nepal

***Trichobalya viridipennis* Kimoto, 1977**

Trichobalya viridipennis Kimoto, 1977; Entomologica Basiliensia 2: 380

Koshi 1
Nepal, Bhutan, India

***Tricholochmaea indica* (Laboissière, 1932)**

Lochmaea indica Laboissière, 1932; Bulletin du Musée National d'Histoire Naturelle 4: 964

(no data) (no data)
Nepal, India

***Trichomimastra hirsuta* (Jacoby, 1892)**

Mimastra hirsuta Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 945

Mimastra membranacea Weise, 1922; *Mimastra piceipennis* Laboissière, 1929

Janakpur 2
Nepal, India, China, Oriental region

***Trichomimastra kumatai* Kimoto et Takizawa, 1972**

Trichomimastra kumatai Kimoto et Takizawa, 1972; Kontyû 40 (4): 218

Bagmati, Janakpur 2
Nepal

***Trichomimastra nigroapicalis* L. N. Medvedev, 2011**

Trichomimastra nigroapicalis L. N. Medvedev, 2011; Vernate 30: 250

Gandaki 2
Nepal

***Zangastra nepalensis* Takizawa, 1988**

Zangastra nepalensis Takizawa, 1988; Entomological Revue of Japan 43 (1): 12

Bagmati, Janakpur 3, 4
Nepal

***Zangastra nitidicollis* S. H. Chen et Jiang, 1981**

Zangastra nitidicollis S. H. Chen, et Jiang, 1981; Insects of Xizang 1: 462

Bagmati, Janakpur 3, 4
Nepal

ALTICINAE

***Altica caerulea* (Olivier, 1791)**

Galeruca caerulea Olivier, 1791; Encyclopédie méthodique (1) 6, Insectes: 590

Haltica bicosta Shukla, 1960; *Haltica brevicosta* Weise, 1922; *Haltica indica* Shukla, 1960

Sagarmatha, Koshi, Mechi 2, 4
Nepal, India, China, Indonesia, Oriental region

Altica cyanea* (Weber, 1801)Galleruca cyanea* Weber, 1801; *Observationes entomologicae*: 57*Altica aenea* Olivier, 1808; *Haltica australis* Blackburn, 1889; *Haltica foveicollis* Jacoby, 1889; *Haltica ianthina* Illiger, 1807; *Altica nepalensis* Chûjô, 1966Karnali, Lumbini, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur,
Koshi, Mechi 1, 2, 3, 4

Widely distributed in South Asia, New Guinea, Australia

Altica himalayensis* (S. H. Chen, 1936)Haltica himalayensis* S. H. Chen, 1936; *Sinensia*, 7 (1): 80*Haltica himensis* Shukla, 1960Karnali, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi
1, 2, 3, 4, 5

Nepal, India, China

Amphimela indica* (Jacoby, 1896)Mantura indica* Jacoby, 1896 ; *Annales de la Société Entomologique de Belgique* 40: 269*Clitea indica* Jacoby, 1896

Koshi 1

Nepal, India

Amphimela picta* Baly, 1877Clitea picta* Baly, 1877; *The Transactions of the Entomological Society of London*: 287*Clitea inornata* S. H. Chen, 1933

Narayani, Koshi 1, 2

Nepal, India, Oriental region

Amphimela subgeminata* Kimoto, 2001Amphimela subgeminata* Kimoto, 2001; *Bulletin of the Kitakyushu Museum of Natural History and Human History* A, 3: 51

Koshi 1, 2, 3

Nepal

Aphthona albescens* (Motschulsky, 1866)Teinodactyla albescens* Motschulsky, 1866; *Bulletin de la Société Impériale des Naturalistes de Moscou* 39: 417*Aphthona opaca* Allard, 1889

(no data) (no data)

Nepal, China

Aphthona almorensis* Konstantinov et Lingafelter, 2002Aphthona almorensis* Konstantinov et Lingafelter, 2002; *The Entomological Society of Washington*: 42

Gandaki, Sagarmatha 4

Nepal, India

Aphthona andrewesi* Jacoby, 1896Aphthona andrewesi* Jacoby, 1896; *Annales de la Société Entomologique de Belgique* 40: 256*Aphthona punctata* Shukla, 1960

Karnali, Dhawalagiri, Gandaki, Bagmati, Mechi 2, 3, 4

Nepal, India

***Aphthona bombayensis* Scherer, 1969**

Aphthona bombayensis Scherer, 1969; Pacific Insects Monograph 22: 78

Aphthonotarsa brunnea L. N. Medvedev, 1984

Bagmati, Koshi, Mechi

1, 2, 3

Nepal, India

***Aphthona crypta* Scherer, 1969**

Aphthona crypta Scherer, 1969; Pacific Insects Monograph 22: 73

Bagmati

(no data)

Nepal, India

***Aphthona cyanipennis* Motschulsky, 1866**

Aphthona cyanipennis Motschulsky, 1866; Bulletin de la Société Impériale des Naturalistes de Moscou 39: 419

Aphthona flavicollis S.-Y. Wang, 1992; *Aphthona himalayana* S. H. Chen, 1934

(no data)

(no data)

Nepal, India, China

***Aphthona dhrubi* Konstantinov et Sprecher-Uebersax, 2005**

Aphthona dhrubi Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 184

Gandaki, Bagmati, Janakpur

2, 3

Nepal

***Aphthona dhunche* Konstantinov et Sprecher-Uebersax, 2005**

Aphthona dhunche Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 188

Bagmati

2, 3

Nepal

***Aphthona dobangensis* Kimoto, 2001**

Aphthona dobangensis Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 52

Koshi

3

Nepal

***Aphthona dohertyi* Jacoby, 1894**

Aphthona dohertyi Jacoby, 1894; Novitates Zoologicae 1: 287

(no data)

(no data)

Nepal, India

***Aphthona furthi* L. N. Medvedev, 1997**

Aphthona furthi L. N. Medvedev, 1997; Elytra 25 (1): 14

Bagmati

3

Nepal

***Aphthona gardneri* Bryant, 1941**

Aphthona gardneri Bryant, 1941; The Annals and Magazine of Natural History (11) 8: 412

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

2, 3

Nepal, India

Aphthona gerhardi* Konstantinov et Prathapan, 2008Aphthona gerhardi* Konstantinov et Prathapan, 2008; Coleopterists Bulletin 62: 385*Bhutajana nepalensis* Scherer, 1989

Bagmati

5

Nepal

Aphthona indica* Jacoby, 1900Aphthona indica* Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 120

Gandaki, Koshi, Mechi

1, 2, 3

Nepal, India

Aphthona indochinensis* S. H. Chen, 1934Aphthona indochinensis* S. H. Chen, 1934 ; Sinensia 5: 366*Aphthona malaysei* Bryant, 1939; *Aphthona violaceomicans* S. H. Chen, 1936

Gandaki, Mechi

2, 3

Nepal, India, Oriental region

Aphthona kanaraensis* Jacoby, 1896Aphthona kanaraensis* Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 255*Aphthona atriventris* Maulik, 1926; *Aphthona imitatrix* Lopatin, 1963

Gandaki

1

Nepal, India

Aphthona langtangi* Konstantinov et Sprecher-Uebersax, 2005Aphthona langtangi* Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 190

Bagmati

2, 3, 4

Nepal

Aphthona mariki* Konstantinov et Sprecher-Uebersax, 2005Aphthona mariki* Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 198

Narayani

1

Nepal

Aphthona martensi* (L. N. Medvedev, 1990)Aphthonaria martensi* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A 453: 38

Gandaki, Koshi

3

Nepal

Aphthona medvedevi* Konstantinov et Lingafelter, 2002Aphthona medvedevi* Konstantinov et Lingafelter, 2002; The Entomological Society of Washington: 121*Aphthona ovatipennis* L. N. Medvedev, 1992

Mechi

3, 4

Nepal

Aphthona mimica* L. N. Medvedev, 1997Aphthona mimica* L. N. Medvedev, 1997; Elytra 25 (2): 260

Koshi

(no data)

Nepal

***Aphthona mude* Konstantinov et Sprecher-Uebersax, 2005**

Aphthona mude Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 206

Bagmati, Janakpur 3
Nepal

***Aphthona nepalensis* L. N. Medvedev, 1984**

Aphthona nepalensis L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 52

Gandaki 3
Nepal

***Aphthona nigrilabris* Duvivier, 1892**

Aphthona nigrilabris Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 426

Longitarsus recticollis Jacoby, 1898; *Aphthona rubida* Chen, 1936

Narayani, Bagmati 1, 2
Nepal, India, Oriental region

***Aphthona phalchoki* Konstantinov et Sprecher-Uebersax, 2005**

Aphthona phalchoki Konstantinov et Sprecher-Uebersax, 2005; Mitteilungen der Schweizerischen Entomologischen Gesellschaft 78: 210

Bagmati 3
Nepal

***Aphthona piceipes* (Scherer, 1969)**

Asiatica piceipes Scherer, 1969; Pacific Insects Monograph 22: 125

Bagmati 2, 3
Nepal, Bhutan, India, China

***Aphthona pseudocrypta* Konstantinov, 1998**

Aphthona pseudocrypta Konstantinov, 1998; The Coleopterists Bulletin 52: 144

Gandaki 3
Nepal

***Aphthona schereri* Konstantinov, 1998**

Aphthona schereri Konstantinov, 1998; The Coleopterists Bulletin 52: 145

Karnali 4
Nepal

***Aphthona simlaensis* Konstantinov et Lingafelter, 2002**

Aphthona simlaensis Konstantinov et Lingafelter, 2002; The Entomological Society of Washington: 170

Gandaki 3
Nepal, India

***Aphthona singalilaensis* Konstantinov et Lingafelter, 2002**

Aphthona singalilaensis Konstantinov et Lingafelter, 2002; The Entomological Society of Washington: 171

Mechi 3
Nepal, India

Aphthona strigosa* Baly, 1874Aphthona strigosa* Baly, 1874; The Transactions of the Entomological Society of London: 197*Aphthona brancuccii* L.N. Medvedev, 1997; *Allomorpha glabrata* Jacoby, 1896; *Aphthona wallacei* Baly, 1877

Dhawalagiri

2

Nepal, China, Japan

Aphthonoides beroni* Gruev, 1985Aphthonoides beroni* Gruev, 1985; Entomological Revue of Japan 40 (1): 37

Bagmati

3

Nepal

Aphthonoides besucheti* Döberl, 1991Aphthonoides besucheti* Döberl, 1991; Revue suisse de Zoologie 98 (3): 617

Gandaki

3

Nepal

Aphthonoides carinipennis* Scherer, 1989Aphthonoides carinipennis* Scherer, 1989; Spixiana 12 (1): 33

Bagmati

3

Nepal

Aphthonoides himalayensis* L. N. Medvedev, 1984Aphthonoides himalayensis* L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 49

Gandaki, Bagmati, Janakpur, Mechi

3, 4

Nepal

Aphthonoides piceus* Scherer, 1989Aphthonoides piceus* Scherer, 1989; Spixiana 12: 34

Dhawalagiri

3

Nepal, India

Aphthonoides rotundipennis* Scherer, 1969Aphthonoides rotundipennis* Scherer, 1969; Pacific Insects Monograph 22: 33

Karnali, Koshi, Mechi

3

Nepal, India

Aphthonoides schereri* Döberl, 1991Aphthonoides schereri* Döberl, 1991; Revue suisse de Zoologie 98 (3): 618

Koshi

3

Nepal

Argopistes atricollis* S. H. Chen, 1934Argopistes atricollis* S. H. Chen, 1934; Sinensia 5 (3–4): 317*Argopistes nigricollis* Chen, 1940

Bagmati

2

Nepal, India

Argopistes flavus* S. H. Chen, 1934Argopistes flavus* S. H. Chen, 1934; Sinensia 5 (3–4): 317

Bagmati 2
Nepal

***Argopistoides sexpunctata* Scherer, 1987**

Torodera sexpunctata Scherer, 1987; Entomologische Arbeiten aus dem Museum G. Frey 35/36: 69
Janakpur 1, 2
Nepal, Bhutan, India

***Asiophrida marmorea* (Wiedemann, 1819)**

Haltica marmorea Wiedemann, 1819; Zoologisches Magazin 1 (3): 181
Dhawalagiri, Gandaki 1, 2
Nepal, India, Indonesia, Oriental region

***Asiophrida scaphoides* (Baly, 1865)**

Podontia scaphoides Baly, 1865; The Transactions of the Entomological Society of London 3, 2: 430
Ophrida binduta Maulik, 1926
Bagmati (no data)
Nepal, India, China, Oriental region

***Asutoshana ornata* L. N. Medvedev, 2011**

Asutoshana ornata L. N. Medvedev, 2011; Vernate 30: 254
Sagarmatha (no data)
Nepal

***Batophila alticola* Döberl, 2003**

Batophila alticola Döberl, 2003; Veröffentlichungen des Naturkundemuseums Erfurt 32: 149
Karnali 4
Nepal

***Batophila beroni* Gruev, 1990**

Batophila beroni Gruev, 1990; Acta Zoologica Bulgarica 39: 74
Gandaki, Bagmati 4
Nepal

***Batophila costata* Scherer, 1989**

Batophila costata Scherer, 1989; Spixiana 12 (1): 49
Koshi 1, 3, 4
Nepal, India

***Batophila femorata* Scherer, 1989**

Batophila femorata Scherer, 1989; Spixiana 12 (1): 50
Dhawalagiri, Bagmati 3, 4, 5
Nepal

***Batophila nepalica* Döberl, 2003**

Batophila nepalica Döberl, 2003; Veröffentlichungen des Naturkundemuseums Erfurt 32: 150
Dhawalagiri 3, 4
Nepal

Benedictus bagmati* Sprecher-Uebersax, Konstantinov, Prathapan et Döberl, 2009Benedictus bagmati* Sprecher-Uebersax et al., 2009; Biodiversität und Naturlausstattung im Himalaya 3, Erfurt: 368

Bagmati

3

Nepal

Benedictus elisabethae* Scherer, 1969Benedictus elisabethae* Scherer, 1969; Pacific Insects Monograph 22: 100

Koshi

3

Nepal, India

Benedictus flavicalli* Scherer, 1989Benedictus flavicalli* Scherer, 1989; Spixiana 12 (1): 38

Gandaki, Bagmati, Koshi

1, 2, 3, 4

Nepal, India

Benedictus lauribina* Sprecher-Uebersax, Konstantinov, Prathapan et Döberl, 2009Benedictus lauribina* Sprecher-Uebersax et al., 2009; Biodiversität und Naturlausstattung im Himalaya 3, Erfurt : 382

Bagmati

4

Nepal

Benedictus leoi* Scherer, 1989Benedictus leoi* Scherer, 1989; Spixiana 12 (1): 38*Himalalta brevicornis* L. N. Medvedev, 1990

Gandaki, Bagmati, Koshi

2, 3

Nepal, India

Benedictus medvedevi* Döberl, 1991Benedictus medvedevi* Döberl, 1991; Revue suisse de Zoologie 98 (3): 623

Bagmati

5

Nepal

Benedictus minutus* L. N. Medvedev, 1984Benedictus minutus* Medvedev, 1984; Senckenbergiana Biologica 65: 53*Himalalta striata* L. N. Medvedev, 1990

Bagmati, Janakpur, Koshi, Mechi

3, 4

Nepal

Benedictus shivalayanicus* Konstantinov et Sprecher-Uebersax, 2009Benedictus shivalayanicus* Konstantinov et Sprecher-Uebersax, 2009; Biodiversität und Naturlausstattung im Himalaya 3, Erfurt : 393

Janakpur

3

Nepal, India

Bhamoina varipes* (Jacoby, 1884)Eucycla varipes* Jacoby, 1884; Notes from the Leyden Museum 6: 210*Sphaeroderma varipennis* Jacoby, 1892

Bagmati, Janakpur

1, 2, 3

Nepal, India, Indonesia, Oriental region

***Bikasha atra* (L. N. Medvedev, 1992)**

Manobidia atra L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 28
 Gandaki, Bagmati, Mechi 1, 2, 3
 Nepal

***Bikasha intermedia* (S. H. Chen, 1934)**

Manobidia intermedia S. H. Chen, 1934; Sinensia 5: 359
 Gandaki, Bagmati, Mechi 1, 2
 Nepal, China, Oriental region

***Bikasha major* (Kimoto, 2001)**

Manobidia major Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 63
 Gandaki, Koshi 1, 2
 Nepal

***Bikasha minuta* (S. H. Chen, 1934)**

Aphthonomorpha minuta S. H. Chen, 1934; Sinensia 5: 357
 (no data) (no data)
 Nepal, Oriental region

***Bikasha nepalica* (L. N. Medvedev, 2007)**

Aphthonomorpha nepalica L. N. Medvedev, 2007; Entomologica Basiliensia et Collectionis Frey 29: 300
 Koshi 1
 Nepal

***Bikasha violaceipennis* (L. N. Medvedev, 1992)**

Manobia violaceipennis L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 27
 Gandaki, Koshi, Mechi 2, 3
 Nepal

***Chabriella minuta* L. N. Medvedev, 1990**

Chabriella minuta L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 35
 Mechi 4
 Nepal

***Chaetocnema alticola* Maulik, 1926**

Chaetocnema alticola Maulik, 1926; Fauna of British India: 217
 Dhawalagiri, Bagmati, Koshi 2, 4, 5
 Nepal, India

***Chaetocnema belli* Jacoby, 1904**

Chaetocnema belli Jacoby, 1904; Annales de la Société Entomologique de Belgique 48: 392
 Gandaki, Bagmati 3, 4
 Nepal, India

***Chaetocnema cognata* Baly, 1877**

Chaetocnema cognata Baly, 1877; The Transactions of the Entomological Society of London: 174
Chaetocnema squarrosa Baly, 1877

Gandaki, Koshi 2, 5
 Nepal, Bhutan, India, Oriental region

***Chaetocnema concinnicollis* (Baly, 1874)**

Plectroscelis concinnicollis Baly, 1874; The Transactions of the Entomological Society of London 1874: 208
Chaetocnema kaibarensis Madar, 1960; *Plectroscelis philoxena* Baly, 1876
 Dhawalagiri, Gandaki, Narayani, Bagmati, Koshi, 1, 2, 3
 Nepal, India, China, Japan, Oriental region

***Chaetocnema concinnipennis* (Baly, 1877)**

Chaetocnema concinnipennis Baly, 1877; The Transactions of the Entomological Society of London 1877: 170
 (no data) (no data)
 Nepal, India, China, Pakistan

***Chaetocnema cupreata* S. H. Chen, 1934**

Chaetocnema cupreata S. H. Chen, 1934; Sinensia 5: 249
 Janakpur (no data)
 Nepal, Oriental region

***Chaetocnema harita* Maulik, 1926**

Chaetocnema harita Maulik, 1926; Fauna of British India: 211
 (no data) (no data)
 Nepal, India

***Chaetocnema kumaonensis* Scherer, 1969**

Chaetocnema kumaonensis Scherer, 1969; Pacific Insects Monograph 22: 158
 Gandaki, Bagmati, Koshi, Mechi 1, 2, 3
 Nepal, India

***Chaetocnema nepalensis* Scherer, 1969**

Chaetocnema nepalensis Scherer, 1969; Pacific Insects Monograph 22: 159
 Dhawalagiri, Gandaki, Janakpur, Koshi 1, 2, 3
 Nepal

***Chaetocnema rahlensis* Shukla, 1960**

Chaetocnema rahlensis Shukla, 1960; The Agra University Journal of Research (Science) 9: 77
 (no data) 3
 Nepal, China, India

***Chaetocnema shanensis* Bryant, 1939**

Chaetocnema shanensis Bryant, 1939; Arkiv för Zoologi 31 A (21): 16
 Janakpur (no data)
 Nepal, Oriental region

***Chaetocnema singala* Maulik, 1926**

Chaetocnema singala Maulik, 1926; Fauna of British India: 212
 Bagmati 2
 Nepal, India, Oriental region

Chaetocnema assamensis* Scherer, 1969Chaetocnema assamensis* Scherer, 1969; Pacific Insects Monograph 22: 161

Gandaki, Mechi

1, 2

Nepal

Chaetocnema excavata* L. N. Medvedev, 1997Chaetocnema excavata* L. N. Medvedev, 1997; Elytra 25 (1): 21

Koshi

2

Nepal

Chaetocnema gracilis* (Motschulsky, 1858)Tlanoma gracilis* Motschulsky, 1858; Etudes Entomologiques 7: 107*Chaetocnema indica* Weise, 1916; *Chaetocnema minuta* Jacoby, 1896

Bagmati

2

Nepal, India, Oriental region

Chaetocnema himalayana* L. N. Medvedev, 1993Chaetocnema himalayana* L. N. Medvedev, 1993; Entomologica Basiliensia 16: 372

Bagmati, Janakpur, Mechi

1, 2, 3

Nepal

Chaetocnema nigricea* (Motschulsky, 1858)Tlanoma nigricea* Motschulsky, 1858; Etudes Entomologiques 7: 106*Chaetocnema basalis* Baly, 1877; *Chaetocnema geniculata* Jacoby, 1896; *Chaetocnema gestroi* Jacoby, 1889;*Chaetocnema parvula* Baly, 1877

(no data)

(no data)

Nepal, Bhutan, India, China, Japan

Chaetocnema puncticollis* (Motschulsky, 1858)Tlanoma puncticollis* Motschulsky, 1858; Etudes entomologiques 3: 107*Chaetocnema chaldeola* Jacoby, 1885; *Plectroscelis discreta* Baly, 1876; *Plectroscelis granulifrons* Baly, 1876; *Chaetocnema kalika* Maulik, 1926

Koshi

2

Nepal, India, China, Japan

Chalaenaria viridis* L. N. Medvedev, 2003Chalaenaria viridis* L. N. Medvedev, 2003; Biodiversität und Naturausstattung im Himalaya 1 Erfurt : 321

Janakpur

2

Nepal

Clavicornaltica himalayensis* L. N. Medvedev, 1984Clavicornaltica himalayensis* L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 56

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 3, 4

Nepal

Clavicornaltica takizawai* Döberl, 2009Clavicornaltica takizawai* Döberl, 2009; Vernate 28: 414

Koshi

2, 3

Nepal

***Cleonica unicolor* L. N. Medvedev, 2004**

Cleonica unicolor L. N. Medvedev, 2004; Veröffentlichungen des Naturkundemuseums Erfurt 23: 204
 Gandaki 2
 Nepal

***Eudolia nepalica* L. N. Medvedev, 1990**

Eudolia nepalica L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 39
 Sagarmatha, Koshi 2, 3
 Nepal

***Euphitrea foveicollis* Jacoby, 1893**

Euphitrea foveicollis Jacoby, 1893; The Transactions of the Entomological Society of London: 149
 Bagmati 3
 Nepal, India

***Euphitrea laboissierei* (S. H. Chen, 1933)**

Neorthaea laboissierei S. H. Chen, 1933; Bulletin de la Société Entomologique de France 38: 94
 (no data) (no data)
 Nepal, Oriental region

***Euphitrea subglobosa* (Hope, 1831)**

Coccinella subglobosa Hope, 1831; Gray, Zoological Miscellany 1: 31
 Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3
 Nepal, India, Indonesia, Oriental region

***Glaucosphaera cyanea* (Duvivier, 1892)**

Amphimela cyanea Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 420
Hemipyxis nepalensis Chûjô, 1966
 Dhawalagiri, Koshi, Mechi 2, 3
 Nepal, India, Oriental region

***Halticorcus himalayensis* (Basu et SenGupta, 1981)**

Schenklingia himalayensis Basu et SenGupta, 1981; Oriental Insects 15 (3): 265
 Karnali 2
 Nepal, India

***Hemipyxis caenotes* (Maulik, 1926)**

Sebaethe caenotes Maulik, 1926; Fauna of British India: 401
 Dhawalagiri 2
 Nepal, China, Oriental region

***Hemipyxis castaneipennis* (Scherer, 1969)**

Sebaethe castaneipennis Scherer, 1969; Pacific Insects Monograph 22: 193
 Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur 2, 3
 Nepal, Bhutan, India

***Hemipyxis elongata* (Jacoby, 1892)**

Sebaethe elongata Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 922
Sebaethe foveifrons Chen, 1933

Karnali, Dhawalagiri 2
Nepal, Bhutan, India, China, Oriental region

***Hemipyxis indica* (S.-H. Chen, 1933)**

Sebaethe indica S.-H. Chen, 1933 ; Bulletin du Muséum National d'Histoire Naturelle Paris (2) 5: 455
Bagmati 1, 2
Nepal, India

***Hemipyxis intermedia* (Jacoby, 1903)**

Sebaethe intermedia Jacoby, 1903; Annales de la Société Entomologique de Belgique 47: 105
(no data) (no data)
Nepal, Oriental region

***Hemipyxis ioscopa* (Maulik, 1926)**

Sebaethe ioscopa Maulik, 1926; Fauna of British India: 390
Sebaethe semicaerulea Bryant, 1939; *Sebaethe tonkinensis* Chen, 1933
Bagmati 2
Nepal, China, Oriental region

***Hemipyxis montivaga* (Maulik, 1926)**

Sebaethe montivaga Maulik, 1926; Fauna of British India: 399
Karnali, Dhawalagiri, Bagmati, Janakpur, Koshi, Mechi 1, 2, 3, 4
Nepal, China, Oriental region

***Hemipyxis moseri* (Weise, 1922)**

Sebaethe moseri Weise, 1922; Tijdschrift voor Entomologie 65: 114
Sebaethe fleutiauxi Chen, 1933; *Sebaethe iobaphes* Maulik, 1926
Koshi 2
Nepal, India, China, Oriental region

***Hemipyxis neelys* (Maulik, 1926)**

Sebaethe neelys Maulik, 1926; Fauna of British India: 401
(no data) (no data)
Nepal, Oriental region

***Hemipyxis nigricornis* (Baly, 1877)**

Sebaethe nigricornis Baly, 1877; The Transactions of the Entomological Society of London 1877: 164
(no data) (no data)
Nepal, China, Oriental region

***Hemipyxis patkaia* (Maulik, 1926)**

Sebaethe patkaia Maulik, 1926; Fauna of British India: 402
Gandaki, Bagmati, Koshi 1, 2, 3
Nepal, Bhutan, India

***Hemipyxis pingala* (Maulik, 1926)**

Sebaethe pingala Maulik, 1926; Fauna of British India: 402
Koshi 2
Nepal

Hemipyxis schereri* Döberl, 2007Hemipyxis schereri* Döberl, 2007; Russian Entomological Journal 16: 91

Gandaki, Bagmati, Koshi

2, 3

Nepal, India, Oriental region

Hemipyxis troglodytes* (Olivier, 1808)Altica troglodytes* Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 156*Sebaethe bicolor* Weise, 1922; *Sebaethe fulvipennis* Baly, 1877; *Sebaethe pallidipennis* Baly, 1879

Gandaki, Bagmati

1, 2

Nepal, India, China, Oriental region

Hermaeophaga* (s. str.) *flavitarsa* Döberl, 1991Hermaeophaga flavitarsa* Döberl, 1991; Revue suisse de Zoologie 98: 619

Bagmati

1

Nepal

Hermaeophaga hanoiensis* (S. H. Chen, 1934)Lactica hanoiensis* (S. H. Chen, 1934); Sinensia 5: 379*Orthocrepis kuluensis* Scherer, 1969

Mechi

3

Nepal, India

Hermaeophaga* (*Orthocrepis*) *ruficollis* (P. H. Lucas, 1849)Altica ruficollis* P. H. Lucas, 1849; Histoire naturelle des animaux articulés 2: 546*Hermaeophaga bamakoensis* Bechyné, 1955; *Hermaeophaga suturalis* Brancsik, 1899

(no data)

(no data)

widely distributed in South-Europe, Asia, Africa

Hespera bhutanensis* Scherer, 1979Hespera bhutanensis* Scherer, 1979; Entomologica Basiliensia 4: 128

Gandaki, Bagmati

2, 3

Nepal, Bhutan

Hespera cyanea* Maulik, 1926Hespera cyanea* Maulik, 1926; Fauna of British India: 140

Gandaki, Bagmati, Koshi, Mechi

3, 4

Nepal, India, China, Oriental region

Hespera dakshina* Maulik, 1926Hespera dakshina* Maulik, 1926; Fauna of British India: 145

(no data)

(no data)

Nepal, India

Hespera dasytoides* L. N. Medvedev, 1992Hespera dasytoides* L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 22

Bagmati

2

Nepal

Hespera flaviventris* L. N. Medvedev 1997Hespera flaviventris* L. N. Medvedev 1997; Elytra 25 (1): 13

Karnali

3

Nepal

Hespera fulvimembris* Kung et S. H. Chen, 1954Hespera fulvimembris* Kung et S. H. Chen, 1954; Acta Entomologica Sinica 4: 157, 162

(no data)

(no data)

Nepal, Oriental region

Hespera krishna* Maulik, 1926Hespera krishna* Maulik, 1926; Fauna of British India: 144*Hespera nepalensis* Chûjô, 1966

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi

2, 3, 4

Nepal, India, Oriental region

Hespera kumaonensis* Scherer, 1969Hespera kumaonensis* Scherer, 1969; Pacific Insects Monograph 22: 47

Bagmati, Janakpur

(no data)

Nepal, India

Hespera lomasa* Maulik, 1926Hespera lomasa* Maulik, 1926; Fauna of British India: 142*Hespera auripilosa* S. H. Chûjô, 1936; *Hespera formosana* S. H. Chûjô, 1936; *Hespera insulana* S. H. Chûjô, 1936; *Hespera loochooana* S. H. Chûjô, 1957; *Hespera rufotibialis* S. H. Chûjô, 1936; *Hespera sericea* Jacoby, 1892

Koshi

2

Nepal, China, Japan, Oriental region

Hespera metallica* Scherer, 1969Hespera metallica* Scherer, 1969; Pacific Insects Monograph 22: 41

Bagmati

3

Nepal, India

Hespera mimica* L. N. Medvedev, 1993Hespera mimica* L. N. Medvedev, 1993; Entomologica Basiliensia 16: 367

Karnali

3

Nepal, Bhutan

Hespera naini* Scherer, 1969Hespera naini* Scherer, 1969; Pacific Insects Monograph 22: 45

(no data)

2

Nepal, India

Hespera nepalica* L. N. Medvedev, 2003Hespera nepalica* L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt : 321

Karnali

3

Nepal

***Hespera nigriceps* L. N. Medvedev, 1992**

Hespera nigriceps L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A (485): 22
 Gandaki 4
 Nepal

***Hespera nigripes* Maulik, 1926**

Hespera nigripes Maulik, 1926; Fauna of British India: 143
 Bagmati, Janakpur 3
 Nepal, India

***Hespera punctata* S. H. Chen, 1932**

Hespera punctata S. H. Chen, 1932; Bulletin de la Société Entomologique de France 37: 196
 Gandaki 2
 Nepal, India

***Hespera rufipes* Maulik, 1926**

Hespera rufipes Maulik, 1926; Fauna of British India: 139
 (no data) (no data)
 Nepal, India

***Hespera schawalleri* L. N. Medvedev, 1990**

Hespera schawalleri L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 26
 Mechi, Koshi 3
 Nepal

***Hespera sericea* Weise, 1889**

Hespera sericea Weise, 1889; Horae Societatis Entomologicae Rossicae 23: 639
 Gandaki, Bagmati, Koshi, Mechi 2, 3
 Nepal, Bhutan, India, China, Oriental region

***Hespera strigiceps* Kimoto, 2001**

Hespera strigiceps Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 57
 Dhawalagiri, Koshi 2, 3
 Nepal

***Hespera violaceipennis* Scherer, 1969**

Hespera violaceipennis Scherer, 1969; Pacific Insects Monograph 22: 43
 Narayani, Bagmati 2
 Nepal, India

***Hespera viridis* S. H. Chen, 1936**

Hespera viridis S. H. Chen, 1936; Sinensia 7: 597
 Narayani, Bagmati 2
 Nepal, India, China, Oriental region

***Hyphasis anaimalaiensis* Scherer, 1969**

Hyphasis anaimalaiensis Scherer, 1969; Pacific Insects Monograph 22: 179

Bagmati 2
Nepal, India

***Hyphasis atricornis* S. H. Chen, 1936**

Hyphasis atricornis Chen, 1936; Sinensia 7: 595

Hyphasis nigricornis Baly, 1878

Karnali, Dhawalagiri, Narayani, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, Bhutan, India, Oriental region

***Hyphasis discipennis* (Jacoby, 1903)**

Hyphasoma discipennis Jacoby, 1903 ; Annales de la Société Entomologique de Belgique 47: 112

Gandaki, Bagmati 2
Nepal, India

***Hyphasis fulvicornis* Jacoby, 1905**

Hyphasis fulvicornis Jacoby, 1905 ; Fasciculi Malayenses (Zoology , Appendix) 2: 4

Bagmati 1
Nepal, China, Oriental region

***Hyphasis fuscipennis* (Weise, 1922)**

Sebaethe fuscipennis Weise, 1922 ; Tijdschrift voor Entomologie 65: 115

Dhawalagiri, Bagmati 3
Nepal, Oriental region

***Hyphasis indica* Baly, 1879**

Hyphasis indica Baly, 1879 ; Cistula Entomologica 2: 442

Hyphasis distincta Jacoby, 1892

Karnali, Dhawalagiri, Koshi 2, 3
Nepal, India, Oriental region

***Hyphasis inornata* Jacoby, 1892**

Hyphasis inornata Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 937

Dhawalagiri 1, 2, 3
Nepal, India, Oriental region

***Hyphasis limbatipennis* Jacoby, 1889**

Hyphasis limbatipennis Jacoby, 1889; Annali del Museo Civico di Storia Naturale di Genova 27: 197

Bagmati 2, 3
Nepal, Bhutan, India, Oriental region

***Hyphasis magica* (Harold, 1877)**

Oedionychis magica Harold, 1877; Deutsche Entomologische Zeitschrift 21: 433

Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2, 3, 4
Nepal, Bhutan, India, Pakistan, Oriental region

***Hyphasis parvula* Jacoby, 1884**

Hyphasis parvula Jacoby, 1884; Notes from the Leyden Museum 6: 29

Hyphasis feai Jacoby, 1889; *Hyphasis moseri* Weise. 1922

Koshi, Mechi, Koshi 1, 2
Nepal, India, Oriental region

***Ivalia andreevi* (Gruev, 1985)**

Taizonia andreevi Gruev, 1985; Entomological Revue of Japan 40 (1): 42

Bagmati 2
Nepal

***Ivalia doeberli* (L. N. Medvedev, 2003)**

Taizonia doeberli L. N. Medvedev, 2003; Biodiversität und Naturausstattung im Himalaya 1, Erfurt: 321

Koshi 2
Nepal

***Ivalia fulva* (L. N. Medvedev, 1993)**

Taizonia fulva L. N. Medvedev, 1993; Entomologica Basiliensia 16: 366

Koshi 4
Nepal, India

***Ivalia loebli* (Döberl, 1991)**

Taizonia loebli Döberl, 1991; Revue suisse de Zoologie 98 (3): 633

Koshi 2
Nepal

***Ivalia martensi* (L. N. Medvedev, 1984)**

Schereria martensi L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 61

Gandaki, Bagmati 2, 3
Nepal

***Ivalia minima* (Scherer, 1969)**

Chabria minima Scherer, 1969; Pacific Insects Monograph 22: 217

Karnali, Gandaki, Narayani, Bagmati, Koshi, Mechi 2, 3, 4, 5
Nepal, India

***Ivalia nigrina* Döberl, 2010**

Ivalia nigrina Döberl, 2010; Vernate 28: 416

Bagmati, Koshi 2, 3
Nepal

***Ivalia schereri* (L. N. Medvedev, 1990)**

Taizonia schereri L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 34

Koshi 2
Nepal

***Ivalia sexmaculata* (Kimoto et Takizawa, 2002)**

Amphimeloides sexmaculatus Kimoto et Takizawa, 2002; Bulletin of the Natural Science Museum Tokyo A 28 (3): 143

Koshi 2
Nepal

***Jacobyana nepalica* L. N. Medvedev, 1990**

Jacobyana nepalica L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 25
Gandaki, Bagmati, Koshi, Mechi 1, 2, 3
Nepal

***Lesagealtica laurenti* Döberl, 2009**

Lesagealtica laurenti Döberl, 2009; Vernate 28: 417
Lumbini, Narayani, Bagmati 1, 2
Nepal, China

***Letzuella himalayana* (L. N. Medvedev et Sprecher-Uebersax, 1997)**

Aphthona himalayana L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 234
Letzuella sprecherae Döberl, 2001
Dhawalagiri, Bagmati 2, 3, 4
Nepal

***Lipromela variipennis* (L. N. Medvedev, 1990)**

Lipraria variipennis L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 38
Karnali, Dhawalagiri, Koshi, Mechi 2, 3
Nepal

***Lipromorpha aptera* L. N. Medvedev, 1992**

Lipromorpha aptera L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A 485: 27
Mechi 4
Nepal

***Lipromorpha assamensis* Maulik, 1926**

Lipromorpha assamensis Maulik, 1926; Stuttgarter Beiträge zur Naturkunde A (485)
Mechi 4
Nepal, India

***Lipromorpha variabilis* Scherer, 1969**

Lipromorpha variabilis Scherer, 1969; Pacific Insects Monograph 22: 96
Koshi, Mechi 2, 3
Nepal, Bhutan, India, China

***Liprus caraboides* (L. N. Medvedev, 1990)**

Asiorella caraboides L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 31
Koshi 3
Nepal

***Loeblaltica antennalis* (L. N. Medvedev, 1984)**

Benedictus antennalis L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 53
Gandaki 3
Nepal

***Loeblaltica decorata* Scherer, 1989**

Loeblaltica decorata Scherer, 1989; Spixiana 12: 41

Mechi 3
Nepal, India

***Loeblaltica gerhardi* (L. N. Medvedev, 1984)**

Benedictus gerhardi L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 55
Koshi, Mechi 3, 4
Nepal, India, Oriental region

***Longitarsus almorae* Maulik, 1926**

Longitarsus almorae Maulik, 1926; Fauna of British India: 342
Longitarsus krishna Maulik, 1926
Gandaki, Bagmati 3
Nepal, India, China, Oriental region

***Longitarsus apricus* Warchalowski, 1966**

Longitarsus apricus Warchalowski, 1966; Polskie Pismo Entomologiczne 36: 104
Gandaki, Bagmati, Koshi, Mechi 2, 3
Nepal, India, Oriental region

***Longitarsus belgaumensis* Jacoby, 1896**

Longitarsus belgaumensis Jacoby, 1896 ; Annales de la Société Entomologique de Belgique 40: 260
Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, India, China, Oriental region

***Longitarsus birmanicus* Jacoby, 1892**

Longitarsus birmanicus Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 921
Dhawalagiri 2
Nepal, India, China, Oriental region

***Longitarsus championi* Maulik, 1926**

Longitarsus championi Maulik, 1926; Fauna of British India: 358
Bagmati, Koshi, Mechi 1, 2, 3
Nepal, India, Oriental region

***Longitarsus cheni* Scherer, 1969**

Longitarsus cheni Scherer, 1969; Pacific Insects Monograph 22: 62
Sagarmatha 3
Nepal, India

***Longitarsus chitwana* L. N. Medvedev, 2000**

Longitarsus chitwana L. N. Medvedev, 2000; Stuttgarter Beiträge zur Naturkunde A 616: 19
Narayani 1
Nepal

***Longitarsus cyanipennis* Bryant, 1924**

Longitarsus cyanipennis Bryant, 1924; The Annals and Magazine of Natural History (9) 14: 249
Karnali, Dhawalagiri, Gandaki, Bagmati, Sagarmatha, Koshi, Mechi 1, 2, 3, 4
Nepal, India, China

Longitarsus gerhardschereri* Gruev, 1995Longitarsus gerhardschereri* Gruev, 1995; Memorie della Società Entomologica Italiana 74: 49*Longitarsus bengalensis* Döberl, 2001; *Longitarsus kimotoi* Scherer, 1969

(no data)

(no data)

Nepal, India

Longitarsus godmani* (Baly, 1876)Thyamis godmani* Baly, 1876; The Transactions of the Entomological Society of London: 583*Longitarsus daovantieni* Warchalowski, 1966; *Longitarsus subniger* S. H. Chen, 1939

Bagmati, Gandaki

3

Nepal, China, Russia, Oriental region

Longitarsus gola* Maulik, 1926Longitarsus gola* Maulik, 1926; Fauna of British India: 353

(no data)

(no data)

Nepal, India, Pakistan

Longitarsus gressitti* Scherer, 1969Longitarsus gressitti* Scherer, 1969; Pacific Insects Monograph 22: 63

Karnali, Bagmati, Janakpur, Mechi

2, 3, 4

Nepal, India

Longitarsus hartmanni* L. N. Medvedev, 2004Longitarsus hartmanni* L. N. Medvedev, 2004; Veröffentlichungen des Naturkundemuseums Erfurt 23: 204

Karnali

3

Nepal

Longitarsus hedini* S.-H. Chen, 1934Longitarsus hedini* S.-H. Chen, 1934; Arkiv för Zoologi 27A (5): 10

(no data)

(no data)

Nepal, India, China

Longitarsus himalayensis* S.-H. Chen, 1935Longitarsus himalayensis* S.-H. Chen, 1935; Bulletin de la Société Entomologique de France 40: 77

Mechi

4

Nepal, India

Longitarsus hina* Maulik, 1926Longitarsus hina* Maulik, 1926; Fauna of British India: 347

Dhawalagiri, Narayani, Bagmati

1, 2

Nepal, India

Longitarsus hoberlandti* Lopatin, 1990Longitarsus hoberlandti* Lopatin, 1990 ; Entomologicheskoe Obozrenie 69: 601

(no data)

2, 3

Nepal, India, Tajikistan, Iran

Longitarsus hsienweni* S.-H. Chen, 1939Longitarsus hsienweni* S.-H. Chen, 1939 ; Sinensia 10 (1/6): 44

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi 2, 3
Nepal, Bhutan, India, China, Oriental region

***Longitarsus impressus* Döberl, 2009**

Longitarsus impressus Döberl, 2009; Vernate 28: 418

Narayani, Bagmati 1, 2
Nepal

***Longitarsus indigonaceus* Lopatin, 1963**

Longitarsus indigonaceus Lopatin, 1963; Annales Historico-Naturales Musei Nationalis Hungarici 55: 366

Longitarsus warchalovskii Scherer, 1969

Dhawalagiri 1, 2, 3
Nepal, India, China, Afghanistan

***Longitarsus langtangensis* Gruev, 1990**

Longitarsus langtangensis Gruev, 1990; Entomological Revue of Japan 45 (1): 61

Bagmati 3, 4
Nepal

***Longitarsus malina* Maulik, 1926**

Longitarsus malina Maulik, 1926; Fauna of British India: 349

(no data) (no data)
Nepal, India, Oriental region

***Longitarsus nepalensis* Gruev, 1988**

Longitarsus nepalensis Gruev, 1988; Entomological Revue of Japan 43(2): 101

Longitarsus flavicollis L. N. Medvedev, 1993

Sagarmatha 3
Nepal, Pakistan

***Longitarsus ochraceicornis* Maulik, 1926**

Longitarsus ochraceicornis Maulik, 1926; Fauna of British India: 353

Bagmati, Mechi 1, 2, 3
Nepal, Oriental region

***Longitarsus ochroleucus* (Marsham, 1802)**

Chrysomela ochroleucus Marsham, 1802; Entomologia Britannica 1: 202

Longitarsus albellis Duméril, 1816; *Longitarsus cognatus* Wollaston, 1860

Bagmati 2
Nepal, China, Turkey, widely distributed in Europe

***Longitarsus piceus* (Kimoto, 2001)**

Tegyrius piceus Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 66

Koshi 3
Nepal

***Longitarsus puncti* Maulik, 1926**

Longitarsus puncti Maulik, 1926; Fauna of British India: 350

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 1, 2, 3, 4
Nepal, India, Oriental region

***Longitarsus rangoonensis* (Jacoby, 1892)**

Longitarsus rangoonensis Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 920
Longitarsus kophir Lopatin, 1966; *Longitarsus madurensis* Jacoby, 1896; *Longitarsus manilensis* Weise, 1913;
Longitarsus puncticeps S.-H. Chen, 1939; *Longitarsus suturellinus* Csiki, 1939; *Longitarsus suturellus*
Motschulsky, 1866

Bagmati 2
Nepal, India, China, Afghanistan, Oriental region

***Longitarsus sari* Maulik, 1926**

Longitarsus sari Maulik, 1926; Fauna of British India: 350

Koshi 3
Nepal, India

***Longitarsus stragulatoides* Gruev, 1990**

Longitarsus stragulatoides Gruev, 1990; Entomological Revue of Japan 45 (1): 62

Dhawalagiri 2
Nepal

***Longitarsus succineus* (Foudras, 1860)**

Teinodactyla succineus Foudras, 1860; Annales de la Société Linnaeusienne de Lyon 6: 330
Thyamis amicus Baly, 1874; *Longitarsus arakii* Chûjô, 1942; *Longitarsus ovalis* Gentner, 1926; *Longitarsus*
perfectus Weise, 1893

Dhawalagiri 3
Nepal, widely distributed in the Palearctic region

***Longitarsus sundara* Maulik, 1926**

Longitarsus sundara Maulik, 1926; Fauna of British India: 356

Bagmati, Koshi 1, 2, 3
Nepal, India

***Longitarsus thamensis* Gruev, 1990**

Longitarsus thamensis Gruev, 1990; Acta Zoologica Bulgarica 39: 73

Sagarmatha 4
Nepal

***Longitarsus weisei* Guillebeau, 1895**

Longitarsus weisei Guillebeau, 1895; Bulletin de la Société Entomologique de France 21: 387
Longitarsus maassi Hubenthal, 1898

Mechi 4
Nepal, China, Central Asia, South Europe

***Luperomorpha basantapurica* (Kimoto, 2001)**

Aphthona basantapurica Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human
History A, 3: 52

Lumbini 3
Nepal

Luperomorpha birmanica* (Jacoby, 1892)Aphthona birmanica* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 920*Luperomorpha bipustulata* S.-H. Chen, 1933

Dhawalagiri

1

Nepal, Bhutan, India, China, Japan, Oriental region

Luperomorpha caerulea* Bryant, 1939Luperomorpha caerulea* Bryant, 1939; Arkiv för Zoologi 31A (21): 18

Gandaki

2

Nepal, Oriental region

Luperomorpha hirsuta* L. N. Medvedev, 1997Luperomorpha hirsuta* L. N. Medvedev, 1997; Elytra 25 (1): 14

Bagmati

3

Nepal

Luperomorpha metallica* S.-H. Chen, 1935Luperomorpha metallica* S.-H. Chen, 1935; Bulletin de la Société Entomologique de France 40: 78

Koshi, Mechi

2, 3

Nepal, Bhutan, India, China

Luperomorpha nepalensis* L. N. Medvedev, 1984Luperomorpha nepalensis* L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 51

Bagmati, Mechi

2, 3

Nepal

Luperomorpha nepalica* Kimoto, 2001Luperomorpha nepalica* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 60

Dhawalagiri

3

Nepal

Luperomorpha nigripennis* Duvivier, 1892Luperomorpha nigripennis* Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 428*Phyllotreta flaviventris* Jacoby, 1896; *Luperomorpha weisei* Jacoby, 1898

Gandaki, Bagmati

2

Nepal, India, Pakistan

Luperomorpha schmidtii* Medvedev, 2004Luperomorpha schmidtii* Medvedev, 2004; Veröffentlichungen des Naturkundemuseum Erfurt 23: 204

Gandaki

3

Nepal

Luperomorpha joachimi* Sprecher-Uebersax, nom.nov.Luperomorpha schmidtii* Medvedev, 2009*Luperomorpha joachimi* Sprecher-Uebersax, nom.nov. for *L. schmidtii* L. N. Medvedev, 2009, Vernate 28: 412[nec *Luperomorpha schmidtii* L. N. Medvedev, 2004].

Gandaki

3

Nepal

Mandarella birmanica* Bryant, 1954Mandarella birmanica* Bryant, 1954; Arkiv för Zoologi (2) 6 (18): 419

Karnali, Dhawalagiri, Koshi, Mechi

3

Nepal, Bhutan, Oriental region

Mandarella flavipes* (L. N. Medvedev, 1990)Paramesopa flavipes* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 28

Mechi

3

Nepal

Mandarella itoi* Chûjô, 1966Mandarella itoi* Chûjô, 1966; Memories of the Faculty of Education Kagawa University (2) 145: 16

Mechi

4

Nepal

Mandarella nagpurensis* Duvivier, 1892Mandarella nagpurensis* Duvivier, 1892 ; Annales de la Société Entomologique de Belgique 36: 434

Bagmati

3

Nepal, Oriental region

Mandarella violacea* (L. N. Medvedev, 1984)Paramesopa violacea* L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 49

Bagmati, Koshi, Mechi

2, 3, 4

Nepal

Manobia bhutanensis* Scherer, 1979Manobia bhutanensis* Scherer, 1979; Entomologica Basiliensia 4: 134

Mechi

3

Nepal, Bhutan

Manobia krishna* Scherer, 1969Manobia krishna* Scherer, 1969; Pacific Insects Monograph 22: 106

Gandaki, Koshi, Mechi

1, 2, 3

Nepal, India

Manobia merkli* L. N. Medvedev, 1997Manobia merkli* L. N. Medvedev, 1998; Acta Zoologica Academiae Scientiarum Hungaricae 43: 207

Dhawalagiri, Bagmati, Koshi, Mechi

2, 3

Nepal, India

Manobia nigra* (Scherer, 1969)Microcrepis nigra* Scherer, 1969; Pacific Insects Monograph 22: 121

Janakpur

(no data)

Nepal, India, China

Manobia parvula* (Baly, 1874)Crepidodera parvula* Baly, 1874; The Transactions of the Entomological Society of London: 195

Karnali, Bagmati, Sagarmatha

2, 3

Nepal, Japan, Oriental region

***Manobia shimai* Kimoto, 2001**

Manobia shimai Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 62

Koshi 1
Nepal

***Mantura nepala* L. N. Medvedev, 2004**

Mantura nepala L. N. Medvedev, 2004; Veröffentlichungen des Naturkundemuseums Erfurt 23: 205

Bagmati 2
Nepal

***Maulika bengalica* Lopatin, 1984**

Maulika bengalica Lopatin, 1984; Annales Historico-Naturales Musei Nationalis Hungarici 76: 198

(no data) (no data)
Nepal

***Maulika cornuta* L. N. Medvedev, 1999**

Maulika cornuta L. N. Medvedev, 1999; Russian Entomological Journal 7: 156

Karnali 3
Nepal

***Maulika emarginata* (S.-H. Chen et S.-Y. Wang, 1987)**

Pentamesa emarginata S.-H. Chen, et S.-Y. Wang, 1987; Agricultural insects, spiders, plant diseases and weeds of Xizang 2: 59, 62

Bagmati 3
Nepal, China

***Microcrepis apterus* (L. N. Medvedev, 1984)**

Martensomela aptera L. N. Medvedev, 1984; Senckenbergiana Biologica 65: 62

Janakpur, Mechi 4
Nepal

***Microcrepis besucheti* (Scherer, 1989)**

Nepalicropis besucheti Scherer, 1989; Spixiana 12: 45

Janakpur, Koshi 3
Nepal, India

***Microcrepis brunneus* (L. N. Medvedev, 1990)**

Nepalicropis brunneus L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 36

Gandaki, Koshi 3, 4
Nepal

***Microcrepis castaneus* (Gruev, 1990)**

Nepalicropis castaneus Gruev, 1990; Entomological Review of Japan 45: 63

Gandaki, Koshi 3, 4
Nepal

***Microcrepis himalayensis* (Döberl, 1991)**

Nepalicropis himalayensis Döberl, 1991; Revue suisse de Zoologie 98 (3): 624

Koshi 3
Nepal

***Microcrepis loebli* (Scherer, 1989)**

Nepalicropis loebli Scherer, 1989; Spixiana 12: 44
Gandaki, Bagmati 3
Nepal

***Microcrepis politus* S.-H. Chen, 1933**

Microcrepis politus S.-H. Chen, 1933; Bulletin du Muséum National d'Histoire Naturelle Paris 5: 449
Nepalicropis darjeelingensis Scherer, 1969
Koshi, Mechi 1, 2, 3
Nepal, India

***Microcrepis schereri* (Döberl, 1991)**

Nepalicropis schereri Döberl, 1991; Revue suisse de Zoologie 98 (3): 625
Dhawalagiri 4
Nepal

***Microcrepis smetanai* (Scherer, 1989)**

Nepalicropis smetanai Scherer, 1989; Spixiana 12: 43
Koshi 3, 4
Nepal

***Minota himalayensis* Scherer, 1989**

Minota himalayensis Scherer, 1989; Spixiana 12: 51
Koshi 3
Nepal, India

***Minota nepalensis* Döberl, 2007**

Minota nepalensis Döberl, 2007; Spixiana 12: 51
Koshi 3
Nepal, India

***Neocrepidodera arunachalensis* (Basu, 1991)**

Asiolestia arunachalensis (Basu, 1991); Records of the Zoological Survey of India 89: 123, 125
Koshi 3
Nepal, India

***Neocrepidodera himalayana* (L. N. Medvedev et Sprecher-Uebersax, 1997)**

Asiolestia himalayana L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 233
Dhawalagiri, Koshi 2, 3
Nepal, India

***Neocrepidodera irrorata* (L. N. Medvedev, 1997)**

Asiolestia irrorata L. N. Medvedev, 1997; Elytra 25 (1): 19
Janakpur 1, 2
Nepal

Neocrepidodera naini* (Scherer, 1969)Asiolestia naini* Scherer, 1969; Spixiana 12, 1: 51

Koshi

Nepal, India

3

Neocrepidodera nepalica* (L. N. Medvedev, 1990)Asiolestia nepalica* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 32

Koshi

Nepal

4

Neocrepidodera schenklingi* (Csiki, 1939)Crepidodera schenklingi* Csiki, 1939; Coleopterorum Catalogus 166: 298*Crepidodera sublaevis* Chen, 1935

Gandaki, Koshi, Mechi

Nepal, India

4, 5

Neocrepidodera thoracica* (L. N. Medvedev, 1990)Asiolestia thoracica* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 31

Bagmati, Koshi

Nepal

5

Neocrepidodera wittmeri* (L. N. Medvedev, 1997)Asiolestia wittmeri* L. N. Medvedev, 1997; Elytra 25 (1): 17

Bagmati

Nepal

2

Nisotra apicefulva* Bryant, 1941Nisotra apicefulva* Bryant, 1941; The Annals and Magazine of Natural History (11) 8: 410

(no data)

Nepal, Oriental region

(no data)

Nisotra chrysomeloides* Jacoby, 1885Nisotra chrysomeloides* Jacoby, 1885; Annali del Museo Civico di Storia Naturale di Genova (2) 2: 36

Bagmati, Koshi

Nepal, India, China, Oriental region

2

Nisotra dohertyi* (Maulik, 1926)Podagrica dohertyi* Maulik, 1926; Fauna of British India: 280

Mechi

Nepal, China, Oriental region

2

Nisotra gemella* (Erichson, 1834)Haltica gemella* Erichson, 1834; Nova Acta Physico-Medica Academia Caesarea Leopoldina Carolinae Naturae Curiosorum 16 (Supplementum): 275*Nisotra bowringi* Baly, 1876; *Podagrica hibisci* Bryant, 1941; *Sphaeroderma javana* Motschulsky, 1866; *Sphaeroderma orbiculata* Motschulsky, 1866

Karnali, Lumbini, Narayani, Bagmati, Janakpur

Nepal, widely distributed in whole South Asia on Malvaceae

1, 2

Nisotra nigripes* Jacoby, 1894Nisotra nigripes* Jacoby, 1894; Novitates Zoologicae 1: 293

Dhawalagiri

2

Nepal, China, Oriental region

Nisotra unicolor* Harold, 1879Nisotra unicolor* Harold, 1879; Coleopterologische Hefte 16: 231

Dhawalagiri

2

Nepal, Oriental region

Nonarthra birmanica* (Jacoby, 1892)Enneamera birmanica* Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova 32: 935*Nonarthra dakshina* Maulik, 1926; *Nonarthra dhumala* Maulik, 1926

Bagmati

2, 3

Nepal, Bhutan, India, China, Oriental region

Nonarthra variabilis* Baly, 1862Nonarthra variabilis* Baly, 1862; The Journal of Entomology 1: 456*Nonarthra albofasciata* Duvivier, 1892; *Nonarthra amamiana* Chûjô, 1957; *Enneamera apicalis* Jacoby 1889;*Enneamera ceylonensis* Jacoby, 1887; *Nonarthra flavomarginata* Chûjô, 1957; *Nonarthra formosensis* Chûjô, 1935; *Enneamera scutellata* Jacoby, 1900

Karnali, Bheri, Dhawalagiri, Lumbini, Gandaki, Bagmati, Janakpur, Sagarmatha, Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India, China, Afghanistan, Japan, Oriental region

Novascuta paradoxa* (L. N. Medvedev, 1997)Ascuta paradoxa* L. N. Medvedev, 1997; Zoologicheskij Zhurnal 76 (10): 1219

Sagarmatha

(no data)

Nepal

Novofoudrasia rufiventris* (Weise, 1900)Foudrasia rufiventris* Weise, 1900; Archiv für Naturgeschichte 1: 291*Griva cyanipennis* Jacoby, 1900

Mechi

3

Nepal, Afghanistan, Tajikistan, Uzbekistan, Kazakhstan

Orestia schawalleri* L. N. Medvedev, 2000Orestia schawalleri* L. N. Medvedev, 2000; Stuttgarter Beiträge zur Naturkunde A 616: 22

Karnali

3, 4, 5

Nepal, India

Orthaltica assamensis* (Scherer, 1971)Livolia assamensis* Scherer, 1971; Entomologische Arbeiten aus dem Museum G. Frey 22: 26

Gandaki, Mechi, Koshi, Mechi

1, 2, 3

Nepal, India

Paraminota lamprosomoides* (L. N. Medvedev, 1990)Schawalleria lamprosomoides* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 35

Mechi

4

Nepal

Paraminota lauribina* Konstantinov, 2002Paraminota lauribina* Konstantinov, 2002; Journal of the New York Entomological Society 110: 245

Gandaki, Bagmati

4, 5

Nepal

Paraminota minima* Scherer, 1989Paraminota minima* Scherer, 1989; Spixiana 12 (1): 53

Gandaki, Bagmati

4, 5

Nepal

Paraminotella nepalensis* (Döberl, 1991)Paraminotella nepalensis* Döberl, 1991; Revue suisse de Zoologie 98 (3): 629

Bagmati

3, 4, 5

Nepal

Paraminotella nigrita* Döberl et Konstantinov, 2003Paraminotella nigrita* Döberl et Konstantinov, 2003; Coleopterists Bulletin 57: 214

Karnali

4

Nepal

Parathrylaea apicipennis* Duvivier, 1892Parathrylaea apicipennis* Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 421

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

2, 3

Nepal, India, China, Oriental region

Parathrylaea tuckuchensis* (Kimoto et Takizawa, 1973)Acrocrypta tuckuchensis* Kimoto et Takizawa, 1973; Kontyû 41: 177

Karnali, Dhawalagiri, Lumbini, Gandaki, Bagmati, Koshi, Mechi

2, 3

Nepal

Pentamesa duodecimmaculata* Harold, 1876Pentamesa duodecimmaculata* Harold, 1876; Coleopterologische Hefte 15: 124*Pentamesa generosa* Weise, 1895

Karnali, Gandaki

3, 4

Nepal, India, Tajikistan, Siberia

Pentamesa guttata* Weise, 1895Pentamesa guttata* Weise, 1895; Deutsche Entomologische Zeitschrift: 334*Pentamesa trigrapha* Maulik, 1926

Bagmati, Koshi

3, 4

Nepal, Bhutan, India

Pentamesa haroldi* (Baly, 1876)Argopus haroldi* Baly, 1876; The Transactions of the Entomological Society of London: 439

(no data)

(no data)

Nepal, India, China

Pentamesa scripta* L. N. Medvedev, 1997Pentamesa scripta* L. N. Medvedev, 1997; Elytra 25 (2): 263

Koshi 2
Nepal

***Pentamesa subfasciata* Weise, 1895**

Pentamesa subfasciata Weise, 1895; Deutsche Entomologische Zeitschrift: 333
Karnali, Dhawalagiri, Gandaki 1, 2, 3
Nepal, India

***Phygasia hookeri* Baly, 1876**

Phygasia hookeri Baly, 1876; The Transactions of the Entomological Society of London: 445
(no data) (no data)
Nepal, Bhutan, India, China

***Phygasia quadriplagiata* Scherer, 1969**

Phygasia quadriplagiata Scherer, 1969; Pacific Insects Monograph 22: 114
Dhawalagiri 1, 2
Nepal, India

***Phygasia silacea* (Illiger, 1807)**

Haltica silacea Illiger, 1807; Magazin für Insektenkunde 6: 121
Phygasia indica Jacoby, 1898; *Phygasia unicolor* Olivier, 1808
Narayani, Koshi 1, 2
Nepal, India, China

***Phyllotreta chotanica* Duvivier, 1892**

Phyllotreta chotanica Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 426
Karnali, Gandaki, Bagmati, Janakpur, Koshi, Mechi 3, 4
Nepal, India, China, Pakistan

***Phyllotreta striolata* (Illiger, 1803)**

Crioceris striolata Illiger, 1803; Magazin für Insektenkunde 2: 293
Phyllotreta atrivittata Chittenden, 1927; *Phyllotreta descendens* Weise, 1888; *Phyllotreta lineolata* Chittenden, 1927; *Phyllotreta monticola* Weise, 1888; *Haltica sinuata* L. Redtenbacher, 1849; *Aphthona strigula* Montrouzier, 1864; *Phyllotreta vernicosa* Chittenden, 1927; *Crioceris vittata* Fabricius, 1801
Bagmati 2, 4
Nepal, India, China, Japan, Indonesia, Oriental region, Holarctic region

***Podagrica aeneipennis* L. N. Medvedev, 1990**

Podagrica aeneipennis L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 39
Mechi 2, 3
Nepal

***Podagrica altica* (Shukla, 1960)**

Podagrica altica Shukla, 1960; The Agra University of Journal Research (Science) 9: 84
Mechi 2, 3, 4
Nepal, India

***Podagricomela grossa* L. N. Medvedev, 2002**

Podagricomela grossa L. N. Medvedev, 2002; Russian Entomological Journal 11: 212

Gandaki 2
Nepal

***Podagricomela striatipennis* (Jacoby, 1884)**

Sphaeroderma striatipennis Jacoby, 1884; Notes from the Leyden Museum 6: 35
Amphimela apicalis Kimoto, 2000; *Notomela apicipennis* Jacoby, 1905

Koshi 1
Nepal, China, Oriental region

***Podagricomela viridicyanea* L. N. Medvedev et Sprecher-Uebersax, 1997**

Podagricomela viridicyanea L. N. Medvedev et Sprecher-Uebersax, 1997; Coleoptera 1: 235

Karnali 2
Nepal

***Podontia quatuordecimpunctata* (Linnaeus, 1767)**

Chrysomela quatuordecimpunctata Linnaeus, 1767; Systema naturae per regna tria naturae 12: 599
Goniocтена quatordecimpunctata L. Redtenbacher, 1844

Bagmati 2, 3
Nepal, India, Pakistan, Oriental region

***Pseudodera fulva* L. N. Medvedev, 1997**

Pseudodera fulva L. N. Medvedev, 1997; Elytra 25 (2): 261

Gandaki 2
Nepal

***Pseudodera himalayensis* Scherer, 1969**

Pseudodera himalayensis Scherer, 1969; Pacific Insects Monograph 22: 140

Dhawalagiri, Janakpur, Koshi 3
Nepal, India

***Pseudodera laeta* L. N. Medvedev, 1997**

Pseudodera laeta L. N. Medvedev, 1997; Elytra 25 (1): 19

Koshi 2
Nepal

***Pseudodera orientalis* Baly, 1877**

Pseudodera orientalis Baly, 1877; The Transactions of the Entomological Society of London: 286

Gandaki 2
Nepal, India, Oriental region

***Psylliodes altimontana* L. N. Medvedev, 2003**

Psylliodes altimontana L. N. Medvedev, 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 322

Bagmati 2
Nepal

***Psylliodes brettegami* Baly, 1862**

Psylliodes brettegami Baly, 1862; The Journal of Entomology 1: 457

Psylliodes cucurbitae Gressitt, 1955; *Psylliodes difficilis* Baly, 1874; *Psylliodes fulvipes* Jacoby, 1896;
Psylliodes gigantea Chûjô, 1935; *Psylliodes howensis* Lea, 1929; *Psylliodes illigeri* Perroud, 1864;
Psylliodes lubricata Blackburn, 1896; *Psylliodes novaecaledoniae* Baly, 1876; *Psylliodes sera* Jacobson,
1922; *Psylliodes solanae* Broun, 1910; *Psylliodes vitiensis* Bryant, 1925

Bagmati 2
Widely distributed in South Asia

***Psylliodes globosa* Nadein, 2007**

Psylliodes globosa Nadein, 2007; Entomologica Basiliensia et Collectionis Frey 29: 318

Gandaki 4
Nepal

***Psylliodes gruevi* Döberl, 2009**

Psylliodes gruevi Döberl, 2009; Vernate 28: 419

Bagmati 2, 3
Nepal

***Psylliodes plana* Maulik, 1926**

Psylliodes plana Maulik, 1926; Fauna of British India: 128

Koshi 3
Nepal, India, China, Oriental region

***Psylliodes semicnemis* Gruev, 1990**

Psylliodes semicnemis Gruev, 1990; Entomological Revue of Japan 45 (1): 64

Bagmati 3
Nepal

***Psylliodes shira* Maulik, 1926**

Psylliodes shira Maulik, 1926; Fauna of British India: 128

(no data) (no data)
Nepal, India

***Psylliodes tenebrosa* Jacoby, 1896**

Psylliodes tenebrosa Jacoby, 1896; Annales de la Société Entomologique de Belgique 40: 269

Karnali, Dhawalagiri, Gandaki, Bagmati, Mechi 2, 3, 4
Nepal, India, Pakistan

***Psylliodes viridana* Motschulsky, 1858**

Psylliodes viridana Motschulsky, 1858; Etudes entomologiques 7: 108

Bagmati (no data)
Nepal, India, Oriental region

***Sphaerochabria nepalica* L. N. Medvedev, 1999**

Sphaerochabria nepalica L. N. Medvedev, 1999; Veröffentlichungen des Naturkundemuseums Erfurt 1999: 187

Bagmati 2
Nepal

***Sphaeroderma birmanica* Jacoby, 1892**

Sphaeroderma birmanica Jacoby, 1892; Annali del Museo Civico di Storia Naturale di Genova, (2) 12 (32): 927

Gandaki, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, Oriental region

***Sphaeroderma brevicorne* Jacoby, 1900**

Sphaeroderma brevicorne Jacoby, 1900; Mémoires de la Société Entomologique de Belgique 7: 124
(no data) (no data)

Nepal, Pakistan

***Sphaeroderma darjeelingense* Scherer, 1969**

Sphaeroderma darjeelingensis Scherer, 1969; Pacific Insects Monograph 22: 210

Dhawalagiri, Koshi, Mechi

1, 2

Nepal, India

***Sphaeroderma doeberli* L. N. Medvedev, 1997**

Sphaeroderma doeberli L. N. Medvedev, 1997; Elytra 25 (1): 15

Mechi

2, 3

Nepal, India

***Sphaeroderma fulvum* Motschulsky, 1866**

Sphaeroderma fulva Motschulsky, 1866; Bulletin de la Société Impériale des Naturalistes de Moscou 39 (1): 421

Karnali, Dhawalagiri, Gandaki, Bagmati

2, 3

Nepal, India

***Sphaeroderma kimotoi* Scherer, 1969**

Sphaeroderma kimotoi Scherer, 1969; Pacific Insects Monograph 22: 206

(no data)

2

Nepal, India

***Sphaeroderma kolibaci* Medvedev, 2009**

Sphaeroderma kolibaci Medvedev, 2009; Vernate 28: 411

Bagmati

2

Nepal

***Sphaeroderma kuroashi* Kimoto, 2000**

Sphaeroderma kuroashi Kimoto, 2000; Bulletin of the Institute of Comparative Studies of International Cultures and Societies 26: 153

Sphaeroderma nigripes Chen, 1934

Dhawalagiri, Janakpur, Sagarmatha, Koshi

1, 2, 3, 4

Nepal, India, China, Oriental region

***Sphaeroderma luteipenne* Weise, 1922**

Sphaeroderma luteipenne Weise, 1922; Tijdschrift voor Entomologie 65: 118

Sagarmatha

3

Nepal, Oriental region

***Sphaeroderma mandarensense* Jacoby, 1900**

Sphaeroderma mandarensense Jacoby, 1900; Entomologische Zeitung Stettin 40: 275

(no data)

(no data)

Nepal, Oriental region

Sphaeroderma monticola* Scherer, 1969Sphaeroderma monticola* Scherer, 1969; Pacific Insects Monograph 22: 207

Sagarmatha

Nepal, China

2

Sphaeroderma nakanishii* Kimoto, 2001Sphaeroderma nakanishii* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 66

Dhawalagiri

Nepal

3

Sphaeroderma nepalense* Bryant, 1952Sphaeroderma nepalensis* Bryant, 1952; The Annals and Magazine of Natural History (12) 5: 606

Karnali, Gandaki, Bagmati, Janakpur, Sagarmatha

Nepal

2, 3

Sphaeroderma nigripes* S. H. Chen, 1934Sphaeroderma nigripes* S. H. Chen, 1934; Sinensia 5: 329

Dhawalagiri, Janakpur, Sagarmatha, Koshi

Nepal, India, Oriental region

1, 2, 3, 4

Sphaeroderma orientale* Jacoby, 1887Sphaeroderma orientale* Jacoby, 1887; Proceedings of the Scientific Meeting of the Zoological Society of London: 92

Bagmati

Nepal, Oriental region

2

Sphaeroderma pallidipes* Scherer, 1969Sphaeroderma pallidipes* Scherer, 1969; Pacific Insects Monograph 22: 208

(no data)

Nepal, India

3

Sphaeroderma pseudoapicale* L. N. Medvedev, 1997Sphaeroderma pseudoapicale* L. N. Medvedev, 1997; Elytra 25 (1): 16

Dhawalagiri

Nepal, Oriental region

2

Sphaeroderma pygmaeum* Döberl, 2001Sphaeroderma pygmaeum* Döberl, 2001; Serangga 6: 383*Sphaeroderma minutissimum* L. N. Medvedev, 1997

Koshi

Nepal

2

Sphaeroderma schereri* L. N. Medvedev, 1997Sphaeroderma schereri* L. N. Medvedev, 1997; Elytra 25 (2): 261

Koshi

Nepal

2

Sphaeroderma seminigrum* Jacoby, 1899Sphaeroderma seminigrum* Jacoby, 1899; Entomologische Zeitung Stettin 40: 275

Dhawalagiri, Bagmati, Koshi

2, 3

Nepal, China, Indonesia, Oriental region

Sphaeroderma sexmaculatum* L. N. Medvedev, 2007Sphaeroderma sexmaculatum* L. N. Medvedev, 1997; Entomologica Basiliensia et Collectionis Frey 29: 300

Narayani

1

Nepal

Stenoluperus minor* Kimoto, 1977Stenoluperus minor* Kimoto, 1977; Entomologica Basiliensia 2: 364

Gandaki, Janakpur, Mechi

3, 4

Nepal, Bhutan

Stenoluperus nigricornis* L. N. Medvedev, 2000Stenoluperus nigricornis* L. N. Medvedev, 2000; Stuttgarter Beiträge zur Naturkunde A 616: 17*Stenoluperus emotoi* Kimoto, 2001

Dhawalagiri, Koshi

2, 3

Nepal

Stenoluperus punctatus* Takizawa, 1988Stenoluperus punctatus* Takizawa, 1988; Kontyû 56 (3): 542

Dhawalagiri, Bagmati, Koshi

2, 3, 4

Nepal

Stenoluperus smetanai* Takizawa, 1988Stenoluperus smetanai* Takizawa, 1988; Kontyû 56 (3): 544

Dhawalagiri, Gandaki, Bagmati, Koshi,

2, 3, 4

Nepal

Stenoluperus thundamensis* Kimoto, 2001Stenoluperus thundamensis* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 47

Koshi

3, 4

Nepal

Stenoluperus verticalis* Kimoto, 1977Stenoluperus verticalis* Kimoto, 1977; Entomologica Basiliensia 2: 365

Koshi

3

Nepal, Bhutan

Trachytetra aptera* (L. N. Medvedev, 1992)Zipangia aptera* L. N. Medvedev, 1992; Stuttgarter Beiträge zur Naturkunde A 485: 29

Mechi

4

Nepal

Trachytetra bicolora* (L. N. Medvedev, 1990)Zipangia bicolora* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 41

Koshi 2, 3
Nepal

***Trachytetra castanea* (S. H. Chen, 1935)**

Amydus castaneus S. H. Chen, 1935; Bulletin de la Société Entomologique de France 40: 77

Amydus gibbicollis Döberl, 1991; *Amydus nepalensis* Scherer, 1989

Gandaki, Bagmati, Koshi, Mechi 2, 3, 4
Nepal, India

***Trachytetra cerambycina* (Scherer, 1969)**

Zipangia cerambycina Scherer, 1969; Pacific Insects Monograph 22: 83

Bagmati, Koshi 1, 2, 3, 4
Nepal, India

***Trachytetra fulvicornis* (Scherer, 1979)**

Zipangia fulvicornis Scherer, 1979; Entomologica Basiliensia 4: 479

Koshi, Mechi 2, 3
Nepal, India

***Trachytetra hiunchulii* (Sprecher-Uebersax, 2000)**

Trachyapthona hiunchulii Sprecher-Uebersax, 2000; Entomologica Basiliensia 22: 204

Dhawalagiri 2, 3
Nepal

***Trachytetra micans* (Scherer, 1969)**

Zipangia micans Scherer, 1969; Pacific Insects Monograph 22: 84

Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi 2, 3
Nepal, Bhutan, India

***Trachytetra montana* (Bryant, 1939)**

Apthona montana Bryant, 1939; Arkiv för Zoologi 31A (21): 14

Koshi 2, 3
Nepal, China, Oriental region

***Trachytetra nepala* (Gruev, 1990)**

Zipangia nepala Gruev, 1990; Entomological Revue of Japan 45 (1): 64

Karnali 3
Nepal

***Trachytetra subcostata* (L. N. Medvedev, 1990)**

Zipangia subcostata L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 40

Koshi 3
Nepal

***Xuthea (Paraxuthea) pallida* L. N. Medvedev, 1997**

Xuthea pallida L. N. Medvedev, 1997; Elytra 25 (1): 20

Bagmati 2
Nepal

Xuthea* (s. str.) *coerulea* L. N. Medvedev, 1997Xuthea coerulea* L. N. Medvedev, 1997; Elytra 25 (1): 20

Janakpur

3, 4

Nepal

Xuthea* (s. str.) *nepalensis* Scherer, 1989Xuthea nepalensis* Scherer, 1983; Entomologische Arbeiten aus dem Museum G. Frey 31/32: 157

Bagmati, Janakpur

3, 4, 5

Nepal

Xuthea* (s. str.) *orientalis* Baly, 1865Xuthea orientalis* Baly, 1865; The Annals and Magazine of Natural History (3) 16: 249

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi

1, 2, 3

Nepal, Bhutan, India, China, Oriental region

Yetialtica* *besucheti* Döberl, 1991Yetialtica besucheti* Döberl, 1991; Revue suisse de Zoologie 98 (3): 627

Bagmati

3, 4

Nepal

HISPINAE***Agonita* *laeta* L. N. Medvedev et Sprecher-Uebersax, 1999***Agonita laeta* L. N. Medvedev et Sprecher-Uebersax, 1999; Entomologica Basiliensia 21: 369

Dhawalagiri

2, 3

Nepal, India

Agonita* *maculigera* (Gestro, 1888)Gonophora maculigera* Gestro, 1888; Annali del Museo Civico di Storia Naturale di Genova: 131

Gandaki, Bagmati

1

Nepal, China, Oriental region

Agonita* *nepalica* L. N. Medvedev 2003Agonita nepalica* L. N. Medvedev 2003; Biodiversität und Naturlausstattung im Himalaya 1, Erfurt: 322

Narayani

1

Nepal

Agonita* *pallidipennis* (Maulik, 1919)Agonia pallidipennis* Maulik, 1926; Fauna of British India: 135

Koshi

1

Nepal, India

Agonita* *saundersi* (Baly, 1858)Gonophora saundersi* Baly, 1858; Catalogue of Hispinae in the collection of the British Museum London: 110

Koshi

1

Nepal, India

Amblispa laevigata* (Guérin-Méneville, 1844)Microrhopala laevigata* Guérin, 1844; Iconographie du Règne Animal 3, Insectes: 278

Koshi

2

Nepal, India, Pakistan, Oriental region

Anisodera fraterna* Baly, 1888Anisodera fraterna* Baly, 1888; Annali del Museo Civico di Storia Naturale di Genova: 655

Gandaki

2

Nepal, India, China, Oriental region

Asamangulia tuberculosa* (Motschulsky, 1860)Acmenychus tuberculosus* Motschulsky 1861; Schrenck, Reisen und Forschungen im Amur-Lande 2: 239*Asamangulia cuspidata* Maulik, 1915; *Asamangulia dreesi* Uhmman, 1954

(no data)

(no data)

Nepal, India, Afghanistan

Callispa feae* Baly, 1888Callispa feae* Baly, 1888; Annali del Museo Civico di Storia Naturale di Genova (2) 6: 654

Koshi, Mechi

1, 2, 3

Nepal, China, Oriental region

Callispa himalayana* L. N. Medvedev, 1993Callispa himalayana* L. N. Medvedev, 1993; Entomologica Basiliensia 16: 375

Bagmati

2

Nepal, India

Callispa montivaga* Maulik, 1919Callispa montivaga* Maulik, 1919; Fauna of British India: 63

Dhawalagiri

1, 2

Nepal, India

Callispa weigeli* L. N. Medvedev, 2009Callispa weigeli* L. N. Medvedev, 2009; Vernate 28: 412

Gandaki

2

Nepal

Dactylispa* (s. str.) *albopilosa* (Gestro, 1888)Hispa albopilosa* Gestro, 1888; Annali del Museo Civico di Storia Naturale di Genova: 181*Dactylispa discicollis*, Gestro, 1890; *Dactylispa kamaruga* Maulik 1919; *Dactylispa maculata* Gestro, 1890;*Dactylispa soror* Weise, 1897

Bagmati, Koshi

2

Nepal, India, Pakistan, Oriental region

Dactylispa* (s. str.) *anula* Maulik, 1919Dactylispa anula* Maulik, 1919; Fauna of British India: 243

Dhawalagiri, Bagmati, Koshi, Mechi

1, 2, 3

Nepal, India

***Dactylispa* (s. str.) *atkinsoni* (Gestro, 1897)**

Hispa atkinsoni Gestro, 1897; Annali del Museo Civico di Storia Naturale di Genova 38: 132
 Karnali, Dhawalagiri, Bagmati, Koshi, Mechi 2, 3
 Nepal, India, China

***Dactylispa* (s. str.) *corpulenta* Weise, 1897**

Dactylispa corpulenta Weise, 1897; Deutsche Entomologische Zeitschrift: 132
 (no data) (no data)
 Nepal, India, China

***Dactylispa* (s. str.) *doriae* (Gestro, 1890)**

Hispa doriae Gestro, 1890; Annali del Museo Civico di Storia Naturale di Genova 30: 256
 Janakpur, Koshi 2, 3
 Nepal, India, Oriental region

***Dactylispa* (s. str.) *elegantula* (Duvivier, 1892)**

Hispa elegantula Duvivier, 1892; Annales de la Société Entomologique de Belgique 36: 447
 Bagmati 2
 Nepal, India

***Dactylispa* (s. str.) *humeralis* Weise, 1905**

Dactylispa humeralis Weise, 1905; Deutsche Entomologische Zeitschrift: 120
 Bagmati, Koshi 2, 3
 Nepal, India

***Dactylispa* (s. str.) *lohita* Maulik, 1919**

Dactylispa lohita Maulik, 1919; Fauna of British India: 197
 Karnali, Narayani, Janakpur, Sagarmatha 1, 2, 3
 Nepal, Bhutan, India, China

***Dactylispa* (s. str.) *nigripennis* (Motschulsky, 1860)**

Hispa nigripennis Motschulsky, 1860; Schrenck, Reisen und Forschungen im Amur-Lande: 239
 (no data) (no data)
 Nepal, India

***Dactylispa* (s. str.) *pectinata* L. N. Medvedev, 1997**

Dactylispa pectinata L. N. Medvedev, 1997; Elytra 25 (2): 267
 Gandaki 2
 Nepal

***Dactylispa* (s. str.) *pradhana* Maulik, 1919**

Dactylispa pradhana Maulik, 1919; Fauna of British India: 244
 Sagarmatha 3
 Nepal, India

***Dactylispa* (s. str.) *praefica* Weise, 1897**

Dactylispa praefica Weise, 1897; Deutsche Entomologische Zeitschrift: 135
 Koshi, Mechi 2
 Nepal, India

Dactylispa* (s. str.) *variabilis* Maulik, 1919Dactylispa variabilis* Maulik, 1919; Fauna of British India: 212

Dhawalagiri

(no data)

Nepal, India, China, Oriental region

Dactylispa* (s. str.) *xanthopus* (Gestro, 1898)Hispa xanthopus* Gestro, 1898; Természtrajzi Füzetek: 262

Bagmati, Koshi

2, 3

Nepal, India

Dactylispa* (*Platypriella*) *platyacantha* (Gestro, 1897)Hispa platyacantha* Gestro, 1897; Annali del Museo Civico di Storia Naturale di Genova (2) 18: 126

Koshi

2

Nepal, China, Oriental region

Dactylispa* (*Platypriella*) *platycanthoides* Kimoto, 2001Dactylispa platycanthoides* Kimoto, 2001; Bulletin of the Kitakyushu Museum of Natural History and Human History A, 3: 69

Dhawalagiri, Koshi

2

Nepal

Dactylispa* (*Triplispa*) *brevispinosa* (Chapuis, 1877)Hispa brevispinosa* Chapuis, 1877; Annales de la Société Entomologique de Belgique 20: 56*Dactylispa peregrina* Maulik, 1926

Karnali, Dhawalagiri, Bagmati, Janakpur, Koshi, Mechi

2, 3, 4

Nepal, Bhutan, India, China, Pakistan, Oriental region

Dactylispa* (*Triplispa*) *chinensis* Weise, 1905Dactylispa chinensis* Weise, 1905; Archiv für Naturgeschichte 71: 102*Dactylispa bindusara* Maulik, 1919; *Dactylispa gestroi* Gressitt, 1938; *Dactylispa insulicola* Chûjô, 1933

Bagmati

2

Nepal, India, China, Pakistan

Dactylispa* (*Triplispa*) *confluens* (Baly, 1890)Hispa confluens* Baly, 1889; Annales de la Société Entomologique de France (6) 9: 490*Dactylispa vestita* Maulik, 1919

Karnali

2

Nepal, Oriental region

Dactylispa* (*Triplispa*) *filicornis* Motschulsky, 1860Dactylispa filicornis* Motschulsky, 1860; Schrenck, Reisen und Forschungen im Amur-Lande: 239

(no data)

(no data)

Nepal, India

Dactylispa* (*Triplispa*) *harsha* Maulik, 1919Dactylispa harsha* Maulik, 1919; Fauna of British India: 188

Bagmati

2

Nepal, India

Dactylispa (Triplispa) higoniae* Lewis, 1896Hispa higoniae* Lewis, 1896 ; The Annals and Magazine of Natural History 17: 342*Dactylispa asoka* Maulik, 1919; *Dactylispa corpulentina* Uhmman, 1927

Dhawalagiri, Bagmati, Koshi, Mechi

1, 2, 3

Nepal, India

Dactylispa (Triplispa) parbatya* Maulik, 1919Dactylispa parbatya* Maulik, 1919; Fauna of British India: 204

Koshi

3

Nepal, India, China, Oriental region

Dicladispa area* (Gestro, 1897)Hispa aerea* Gestro, 1897; Annali del Museo Civico di Storia Naturale di Genova 18: 125

(no data)

1

Nepal, India

Dicladispa armigera* (Olivier, 1808)Hispa armigera* Olivier, 1808; Entomologie ou histoire naturelle des insectes 6: 763*Hispa aenescens* Baly, 1887; *Hispa semicyanea* Pic, 1932; *Dicladispa yunusi* Abdullah et Qureshi, 1969

(no data)

(no data)

Nepal, India, China, Pakistan, Indonesia, Oriental region

Downesia atrata* Baly, 1869Downesia atrata* Baly, 1869; The Transactions of the Entomological Society of London : 377

Koshi

3

Nepal, India, China, Oriental region

Downesia gestroi* Baly, 1888Downesia gestroi* Baly, 1888; Annali del Museo Civico di Storia Naturale di Genova (2) 6: 660

Koshi

2

Nepal, India, China, Oriental region

Downesia sasthi* Maulik, 1923Downesia sasthi* Maulik, 1923; Proceedings of the Zoological Society of London: 600

Koshi

2

Nepal, India, Oriental region

Estigmena chinensis* Hope, 1840Estigmena chinensis* Hope, 1840; The Coleopterists Manual 3: 175

Gandaki, Narayani, Koshi

1, 2

Nepal, India, China, Indonesia, Oriental region

Gonophora pulchella* Gestro, 1888Gonophora pulchella* Gestro, 1888; Annali del Museo Civico di Storia Naturale di Genova (2) 6: 176*Gonophora bengalensis* Weise, 1908; *Gonophora clermonti* Pic, 1927; *Gonophora vitalisi* Pic, 1930

Dhawalagiri

2

Nepal, India, China, Pakistan, Oriental region

Hispa andrewesi* Weise, 1897Hispa andrewesi* Weise, 1897; Deutsche Entomologische Zeitschrift: 126*Hispa singhalensis* Maulik, 1919

Bagmati, Janakpur

2

Nepal, India, China, Indonesia, Oriental region

Hispa ramosa* Gyllenhal, 1817Hispa ramosa* Gyllenhal, 1817; Synonymia Insectorum 3: 6

Koshi

1, 2

Nepal, India, China, Indonesia, Oriental region

Jambhala necula* Würmli, 1975Jambhala necula* Würmli, 1975; Entomologica Basiliensia 1: 377

Bagmati

3

Nepal, Bhutan

Lasiochila cylindrica* (Hope, 1831)Trogosita cylindrica* Hope, 1831; Gray, Zoological Miscellany 1: 27

Dhawalagiri, Gandaki, Bagmati, Koshi

2

Nepal, India, China, Oriental region

Lasiochila excavata* (Baly, 1858)Anisodera excavata* Baly, 1858; Catalogue of Hispinae in the collection of the British Museum London: 105

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi

2

Nepal, India, China, Oriental region

Lasiochila imitans* Uhmman, 1951Lasiochila imitans* Uhmman, 1951; The Annals and Magazine of Natural History (12) 4: 74

Bagmati, Sagarmatha

2, 3

Nepal, India

Leptispa atrata* Baly, 1869Leptispa atrata* Baly, 1869; The Transactions of the Entomological Society of London: 377

(no data)

(no data)

Nepal, Oriental region

Leptispa gestroi* Baly, 1888Leptispa gestroi* Baly, 1888; Annali del Museo Civico di Storia Naturale di Genova (2) 6: 660

(no data)

(no data)

Nepal, Oriental region

Leptispa pygmaea* Baly, 1858Leptispa pygmaea* Baly, 1858; Catalogue of Hispinae in the collection of the British Museum London: 2

Bagmati

2

Nepal, India, China, Oriental region

Oncocephala tuberculata* (Olivier, 1792)Hispa tuberculata* Olivier, 1792; Encyclopédie méthodique (1) 7, Insectes: 99

Dhawalagiri, Mechi 1, 2
Nepal, India, Pakistan

***Platypria echidna* (Guérin-Méneville, 1840)**

Hispa echidna Guérin-Méneville, 1840; Revue Zoologique par la Société Cuvierienne 3: 139
(no data) (no data)
Nepal, India, Pakistan, Japan, Oriental region

***Platypria erinacea* (Fabricius, 1801)**

Hispa erinacea Fabricius, 1801; Systema Eleutheratorum 2: 59
Platypria andrewesi Weise, 1904
Mechi 2
Nepal, India, Pakistan

***Platypria hystrix* (Fabricius, 1798)**

Hispa hystrix Fabricius, 1798; Supplementum entomologicae systematicae: 116
Dhawalagiri, Bagmati 2
Nepal, Bhutan, India, China, Indonesia, Oriental region

***Prionispa laeta* L. N. Medvedev, 1990**

Prionispa laeta L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 43
Mechi 1, 2
Nepal

***Rhadinosa girija* Maulik, 1915**

Rhadinosa girija Maulik, 1915; Records of the Indian Museum: 377
Bagmati 2
Nepal

***Rhadinosa laghua* Maulik, 1915**

Rhadinosa laghua Maulik, 1915; Records of the Indian Museum: 376
Dhawalagiri 3
Nepal, India, Pakistan, Oriental region

***Rhadinosa lebongensis* Maulik, 1919**

Rhadinosa lebongensis Maulik, 1919; Fauna of British India: 168
Bagmati, Janakpur 2, 3
Nepal, Bhutan, India, China

***Rhadinosa reticulata* (Baly, 1888)**

Hispa reticulata Baly, 1888; Annali del Museo Civico di Storia Naturale di Genova, 17: 665
Karnali, Dhawalagiri, Gandaki, Mechi 2, 3
Nepal, China, Oriental region

***Rhoptrispa dilaticornis* (Duvivier, 1891)**

Hispa dilaticornis Duvivier, 1891; Annales de la Société Entomologique de Belgique 35: 48
Dactylispa arisana Chûjô, 1933; *Dactylispa assamensis* Weise, 1904; *Dactylispa luhi* Uhmann, 1951;
Dactylispa perpusilla Gestro, 1911; *Dactylispa pusilla* Weise, 1905

Janakpur, Bagmati 1, 2, 3
Nepal, Bhutan, India, China, Afghanistan, Oriental region, Africa

***Wallacea gorbunovi* (L. N. Medvedev, 1997)**

Pistocia gorbunovi L. N. Medvedev, 1997; Elytra 25 (2): 264

Gandaki 2
Nepal

CASSIDINAE

***Aspidimorpha dorsata* (Fabricius, 1787)**

Cassida dorsata Fabricius, 1787; Mantissa insectorum 1: 64

Aspidimorpha calligera Boheman, 1854

Dhawalagiri, Gandaki, Bagmati, Koshi 1, 2
Nepal, India, China, Pakistan, Oriental region

***Aspidimorpha furcata* (Thunberg, 1789)**

Cassida furcata Thunberg, 1789; Dissertatio Entomologica nova insectorum species sistens 5: 87

Aspidimorpha dorsata Olivier, 1790; *Aspidomorpha micans* Fabricius, 1801

Dhawalagiri, Bagmati, Koshi 2, 3
Nepal, India, China, Pakistan, Japan, Oriental region

***Aspidimorpha fuscopunctata* (Boheman, 1854)**

Aspidomorpha fuscopunctata Boheman 1854; Monographia Cassididarum 2: 298

Aspidomorpha rubrodorsata Boheman, 1854

Dhawalagiri, Bagmati 2
Nepal, India, China, Oriental region

***Aspidimorpha indica* (Boheman, 1854)**

Aspidomorpha fuscopunctata Boheman, 1854; Monographia Cassididarum 2: 318

Aspidomorpha egea Boheman, 1854

Dhawalagiri, Bagmati 2
Nepal, India, China, Pakistan, Oriental region

***Aspidimorpha miliaris* (Fabricius, 1775)**

Cassida miliaris Fabricius, 1775; Systema Eleutheratorum: 91

Aspidomorpha amplissima Boheman, 1854; *Aspidomorpha celebensis* Blanchard, 1853

Bheri, Dhawalagiri, Narayani, Koshi 1
Nepal, India, China, Pakistan, widely distributed in South Asia

***Aspidimorpha sanctaecrucis* (Fabricius, 1794)**

Cassida sanctaecrucis Fabricius, 1794; Entomologica systematica emendata et aucta 4: 446

Aspidomorpha bajula Boheman, 1854; *Aspidomorpha fraterna* Baly, 1863; *Aspidomorpha insularis* Spaeth, 1912; *Cassida jamaicensis* Olivier, 1790

Gandaki, Bagmati, Koshi, Mechi 1, 2, 3
Nepal, widely distributed in Southeast Asia

***Basiprionota andrewesi* (Weise, 1897)**

Prioptera andrewesi Weise, 1897; Deutsche Entomologische Zeitschrift: 99

Narayani (no data)
Nepal, Oriental region

***Basiprionota decemmaculata* (Boheman, 1850)**

Prioptera decemmaculata Boheman, 1850; Monographia Cassididarum 1: 60
Prioptera decemsignata Boheman, 1850; *Prioptera fuscicornis* Weise, 1897; *Prioptera nigricornis* Baly, 1863;
Prioptera pallidicornis Boheman, 1850
Karnali, Dhawalagiri, Gandaki, Narayani, Bagmati, Janakpur, Koshi 1, 2
Nepal, India, Pakistan, Oriental region

***Basiprionota sexmaculata* (Boheman, 1850)**

Prioptera sexmaculata Boheman, 1850; Monographia Cassididarum 1: 49
Prioptera maculipennis Boheman, 1850; *Prioptera punctipennis* Wagener, 1877; *Prioptera reducta* Gressitt, 1938; *Prioptera rugosa* Baly, 1863
(no data) (no data)
Nepal, India, China, Pakistan

***Cassida andrewesi* Weise, 1897**

Cassida andrewesi Weise, 1897; Deutsche Entomologische Zeitschrift: 111
(no data) (no data)
Nepal, India, Pakistan, Oriental region

***Cassida australica* (Boheman, 1855)**

Coptocycla australica Boheman, 1855; Monographia Cassididarum 3: 257
Dhawalagiri, Bagmati, Janakpur, Koshi 2, 3, 4
Nepal, India, China, Pakistan, Oriental region

***Cassida circumdata* Herbst, 1799**

Cassida circumdata Herbst, 1799; Natursystem aller bekannten in- und ausländischen Insekten, Käfer 8: 268
Cassida cuticula Gressitt, 1938; *Aspidomorpha effusa* Boheman, 1854; *Cassida nilgiriensis* Borowiec et Takizawa, 1991; *Cassida u-fuscum* Wiedemann, 1823; *Cassida trivittata* Fabricius, 1801
Janakpur 1, 2
Nepal, widely distributed in Southeast Asia

***Cassida desultrix* (Spaeth, 1914)**

Mettriona desultrix Spaeth, 1914; Deutsche Entomologische Zeitschrift: 566
Koshi 2, 3
Nepal, India, China

***Cassida dorsonotata* Boheman 1854**

Cassida dorsonotata Boheman 1854; Monographia Cassididarum 2: 409
Dhawalagiri 2
Nepal, India

***Cassida flavoscutata* Spaeth, 1914**

Cassida flavoscutata Spaeth, 1914; Deutsche Entomologische Zeitschrift: 556
Dhawalagiri, Bagmati, Janakpur 2, 3
Nepal, India, China, Pakistan

Cassida ginpinica* (S. H. Chen et Zia, 1961)Taiwania ginpinica* S. H. Chen et Zia, 1961; Acta Entomologica Sinica 10: 442

(no data)

(no data)

Nepal, China

Cassida icterica* Boheman, 1854Cassida icterica* Boheman, 1854; Monographia Cassididarum 2: 400

Karnali, Dhawalagiri, Gandaki, Bagmati, Janakpur, Koshi, Mechi

1, 2, 3

Nepal, India, China

Cassida nepalica* L. N. Medvedev 1997Cassida (Taiwania) nepalica* L. N. Medvedev 1997; Elytra 25 (1): 22

Bagmati

2

Nepal, India

Cassida nigriventris* Boheman, 1854Cassida nigriventris* Boheman, 1854; Monographia Cassididarum 2: 410*Cassida hopei* Spaeth, 1914; *Cassida pallida* Hope, 1831

Karnali, Dhawalagiri, Gandaki, Bagmati, Koshi, Mechi

1, 2, 3, 4

Nepal, Bhutan, India, Pakistan

Cassida obtusata* Boheman, 1854Cassida obtusata* Boheman, 1854; Monographia Cassididarum 2: 405*Cassida interstitialis* Spaeth, 1901; *Cassida junco* Boheman, 1862; *Cassida pictifrons* Weise, 1908; *Cassida residua* Weise, 1901

Karnali

2

Nepal, India, China, Pakistan, Oriental region

Cassida occursans* Spaeth, 1914Cassida occursans* Spaeth, 1914; Deutsche Entomologische Zeitschrift: 560

Koshi

2, 3

Nepal, Bhutan, India, China, Pakistan

Cassida probata* Spaeth, 1914Cassida probata* Spaeth, 1914; Entomologische Mitteilungen 3: 229

Karnali

3

Nepal, China, Oriental region

Cassida ruralis* (Boheman, 1862)Coptocycla ruralis* Boheman, 1862; Monographia Cassididarum 4: 461

Sagarmatha

(no data)

Nepal, India, Indonesia

Cassida schawalleri* L. N. Medvedev, 1990Cassida schawalleri* L. N. Medvedev, 1990; Stuttgarter Beiträge zur Naturkunde A (453): 46

Gandaki, Narayani, Bagmati

1, 2

Nepal

Cassida varians* Herbst, 1799Cassida varians* Herbst, 1799; Der Käfer achter Theil, Berlin: 269*Cassida consors* Spaeth, 1938; *Cassida purulenta* Boheman, 1862; *Cassida rugulosa* Boheman, 1856; *Cassida syrtica* Boheman, 1856Karnali, Bheri, Dhawalagiri, Lumbini, Bagmati, Janakpur, Koshi 1, 2, 3
Nepal, Bhutan, India, Pakistan, Oriental region***Chiridopsis bowringii* (Boheman, 1855)***Coptocyclus bowringi* Boheman, 1855; Monographia Cassididarum 3: 123

Bagmati 3

Nepal, India, China, Oriental region

Craspedonta leayana* (Latreille, 1807)Imatidium leayanum* Latreille, 1807; Genera Crustaceorum et Insectorum 3: 50*Calopepla atritarsis* Pic, 1927; *Calopepla nigriventris* Weise, 1897; *Calopepla notaticeps* Pic, 1927

Bagmati 1

Nepal, India, China, Pakistan, Oriental region

Epistictina reicheana* (Guérin-Méneville, 1844)Calopepla reicheana* Guérin-Méneville, 1844; Monographia Cassididarum 1: 15*Epistictia matronula* Boheman, 1850; *Epistictia selecta* Boheman, 1850

(no data) (no data)

Nepal, Pakistan, Oriental region

Epistictina viridimaculata* (Boheman, 1850)Epistictia viridimaculata* Boheman, 1850; Monographia Cassididarum 1: 15*Epistictia collaris* Weise, 1897; *Epistictia marginata* Kirsch, 1875; *Epistictia parryi* Baly, 1863; *Epistictia trivandrumensis* Maulik, 1913

Koshi 2

Nepal, India, China, Pakistan, Oriental region

Glyphocassis trilineata* (Hope, 1831)Cassida trilineata* Hope, 1831; Gray, Zoological Miscellany 1: 30

Karnali, Dhawalagiri, Bagmati, Janakpur 2

Nepal, India, China, Pakistan, Oriental region

Laccoptera nepalensis* Boheman, 1855Laccoptera nepalensis* Boheman, 1855; Monographia Cassididarum 3: 76*Laccoptera bohemani* Weise, 1910; *Cassida quadrimaculata* Thunberg, 1789; *Laccoptera thunbergi* Spaeth, 1914

Bheri, Gandaki, Bagmati, Janakpur, Koshi 1, 2, 3

Nepal, India, China, Pakistan, Oriental region

Laccoptera (Sindiolina) sedecimmaculata* (Boheman, 1856)Cassida sedecimmaculata* Boheman, 1856; Catalogue of the collection of the British Museum London 9: 119

Koshi 1, 2

Nepal, India, China, Oriental region

***Notosacantha maculipennis* (Boheman, 1856)**

Hoplionota maculipennis Boheman, 1856; Catalogue of the collection of the British Museum London 9: 5
 Gandaki, Bagmati, Janakpur, Koshi, Mechi 2, 3
 Nepal, India, Pakistan

***Notosacantha tenuicula* (Spaeth, 1913)**

Hoplionota tenuicula Spaeth, 1913; Verhandlungen der Kaiserlich-Königlichen Zoologisch-Botanischen
 Gesellschaft in Wien 63: 505
Notosacantha nepalensis Borowiec et Takizawa, 1991
 Koshi, Bagmati 2, 3
 Nepal, India

***Oocassida cruenta* (Fabricius, 1792)**

Cassida cruenta Fabricius, 1792; Entomologica systematica emendata et aucta (1) 2: 293
 (no data) (no data)
 Nepal, Bhutan, India, Pakistan, Oriental region

Discussion

The study of Himalayan Chrysomelidae is of special interest, as this region has an especially rich biodiversity and endemism. Although Nepal has lost some of the richness of its biodiversity due to overpopulation, intensive logging, agricultural activity and fire-clearing, the fascination and the beauty of the landscape remain (Figs 4–6). The various levels of altitude and climate change within short distances are unique and are beneficial to a rich entomofauna. The high mountains and small valleys encourage speciation and endemism. However, I am afraid that collecting will become increasingly difficult in the near future. Many biotopes will disappear and collecting permission will become increasingly difficult. However, several museums hold material from expeditions to Nepal that remain to be studied, although with the reservation that while the taxonomy of the chrysomelid fauna will benefit, knowledge of the biology, larvae and food plants will remain poor.

Acknowledgements

I am extremely grateful to Veronika Preite (Basel, Switzerland), who took all the photographs of beetles. I would also like to extend my thanks a number of colleagues and chrysomelidologists for their input in discussions, help and kindness, especially to Matthias Hartmann from the Naturkundemuseum in Erfurt (Germany), who gave me the opportunity to study a large body of material, and to Prof. Lev Medvedev (Moscow, Russia) for help and suggestions.

References

- DÖBERL M. (2009): *Contribution to the knowledge of Alticinae from Nepal*. *Vernate* **28**: 413–420.
- DÖBERL M. (2003): *A new genus of flea beetles from Nepal*. *The Coleopterist's Bulletin* **57**(2): 205–218.
- DÖBERL M. (2003): *Beitrag zur Kenntnis der Batophila-Arten Nepals*. *Veröffentlichungen Naturkundemuseum Erfurt* **22**: 149–152.
- HARTMANN M. & MEDVEDEV L.N. (2003): *To the knowledge of Nepalese Chrysomelidae (Coleoptera)*. *Veröffentlichungen des Naturkundemuseums Erfurt* **22**: 153–183.
- KIMOTO S. (2001): *The Chrysomelidae (Insecta: Coleoptera) collected by the Kyushu University Scientific Expedition to Nepal Himalaya in 1971–1972*. *Bulletin of the Kitakyushu Museum of Natural History and Human History* **20**: 17–80.
- KIMOTO S. (2004): *New or little known Chrysomelidae (Coleoptera) from Nepal, Bhutan and the northern territories of Indian subcontinent*. *Bulletin of the Kitakyushu Museum of Natural History and Human History* **A, 2**: 47–63.
- KIMOTO S. (2005): *Systematic Catalog of the Chrysomelidae (Coleoptera) from Nepal and Bhutan*. *Bulletin of the Kitakyushu Museum of Natural History and Human History* **A, 3**: 13–114.
- LÖBL I. & SMETANA A. (eds.) (2010): *Chrysomeloidea*. *Catalogue of Palaearctic Coleoptera* **6**, Apollo Books: 924 pp.
- MEDVEDEV L.N. & SPRECHER-UEBERSAX E. (1999): *Katalog der Chrysomelidae von Nepal*. *Entomologica Basiliensia* **21**: 261–234.
- MEDVEDEV L.N. (1999): *A revision of the genus Hoplasoma Jacoby, 1884*. *Russian Entomological Journal* **8** (2): 123–128.
- MEDVEDEV L.N. (2000): *Chrysomelidae from the Nepal Himalayas, with revision of the genus Haplosomoides (Insecta: Coleoptera)*. *Stuttgarter Beiträge zur Naturkunde* **A, 616**: 1–32.
- MEDVEDEV L.N. (2002): *Revision of the genus Podagricomela Heikertinger, 1924*. *Russian Entomological Journal* **11** (2): 209–214.
- MEDVEDEV L.N. (2009): *New species of Chrysomelidae (Coleoptera) from Nepal in the collections of the Naturkundemuseum Erfurt*. *Vernate* **28**: 409–412.
- MEDVEDEV L.N. (2011): *New taxa of Chrysomelidae (Coleoptera) from Nepal*. *Vernate* **30**: 249–254.
- MIEHE G. (1986): *Der Himalaya, eine multizonale Gebirgsregion*. pp. 181–230. In: WALTER H. & BRECKLE S.-W. (eds): *Ökologie der Erde* **3**.
- SPRECHER-UEBERSAX E. (2003): *Nepal as a centre of speciation for Himalayan Chrysomelid fauna*. pp. 53–62. In: Furth D. G. (ed.): *Special Topics in leaf Beetle Biology*. Pensoft Publishers Sofia-Moscow.

Author's address:

Dr. Eva Sprecher-Uebersax
 Natural History Museum Basel
 Augustinergasse 2
 CH-4001 Basel
 SWITZERLAND
 Email: eva.sprecher@bs.ch




1



2



3



4



5



6

Figs 1–6. 1 – The administrative subdivisions of Nepal: 14 zones and 75 districts. 2 – Habitat of *Neorepidodera schenklingsi*: Leaf litter in *Rhododendron* forests. 3 – Habitat of *Nepalogaleruca angustilineata*: A stony and sandy ground with few vegetation. 4 – Endangered habitat: Deforestation and field terraces at the hills. 5 – Large rice fields in the valleys: Natural habitats have disappeared. 6 – Fire clearing in the mountains: Primary forests get lost.

*Sagra carbunculus**Sagra femorata**Zeugophora pallidicincta**Temnaspis downesi**Lema coromandeliana**Lema cyanea**Lilioceris atrilateralis**Lilioceris merdigera**Asisia assamensis*

Plate 1. Representatives of Sagrinae, Zeugophorinae, Megalopodinae, Criocerinae, and Lamprosomatinae.



Oomorphoides nepalensis



Chlamisus orientalis



Aetheomorpha buqueti egregia



Aetheomorpha coerulea



Diapromorpha pallens



Diapromorpha turcica



Smaragdina sikkimensis



Adiscus hauseri



Coenobius birmanicus

*Cryptocephalus sexsignatus**Cryptocephalus baroniurbanii**Cryptocephalus nepalensis**Aoria bowringi**Basilepta quadrifasciata**Basilepta schawalleri**Chrysonopa rotundicollis**Colasposoma downesi asperatum**Colasposoma pretiosum*



Heteraspis dillwyni



Nodina dhadinga



Pachnephorus bretinghami



Pachnephorus lewisii



Pagria signata



Platycorynus lateralis



Platycorynus peregrinus



Platycorynus pyrophorus



Platycorynus speciosus

*Trichotheca hirta**Xanthonia nepalensis**Sclerophaedon prajapati**Sclerophaedon takizawai**Agrostemela indica**Chrysolina exanthematica**Chrysolina inconstans**Chrysomela populi**Plagiodera rufescens*



Plagiodera versicolora



Plagiodera virescens




Plagiosterna adamsi



Trichobalya apicalis



Trichobalya viridipennis



Aplosonyx chalybaea



Aplosonyx orientalis



Apophylia nilakrishna



Apophylia schawalleri

*Calomicrus annapurnae**Cassena indica**Dercetina falvocincta**Gallerucida longicornis**Hyphaenia yasudai**Issikia dimidiaticornis**Japonitata tricostata**Kanarella unicolor**Khasia kraatzii*



Lepthartia fasciata



Lepthartia abdominalis



Macrima aurantiaca



Meristata pulunini



Meristata dohrni



Meristata sexmaculata




Mimastra arcuata




Monolepta martensi



Nepalogaleruca angustilineata

*Nepalogaleruca elegans**Nepalogaleruca schmidtii**Paridea fasciata**Paridea nepalica**Periclitena vigorsi**Proegmena nepalensis**Pseudocophora bicolor**Pseudoides flavovittis**Sastroides indica*



Sphenoraia rutilans



Sphenoraia trifasciata



Spitiella auriculata



Altica cyanea



Amphimela indica



Argopistes atricollis




Euphitrea subglobosa



Glaucosphaera cyanea



Hemipyxis indica

*Hyphasis limbatipennis**Ivalia doeberli**Lipromorpha variabilis**Longitarsus puncti**Manobia krishna**Neocrepidodera schenklingsi**Nisotra dohertyi**Parathrylaea tuckuchensis**Pseudodera himalayensis*



Sphaeroderma birmanicum



Sphaeroderma fulvum



Trachytetra cerambycina



Calispa montivaga



Dactylispa xanthopus



Gonophora pulchella




Hispa ramosa



Lasiochila imitans



Platypria histrix

*Rhadinosa reticulata**Aspidomorpha indica**Aspidomorpha miliaris**Basiprionota decemmaculata**Cassida circumdata**Chiridopsis bowringi**Epistictina viridimaculata**Glyphocassis trilineata**Laccoptera sedecimmaculata*