

**Zeitschrift:** Entomologica Basiliensia et Collectionis Frey  
**Herausgeber:** Naturhistorisches Museum Basel, Entomologische Sammlungen  
**Band:** 35 (2016)

**Artikel:** Names as legacy : catalogue of taxa described by and for Michel Brancucci (1950-2012)  
**Autor:** Nagel, Peter / Schmidlin, Lara / Geiser, Michael  
**DOI:** <https://doi.org/10.5169/seals-980954>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 29.01.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

**Names as legacy:  
Catalogue of taxa described by and for Michel Brancucci (1950–2012)**

by Peter Nagel, Lara Schmidlin & Michael Geiser

**Abstract.** This article provides a compilation of the taxa introduced to science by the late Dr. Michel Brancucci, Basel, and of the taxa named in honour of him. We provide details of nomenclatorial value such as holotype depository (for species described by Michel Brancucci), page number of the original description and type locality. References of the original descriptions are given in full and the actual publication dates were thoroughly checked. Indices to all taxa complete this article and make it a searchable catalogue.

**Keywords.** Michel Brancucci – patronyms – taxonomic publications – references of described taxa

### Introduction

During his professional career, Dr. Michel Brancucci held many important posts. He was the curator of Coleoptera, the head of the entomological department and deputy director of the Natural History Museum of Basel, as well as president of the Swiss entomological society. Sketches of his life and work already formed part of the obituaries by BURCKHARDT (2012) and KLAUSNITZER (2012). Details on his Laos projects are given by GEISER & NAGEL (2013). These field visits to Laos were Michel Brancucci's last major collecting trips. Earlier travels to study the beetle diversity of subtropical and tropical areas focused on Nepal and the northern provinces of Pakistan and India (Himachal Pradesh, Uttarakhand, Darjeeling, Sikkim) (starting 1977 with Walter Wittmer, see BRANCUCCI 2005).

A very large amount of data was available for his scientific research, owing to the extensive material he organised from his own collecting journeys as well as through purchases for the Natural History Museum of Basel. He was a taxonomic specialist for Cantharidae and Dytiscidae, but also dealt competently with related taxa of the Hydradephaga and Lampyridae. His diploma thesis (equivalent to MSc thesis) focused on communities of aquatic invertebrates in Europe, and he later used this knowledge by teaching regular field courses on this topic at the University of Basel.

The large amount of data made available by him for scientific purposes, as well as his good networking, renownedness and popularity in the entomological community entailed the naming of numerous taxa after him.

He published 142 scientific publications, whereof in 78 of these publications 235 new taxa are described.

When remembering a taxonomist such as Michel Brancucci it is however not primarily important how many new taxa were described by and after a person, but how this person is positioned within the entomological community. Michel Brancucci published taxonomic works according to the good scientific practice. Through his activities of collecting, describing and archiving species as well as publishing, he

contributed considerably to the knowledge of the most species-rich group of the mega-diverse insects, the Coleoptera, and to the Dytiscidae and Cantharidae in particular. He managed to generate knowledge on the existence of copious species before they might become extinct together with their habitats. In this day and age taxonomists like Michel Brancucci are in even more pressing demand as one can only protect what is known.

The names of these scientists stay present especially by the taxa newly described by them as well as by the taxa named in honour after them. We are pleased to present the following compilation as a source of information and a work of reference, but also as documentation of the contribution made by Michel Brancucci and last but not least as appreciation of a loveable colleague.

The aim of the present contribution is the provision of an informative catalogue (i.e. with as many details as feasible) of all taxa described by Michel Brancucci and of all patronyms up to mid-2015.

### **Taxa introduced to science by Michel Brancucci**

For the compilation of the following list we consulted all publications of Michel Brancucci, including the ones published posthumously. They are bound up to 2010 in four volumes and deposited in the library of the Natural History Museum of Basel. A list of Michel Brancucci's publications up to 2011 was published by KLAUSNITZER (2012) and a list up to "2013 in press" was published by BURCKHARDT (2012). The following compilation comprises all publications containing descriptions of new taxa. The newly described taxa are recorded chronologically under the respective reference. For nomenclatural purposes we provide the full reference data and also added the actual publication date and its reference. It is given in square brackets at the end of each reference. We also provide an index of all names introduced to science by Michel Brancucci.

All taxa are reported in their original rank and spelling. The following information is also given for every taxon: the page number of the description, information on type specimens, such as depository and sex of holotype specimen, the number of paratypes, and, if applicable, for family and genus group taxa, the type genus, the type species and mode of designation. New generic assignments or synonyms are listed as "(= ...)", provided they became known to us.

We quote the geographic type locality data in the form it was published originally; sometimes, however, further details are given in the publications, for example more exact information on the habitats. Missing country names have been added by us and are placed in square brackets. The entry "type locality" is complemented by data on the collector and the sampling date of the holotype specimen, if available.

Michel Brancucci introduced three family group taxa (Cantharidae), described seven genus group taxa (Cantharidae, Dytiscidae) and 225 species group taxa (mainly Dytiscidae and Cantharidae), sometimes with co-authors. Most of them were described in his house journal, "Entomologica Basiliensia" (title from Vol. 27, 2005: "Entomologica Basiliensia et Collectionis Frey"). Larger revisions and fauna



**Fig. 1.** Michel Brancucci in 2010 at the Natural History Museum of Basel (by courtesy of the photographer Andri Pol and the Natural History Museum of Basel).

monographs, sometimes with co-authors, were, for example, published on the dytiscid genera *Lacconnectus* Motschulsky, 1855, and *Laccophilus* Leach, 1815, the cantharid genera *Belotus* Gorham, 1881, *Malchinus* Kiesenwetter, 1863, and *Maronius* Gorham, 1881, the lampyrid genus *Lamellipalpus* Maulik, 1921, as well as the Cantharidae of Taiwan. He was the co-author of the section on Cantharidae in the Catalogue of Palaearctic Coleoptera (LÖBL & SMETANA 2007).

The newly described taxa are mostly from the Indomalayan and East-Palaeartic regions, yet he also described taxa from other parts of the world such as South America, Australia, Africa, and Europe. Amongst Michel Brancucci's many descriptions is the discovery of the first terrestrial dytiscid beetle (BRANCUCCI 1979). One dytiscid beetle was described from Tibet at 5,100 m altitude (BRANCUCCI & HENDRICH 2008). He also discovered a high-altitude predacious water beetle from the frontier area Nepal / Tibet at 4,000 m altitude, which reveals a most interesting Palaeartic-Afrotropical disjunction (BRANCUCCI & HENDRICH 2006).

Michel Brancucci's first description of new taxa was published in a paper together with his mentor, Walter Wittmer, in 1978. His last descriptions were partly written while he was already in a hospice and were published posthumously in "his" journal *Entomologica Basiliensia et Collectionis Frey* in 2013.

#### Acronyms of depositories

[see Neal L. Evenhuis at <http://hbs.bishopmuseum.org/codens/codens-inst.html>, last visited: June 2015; an asterisk \* marks additional acronyms]

AMNH	USA, New York, New York, American Museum of Natural History
BMNH	United Kingdom, London, The Natural History Museum [formerly British Museum (Natural History)]
BPBM	USA, Hawaii, Honolulu, Bernice P. Bishop Museum
CAS	USA, California, San Francisco, California Academy of Sciences
*CASS	Chinese Academy of Sciences, Institute of Applied Ecology, Shenyang
*CHF	collection Dr. H. Fery, Berlin, Germany, in part deposited in the NMW
EIHU	Japan, Sapporo, Hokkaido University Museum
EUMJ	Japan, Matsuyama, Ehime University
*FP	collection F. Pederzani, Ravenna
*GW	collection Prof. Dr. G. Wewalka, Wien
HNHM	Hungary, Budapest, Hungarian Natural History Museum
IZCAS	China, Beijing, Chinese Academy of Sciences, Institute of Zoology
KUEC	Japan, Fukuoka, Kyushu University
*KURA	Kurashiki Museum of Natural History
MCZ	USA, Massachusetts, Cambridge, Harvard University, Museum of Comparative Zoology
MHNG	Switzerland, Geneva, Muséum d'Histoire Naturelle
MIZA	Venezuela, Maracay, Museo del Instituto de Zoología Agrícola
*ML	Fundacion Miguel Lillo, Tucuman (Dr. A. Willink)
MNHN	France, Paris, Muséum National d'Histoire Naturelle
MNRJ	Brazil, Rio de Janeiro, São Cristóvão, Universidade do Rio Janeiro, Museu Nacional
MPEG	Brazil, Pará, Belem, Museu Paraense Emilio Goeldi
MPSP	Brazil, São Paulo, Universidade de São Paulo, Museu Paulista
MZLS	Switzerland, Lausanne, Muséum Zoologique
*NA	collection Prof. T. Nakane, Kagoshima, now in EIHU
NHMB	Switzerland, Basel, Naturhistorisches Museum
NHRS	Sweden, Stockholm, Naturhistoriska riksmuseet
NMPC	Czech Republic, Prague, National Museum (Natural History)

NMW	.....	Austria, Wien, Naturhistorisches Museum Wien
NSMT	.....	Japan, Tokyo, National Science Museum (Natural History)
NZSI	.....	India, West Bengal, Calcutta, Zoological Survey of India, National Zoological Collection
OLML	.....	Austria, Linz, Oberösterreichisches Landesmuseum
QM	.....	Australia, Queensland, South Brisbane, Queensland Museum
RMNH	.....	Netherlands, Leiden, Naturalis Biodiversity Centre [formerly Rijksmuseum van Natuurlijke Historie]
*SA	.....	collection Prof. M. Sato, Nagoya now in EUMJ
SMF	..	Germany, Frankfurt-am-Main, Forschungsinstitut und Naturmuseum Senckenberg
SMNS	.....	Germany, Stuttgart, Staatliches Museum für Naturkunde
SNMC	.....	Slovak Republic, Bratislava, Slovenské Národné múzeum
USNM	.....	USA, Washington D.C., National Museum of Natural History, [formerly, United States National Museum]
*WW	.....	collection Dr. Walter Wittmer, now in NHMB
ZMUC	.....	Denmark, København [Copenhagen], University of Copenhagen, Zoological Museum
ZSM	.....	Germany, München [= Munich], Zoologische Staatssammlung

**Abbreviations and conventions**

fasc.	.....	Fascicle
HT	.....	Holotype specimen
PT	.....	Paratype specimen

Square brackets are used for the present authors' additions or comments such as: “[Brazil]” or for inferred and not printed page numbers, such as “p.[ii] or p.[1]”.

**List of taxa originally described by Michel Brancucci**

Wittmer, W. & Brancucci, M. (1978): *Zur Kenntnis der Malthinini der indo-malaiischen Region (Col. Cantharidae)*. Entomologica Basiliensia **3**(1978): 297–319. [18 October 1978 (top of p. 3, contents)]

Subgenus *Indomalthinus* Brancucci, 1978 (in Wittmer & Brancucci, 1978): 305 (subgenus of *Malthinus*)

Type species: *Malthinus (Indomalthinus) bhaktai* Brancucci, 1978 [by original designation]

*Malthinus (Indomalthinus) bhaktai* Brancucci, 1978 (in Wittmer & Brancucci, 1978): 312

Type locality: Indien: Darjeeling Distr., Balukop (Umgebung Kalimpong); leg. Bhakta Bahadur Chetri, 6 April 1977

HT ♂ (NHMB) and 6 PT

*Malthinus (Indomalthinus) bengalensis* Brancucci, 1978 (in Wittmer & Brancucci, 1978): 314

Type locality: Indien: Darjeeling Distr., Lopchu; leg. W. Wittmer, 3 May 1976

HT ♂ (NHMB) and 4 PT

*Malthinus (Indomalthinus) coxalis* Brancucci, 1978 (in Wittmer & Brancucci, 1978): 316

Type locality: Indien: Assam, Kameng, Shergaon, 6500–6600'; leg. F. Schmid, 5 Mai 1961, coll. Wittmer

HT ♂ (NHMB) and 1 PT

*Malthinus (Indomalthinus) tantricus* Brancucci, 1978 (in Wittmer & Brancucci, 1978): 316

Type locality: Indien: Darjeeling Distr., Lopchu; leg. W. Wittmer, 3 May 1976

HT ♂ (NHMB) and 1 PT

Brancucci, M. (1979): *Révision du genre Belotus Gorham (Col. Cantharidae)*. Entomologica Basiliensia **4**(1979): 361–430. [10 October 1979 (top of p.[1], contents)]

*Belotus bicolor* Brancucci, 1979: 372

Type locality: USA, Texas, Brownsville; leg. O. Bryant, 20 October 1949

HT ♂ (CAS) and 53 PT and 131 further specimens

*Belotus bicolor saltensis* Brancucci, 1979: 374

Type locality: Argentine, Salta; leg. Förster, 24 January 1942

HT ♂ (WW) and 8 PT and 49 further specimens

*Belotus maculithorax* Brancucci, 1979: 377

Type locality: Argentine, Buenos Aires, S. Justo-Rio Platanzas; 28 December 1941

HT ♂ (NHMB) and 3 PT and 9 further specimens

*Belotus curtipennis* Brancucci, 1979: 380

Type locality: Argentine, Jujuy Volcán, 2100 m; leg. R. Golbach, 12 March 1960

HT ♂ (ML) and 37 PT

*Belotus striaticollis* Brancucci, 1979: 394

Type locality: Argentine, Tucuman, S.P. de Colalao; leg. Arnau, January 1951

HT ♂ (WW) and 4 further specimens

*Belotus grandis* Brancucci, 1979: 396

Type locality: Brésil, P.N. Itatiaia, Rio de Janeiro; leg. Mielke, 22 July 1963  
HT ♂ (MNRJ) and 7 PT

*Belotus paranensis* Brancucci, 1979: 400

Type locality: Brésil, Parana, Villa Velha; leg. J.G. Rozen, 5 September 1971  
HT ♂ (AMNH)

*Belotus flavus* Brancucci, 1979: 404

Type locality: Brésil, Santa Catharina, Lages-Rio do Sul; 14 January 1953  
HT ♂ (WW) and 2 PT and 5 further specimens

*Belotus wittmeri* Brancucci, 1979: 411

Type locality: Argentine, Metan Salta; February 1944  
HT ♂ (WW) and 1 PT and 1 further specimen

*Belotus jolyi* Brancucci, 1979: 414

Type locality: Venezuela, Aragua, El Limon, 450 m; leg. J. Clavijo, 8 August 1975  
HT ♂ (MIZA) and 48 PT and 154 further specimens

*Belotus bernardensis* Brancucci, 1979: 416,

Type locality: Argentine: Salta, San Bernardo; leg. W. Wittmer, February 1944  
HT ♂ (WW) and 6 PT

*Belotus nueschi* Brancucci, 1979: 418

Type locality: Brésil: Minerio ou Minedro, Goyaz (etiquette peu lisible)  
HT ♂ (NHMB)

Brancucci, M. (1979): *Dytiscidae aus dem Himalaja (Col.)*. Entomologica Basiliensia 4(1979): 193–212. [10 October 1979 (top of p.[1], contents)]

*Cybister (Melanectes) wittmeri* Brancucci, 1979: 209

Type locality: Indien: Assam, Gauhati; leg. W. Wittmer & C. Baroni Urbani, 10 May 1976  
HT ♂ (NHMB) and 1 PT

Brancucci, M. (1979): *Geodessus besucheti n.gen., n.sp. le premier Dytiscide terrestre (Col., Dytiscidae, Bidessini)*. Entomologica Basiliensia 4(1979): 213–218. [10 October 1979 (top of p.[1], contents)]

Genus *Geodessus* Brancucci, 1979: 214

Type species: *Geodessus besucheti* Brancuccii, 1979 [by original designation]

*Geodessus besucheti* Brancucci, 1979: 214

Type locality: Inde, Meghalaya, Khasi Hills, forêt primaire du Shillong Peak, versant nord, 1850–1950 m; leg. Bésuchet and Löbl, 25 October 1978  
HT ♀ (MHNG) and 28 PT

Brancucci, M. (1980): *Espèce et sous-espèce nouvelles du genre Hydronebrius Jakovlev 1897 de l'Himalaya (Insecta: Coleoptera: Dytiscidae)*. Senckenbergiana biologica 60(1979)(3–4): 171–174. [5 March 1980 (header of p. 171)]

*Hydronebrius mattheyi* Brancucci, 1980 (not 1979): 171

Type locality: Pakistan, Murree-Abbottabad, 2200–2500 m; leg. W. Wittmer & M. Brancucci, 13 June 1977  
HT ♂ (NHMB) and 1 PT



*Hydronebrius mattheyi nepalensis* Brancucci, 1980 (not 1979): 174

Type locality: Népal, S-Dhaulagiri, Dhorpatan, 3600–3900 m; leg. J. Martens, 24 May 1973  
HT ♂ (SMF)

Brancucci, M. (1980): *Insects of Saudi Arabia. Coleoptera: Haliplidae, Dytiscidae, Gyrinidae. Part 2. Fauna of Saudi Arabia* **2**(1980): 102–111. [15 August 1980 (header on p.[iii], contents)]

*Potamonectes banajai* Brancucci, 1980: 106

Type locality: [Saudi Arabia] 17 km before Khaybar, Wadi Ghamra, 660 m; leg. KAU-NHMB Exp. N. Hedjaz, 25 April 1979  
HT ♂ (NHMB) and 76 PT

Brancucci, M. (1980): *Morphologie comparée, évolution et systématique des Cantharidae (Insecta: Coleoptera)*. Entomologica Basiliensia **5**(1980): 215–388. [10 December 1980 (top of p.[1], contents)] (Equivalent to Brancucci's PhD thesis, Basel University, Faculty of Science, 1980)

Subfamily Dymorphocerinae Brancucci, 1980: 292

Type genus: *Dymorphocerus* Solier, 1849

Tribe Malthodini Brancucci, 1980: 307

Type genus: *Malthodes* Kiesenwetter, 1852  
[synonym of Malthodinae Böving and Craighead, 1931, see Bouchard *et al.* 2011]

Tribe Malchinini Brancucci, 1980: 313

Type genus: *Malchinus* Kiesenwetter, 1863

*Malchinus obscuripes soguksuensis* Brancucci, 1980: 335

Type locality: Turquie: Soguksu; leg. W. Wittmer, 6 June 1969  
HT ♂ (NHMB)

Brancucci, M. (1981): *Dytiscidae aus Nepal, Kashmir und Ladakh (Insecta: Coleoptera)*. Senckenbergiana biologica **61**(1980)(3–4): 179–186. [30 April 1981 (header of p. 179)]

*Hydroporus martensi* Brancucci, 1981 (not 1980): 180

Type locality: Indien, Kashmir, Pir Panjal-Gebirge, Tangmarg, 2600 m; leg. Martens & Schawaller, 21–25 May 1976  
HT ♀ (SMF)

Brancucci, M. (1981): *Un Derovatellus nouveau du Caméroun (Coleoptera, Dytiscidae)*. Bulletin de la Société neuchâteloise des sciences naturelles **104**(1981): 59–61. [1981 (title page)]

*Derovatellus (s.str.) bistroemi* Brancucci, 1981: 59

Type locality: Caméroun, Ebolowa, Station de Nkoemvone; 15 June 1965  
HT ♂ (MNHN) and 1 PT

Brancucci, M. (1981): *Notes sur le genre Belotus et description de deux nouveaux taxons (Col. Cantharidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **54**(1981)(1–2): 133–137. [30 June 1981 (footer outer back cover of fasc. 1–2)]

*Belotus acutipennis* Brancucci, 1981: 133

Type locality: Brésil, Paraíba, Pendeneia ; leg. A.G.A. Silva, 22 March 1956  
HT ♂ (NMHB) and 14 PT

*Belotus maculatus platonensis* Brancucci, 1981: 135

Type locality: Brésil, Pôrto Platon; leg. J. & B. Bechyně, [20 or 23] July 1961  
HT ♂ (MPEG) and 20 PT

Brancucci, M. (1981): *Révision du genre Maronius Gorham et notes sur les genres voisins (Coleoptera: Cantharidae)*. Entomologica Basiliensia **6**(1981): 328–367. [30 November 1981 (top of p.[1], contents)]

*Maronius difficilis* Brancucci, 1981: 342

Type locality: Japayos? (peut-être Tapajos, Brésil)  
HT ♂ (BMNH) and 1 PT

*Maronius minutus* Brancucci, 1981: 349

Type locality: Argentine: Salta Pocitos; leg. A. Martinez, November 1957  
HT ♂ (NHMB)

*Maronius araguanus* Brancucci, 1981: 352

Type locality: Vénézuéla, El Limon, Suapo Hda, 160 m; leg. L.J. Joly T., 2 April 1969  
HT ♂ (MIZA) and 1 PT

*Maronius sarasini* Brancucci, 1981: 353

Type locality: Brésil, Rio de Janeiro, Grajahù; leg. Lopes & Oliveira, 8 December 1940  
HT ♂ (NHMB)

*Maronius nigerrimus* Brancucci, 1981: 354

Type locality: Pérou  
HT ♂ (NHMB)

Brancucci, M. (1981): *Maroniodes n.gen., genre nouveau de la tribu des Chauliognathini (Coleoptera: Cantharidae)*. Entomologica Basiliensia **6**(1981): 368–386. [30 November 1981 (top of p.[1], contents)]

Genus *Maroniodes* Brancucci, 1981: 369

Type species: *Maronius amazonicus* Pic, 1906 [by original designation]

*Maroniodes inca* Brancucci, 1981: 372

Type locality: Pérou, Huallaga, Chambireyacù près Yurimaguas; leg. M. de Mathan, June–August 185 [typing error for 1885]  
HT ♂ (MNHN)

*Maroniodes longiporus* Brancucci, 1981: 373

Type locality: Amazone; *via* Staudinger  
HT ♂ (MNHN) and 1 PT

*Maroniodes laticornis* Brancucci, 1981: 375

Type locality: Pérou, Chambireyacù près Yurimaguas; leg. M. de Mathan, June–August 1885

HT ♂ (NHMB)

Brancucci, M. (1981): *Révision du genre Pseudolobetus Champion (Coleoptera: Cantharidae)*. Entomologische Arbeiten aus dem Museum G. Frey **29/30**(1981): 235–243. [Band 29, 1981 (header of p. 235); 1 December 1981 (bottom of page [i], “Inhalt”)]

*Pseudolobetus tibialis* Brancucci, 1981: 239

Type locality: Costa Rica, Reventazon, Hamburgfarm, Ebene Limon, pris dans du fauchage d’herbes et de buissons.

HT ♂ (USNM) and 9 PT

Brancucci, M. (1981): *Révision du genre Macromalthinus Pic (Col. Cantharidae)*. Entomologische Arbeiten aus dem Museum G. Frey **29/30**(1981): 259–272. [Band 29, 1981 (header of p. 235); 1 December 1981 (bottom of page [i], “Inhalt”)]

*Macromalthinus belemensis* Brancucci, 1981: 262

Type locality: Brésil, Para, Belém, Mocambo; leg. Ayttacada, 1 April 1977

HT ♂ (MPEG) and 7 PT

*Macromalthinus santaremensis* Brancucci, 1981: 264

Type locality: Brésil, Santarém

HT ♂ (NHMB)

*Macromalthinus globuliventris* Brancucci, 1981: 266

Type locality: Pérou, Valle Chanchamayo; leg. Weyrauch, February 1939

HT ♂ (ML) and 6 PT

Brancucci, M. (1982): *Révision du genre Paramaronius Wittmer (Coleoptera: Cantharidae)*. Bulletin de la Société neuchâteloise des sciences naturelles **105**(1982): 123–136. [1982 (title page)]

*Paramaronius menieri* Brancucci, 1982: 128

Type locality: [Brazil] Jatahy, Goyaz; 1906, coll. L. Fairmaire

HT ♂ (MNHN)

Brancucci, M. (1982): *Les Platambus du sous-genre Anagabus (Col. Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **55**(1982)(1–2): 115–124. [31.vii.1982 (footer outer back cover of fasc. 1–2)]

*Platambus (Anagabus) wewalkai* Brancucci, 1982: 120

Type locality: Inde, Jammau & Kashmir, Jammu, Banihal Tunnel, 2200 m; leg. W. Wittmer, 2 July 1980

HT ♂ (NHMB) and 6 PT and 2 further specimens

Brancucci, M. (1982): *Ein neuer Platambus aus Nepal, nebst Bemerkungen zu weiteren dort vorkommenden Arten (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **7**(1982): 226–230. [30 November 1982 (top of p. 3, contents)]

*Platambus satoi* Brancucci, 1982: 226

Type locality: O. Nepal, Ramechhap Distr., Thodung, 3100 m; leg. Tomokuni, 14 October 1979  
HT ♂ (NSMT) and 3 PT

Brancucci, M. (1982): *Révision du genre Falsomalthinus (Col. Cantharidae)*.  
Entomologica Basiliensia 7(1982): 303–311. [30 November 1982 (top of p. 3,  
contents)]

*Falsomalthinus malayensis* Brancucci, 1982: 308

Type locality: Malay Penin., Pahang, Khasia Hills, 4200'; 21 March 1932  
HT ♀ (MNHN)

*Falsomalthinus shillongensis* Brancucci, 1982: 309

Type locality: [India] Meghalaya, Upper Shillong, 1900 m; leg. W. Wittmer & C. Baroni Urbani, 13 March  
1976  
HT ♂ (NHMB)

Brancucci, M. (1982): *Caccodes bakeri n.sp., une espèce nouvelle des Iles Philippines*  
(*Col. Cantharidae*). Entomologica Basiliensia 7(1982): 312–314. [30 November  
1982 (top of p. 3, contents)]

*Caccodes bakeri* Brancucci, 1982: 312

Type locality: [Philippines] Mindanao, Davao; leg. Baker, no. 7296  
HT ♂ (USNM)

Brancucci, M. (1982): *Révision du genre Lobetus Kiesw. (Col. Cantharidae)*.  
Entomologica Basiliensia 7(1982): 315–339. [30 November 1982 (top of p. 3,  
contents)]

*Lobetus minutissimus* Brancucci, 1982: 318

Type locality: [Brazil] Amazone, Fonteboa  
HT ♂ (MNHN) and 1 PT

*Lobetus kavanaughii* Brancucci, 1982: 322

Type locality: Pérou, Monzon Valley, Tingo Maria; leg. E.I. Schlinger & E.S. Ross, 8 October 1954  
HT ♂ (CAS) and 2 PT

*Lobetus rahmi* Brancucci, 1982: 325

Type locality: Vénézuéla, Merida, Timotes; leg. J. & B. Bechyně, 13 May 1972  
HT ♂ (MIZA) and 3 PT

*Lobetus nigromarginatus* Brancucci, 1982: 327

Type locality: Vénézuéla, Mérida, Carret, El Molino, Cruz de Mora, 2300 m; leg. J. L. Garcia, 1 June 1971  
HT ♂ (MIZA) and 6 PT

*Lobetus howdeni* Brancucci, 1982: 330

Type locality: Panama, Chiriqui, 2 km W Cerro, Punta, 8°51' N, 82°36' W, 1270 m, à la lumière; leg. H.  
Howden, 15–30 May 1977  
HT ♂ (NHMB) and 2 PT

Brancucci, M. (1983): *Quatrième note sur le sous-genre Malthinus (Indomalthinus) (Col. Cantharidae)*. Bulletin de la Société neuchâteloise des sciences naturelles **106**(1983): 83–86. [1983 (title page)]

*Malthinus (Indomalthinus) schmidi* Brancucci, 1983: 83

Type locality: Inde, Assam, U.K.J.H., Rumkheng, 2000'; leg. F. Schmid, 17 March 1960, coll. Wittmer  
HT ♂ (NHMB) and 1 PT

Brancucci, M. (1983): *A new Deronectes from Portugal (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **8**(1983): 138–140. [30 November 1983 (top of p. 3, contents)]

*Deronectes costipennis* Brancucci, 1983: 138

Type locality: Portugal, Sierra de Estrella, Penhas Douradas, 1600–1700 m, rivière de montagne; leg. J. Aubert, June 1959  
HT ♂ (MZLS)

Brancucci, M. (1983): *La famille des Cantharidae (Coleoptera) sur l'île de Taiwan. 4. La sous-famille des Chauliognathinae*. Entomologica Basiliensia **8**(1983): 256–309. [30 November 1983 (top of p. 3, contents)]

*Ichthyurus klapperichi* Brancucci, 1983: 261

Type locality: Taiwan, Fenchihu, 1400 m; leg. J. & S. Klapperich, 25 April 1977  
HT ♂ (NHMB) and 961 PT and 166 further specimens

*Ichthyurus heidiai* Brancucci, 1983: 265

Type locality: Taiwan, Alishan, 2400 m; leg. J. & S. Klapperich, 28 April 1977  
HT ♂ (NHMB) and 10 PT

*Microichthyurus haennii* Brancucci, 1983: 268

Type locality: Taiwan, Fenchihu, 1400 m; leg. J. & S. Klapperich, 30 April 1977  
HT ♂ (NHMB) and 84 PT

*Microichthyurus shimomurai* Brancucci, 1983: 271

Type locality: Taiwan, Taoyuan Pref., nr. Ssuling, 110 m; leg. T. Shimomura, 7 April 1982  
HT ♂ (NHMB) and 18 PT

*Microichthyurus satoi* Brancucci, 1983: 273

Type locality: Taiwan, Nantow Co., Nanshanchi; leg. Y. Notsu, 25 March 1977  
HT ♂ (SA in EUMJ) and 4 PT

*Trypherus kanoi* Brancucci, 1983: 276

Type locality: Formosa, Nantou Hsien, Tungpu; leg. T. Kano, 21 March 1926  
HT ♂ (NSMT) and 1 PT

*Trypherus nakanei* Brancucci, 1983: 278

Type locality: Taiwan, Nantou Pref., Hohuanchi, 1950 m; leg. T. Shimomura, 17 June 1982  
HT ♂ (NHMB) and 21 PT

*Trypherus pseudoparilis* Brancucci, 1983: 279

Type locality: Formosa, Nantou Hsien, Tungpu; leg. T. Kano, 21 March 1926  
HT ♂ (USMT) [typing error for "NSMT"]

*Trypherus fenchihuensis* Brancucci, 1983: 282

Type locality: Taiwan, Fenchihu, 1400 m; leg. J. & S. Klapperich, 15 April 1977  
HT ♂ (NHMB) and 1 PT

*Trypherus parilis* Brancucci, 1983: 283

Type locality: Taiwan, Yehliu b. Keelung; leg. J. & S. Klapperich, 4 April 1977  
HT ♂ (NHMB) and 5 PT

*Trypherus plagiocephalus* Brancucci, 1983: 286

Type locality: Taiwan, Ilan Pref., nr. Chihtuan, 1200 m; leg. T. Shimomura, 19 March 1982  
HT ♂ (NHMB) and 49 PT

*Trypherus simulator* Brancucci, 1983: 288

Type locality: Formosa, Urai; en très mauvais état, 1 April 1932, coll. Gressit  
HT ♂ (WW in NHMB)

*Trypherus nantouensis* Brancucci, 1983: 289

Type locality: Taiwan, Nantou Hsien, Hohuanchi, 1950 m; leg. T. Shimomura, 17 June 1982  
HT ♂ (NHMB) and 33 PT

*Trypherus taihorinensis* Brancucci, 1983: 291

Type locality: Formosa, Taihorin; leg. Sauter, April 1910  
HT ♂ (WW in NHMB)

*Trypherus perplexus* Brancucci, 1983: 292

Type locality: Formosa, Nantou Pref., Lishe, nr. Sun moon lake; leg. T. Kano, 24 March 1926  
HT ♂ (NSMT)

*Trypherus taiwanensis* Brancucci, 1983: 293

Type locality: Taiwan, Nanchang; leg. N. Obha, 1 May 1980  
HT ♂ (NHMB) and 62 PT

*Trypherus chujoi* Brancucci, 1983: 295

Type locality: Formosa, Mt. Ali-Shan; leg. M. Chûjô, 27 July 1970  
HT ♂ (NHMB) and 1 PT

*Trypherus similis* Brancucci, 1983: 296

Type locality: Formosa, Mt. Niftaka, Hattûkan; leg. S. Miyamoto, 16 July 1941, T. Nakane collection  
HT ♂ (NA in EIHU) and 5 PT

Brancucci, M. (1983): *Révision des espèces est-paléarctiques, orientales et australiennes du genre Laccophilus (Coleoptera, Dytiscidae)*. Entomologische Arbeiten aus dem Museum G. Frey **31/32**(1983): 241–426. [1 November 1983 (header of p.[i], “Inhalt”)]

*Laccophilus tobaensis* Brancucci, 1983: 255

Type locality: Indonesia, North Sumatra, Samosir, Toba-See, in Bach, 1300 m; leg. Dr. Erber, 26 August 1979  
HT ♂ (NHMB) and 5 PT

*Laccophilus girardi* Brancucci, 1983: 256

Type locality: N Bornéo, Kudat; C.B. K. & H. M. P., F.M.S. Museum, 15 September 1927, coll. Peschet  
HT ♂ (MNHN)

*Laccophilus tonkinensis* Brancucci, 1983: 258

Type locality: Tonkin, Hoa Binh; leg. de Cooman, coll. Peschet  
HT ♂ (MNHN) and 54 PT

*Laccophilus wittmeri* Brancucci, 1983: 260

Type locality: Tonkin, Hoa Binh; leg. de Cooman, coll. Peschet  
HT ♂ (MNHN) and 47 PT

*Laccophilus lewisoides* Brancucci, 1983: 272

Type locality: Chine, Tien-Sin; leg. L. Schaefer, April 1928  
HT ♂ (MNHN) and 21 PT

*Laccophilus kempi holmeni* Brancucci, 1983: 276

Type locality: Thaïlande, Chieng Mai Province, Doi Inthanon N.P., main road, 1600 m; Zool. Museum  
Copenhagen, 8 October 1981  
HT ♂ (ZMUC) and 35 PT

*Laccophilus maindroni persicus* Brancucci, 1983: 286

Type locality: S Iran, Isin; Exp. Nat. Mus. Praha, N° 198, 11–15 April 1973  
HT ♂ (SNMC) and 12 PT

*Laccophilus transversalis leptogonus* Brancucci, 1983: 291

Type locality: [Indonesia] Côte Est de Sumatra, Bedagei int.; leg. I. Z. Tannegieter, 2nd sem. 1889, coll.  
Oberthur  
HT ♂ (MNHN) and 9 PT

*Laccophilus heidiaie* Brancucci, 1983: 292

Type locality: Indonésie, Halmahera Isl., Jailolo Distr., Kampung Pasir, Putih, 0°53'N, 127°41'E; leg. A.C.  
Messer & P.M. Taylor, 1–14 May 1961  
HT ♂ (USNM) and 63 PT

*Laccophilus samuelsoni* Brancucci, 1983: 293

Type locality: Laos, Vientiane, at light; leg. P.D. Ashlock, 30 May 1965  
HT ♂ (BPBM) and 4 PT

*Laccophilus latipennis* Brancucci, 1983: 294

Type locality: Laos, Luang Prabang; leg. L. Peyrillier, March 1933, coll. Guignot  
HT ♂ (MNHN)

*Laccophilus wolfei* Brancucci, 1983: 295

Type locality: Sri Lanka, Puttalam Distr., Wilpattu Park, Talawila, 100 ft, at black light; leg. R. Baumann & J.  
Cross, 9–10 June 1973  
HT ♂ (USNM) and 24 PT

*Laccophilus siamensis chiengmaiensis* Brancucci, 1983: 301

Type locality: Thaïlande, Chieng Mai, 18°44'N, 98°52'E, ponds; leg. M. Holmen, 1 December 1978  
HT ♂ (ZMUC) and 1 PT

*Laccophilus siamensis kavanaughii* Brancucci, 1983: 302

Type locality: [India] Assam, Kaziranga, Kohara, 110 m; leg. E.S. Ross & D.Q. Cavagnaro, 16 October 1961  
HT ♂ (CAS) and 6 PT

*Laccophilus siamensis taiwanensis* Brancucci, 1983: 302

Type locality: Taiwan, Kaohsiung, light trap in sugar cane field; leg. K. Yano, 20 August 1981  
HT ♂ (SA in EUMJ) and 4 PT

*Laccophilus menieri* Brancucci, 1983: 305

Type locality: Bornéo; leg. S.V. Grabowsky, coll. Oberthur-Wehncke  
HT ♂ (MNHN) and 4 PT

*Laccophilus kaensis* Brancucci, 1983: 306

Type locality: Thaïlande, Kaen Municipality; leg. R.E. Elbel, 18 May 1954  
HT ♂ (USNM)

*Laccophilus bacchusi* Brancucci, 1983: 307

Type locality: Borneo, Sabah, 5 m S Mt. Trus Madi, 1800 feet, clear pond; leg. M.E. Bacchus, 18–28 August 1977, BM 1978-48

HT ♂ (BMNH)

*Laccophilus kaszabi* Brancucci, 1983: 328

Type locality: India, M.P., Panagar, near Jabalpur, water tank, netted from water; leg. Gy. Topal, 14 March 1967, Nr. 224

HT ♂ (HNHM) and 143 PT

*Laccophilus newtoni* Brancucci, 1983: 340

Type locality: [Indonesia] Célèbes, Ayer Maididi, Brues; leg. van Braekel, 1 April 1932, coll. van Dyke

HT ♂ (MCZ) and 3 PT

*Laccophilus schereri* Brancucci, 1983: 341

Type locality: New Guinea, SE Milne Bay; leg. J. Sedlacek, 14–23 February 1969

HT ♂ (BPBM) and 17 PT

*Laccophilus smithi* Brancucci, 1983: 344

Type locality: Thaïlande, Chiangmai Province, Chiangmai, loc. no 214; leg. D. C. & E. B. Thurman, 25 January 1952, coll. P. J. Spangler 1958, 221697

HT ♂ (USNM) and 2 PT

*Laccophilus punctatissimus* Brancucci, 1983: 368

Type locality: Inde, M. P., Khana, 300 km Nainpur; leg. R. Baumann, 27 April 1980

HT ♂ (NHMB) and 195 PT

Brancucci, M. (1983): *A new genus of the subfamily Laccophilinae (Coleoptera, Dytiscidae)*. Aquatic Insects 5(1983)(4): 251–254. [1983 (header of p. 251)]

Genus *Laccosternus* Brancucci, 1983: 251

Type species: *Laccophilus grouvellei* Régimbart, 1895 [by original designation]

Brancucci, M. (1984): *A new Paramaronius from Brazil (Coleoptera: Cantharidae)*. The Coleopterists Bulletin 37(1983)(4): 362–364. [December 1983 (outer front cover of fasc. no. 4; 9 Feb. 1984: mailing date for fasc. 4, footer outer back cover of fasc. no. 4)]

*Paramaronius campbelli* Brancucci, 1984 (not 1983): 362

Type locality: Brazil, DF, Parque Nacional, 1000 m; leg. J. M. & B. A. Campbell, 9 March 1970

HT ♂ (MPSP) and 12 PT

Brancucci, M. (1984): *A new Platambus from China (Coleoptera, Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft 57(1984)(2–3): 153–154. [15 October 1984 (footer outer back cover of fasc. 2–3)]

*Platambus punctatipennis* Brancucci, 1984: 153

Type locality: China, Fukien, Kuantun; leg. J. Klapperich, 1 June 1946

HT ♂ (NHMB)



Brancucci, M. (1984): *Un Falsomalthinus nouveau de Sumatra (Coleoptera, Cantharidae)*. Entomologica Basiliensia **9**(1984): 179–182. [31 December 1984 (header of p. 3, contents)]

*Falsomalthinus klapperichi* Brancucci, 1984: 179

Type locality: [Indonesia] Sumatra, Aceh Selatan Pr., Babahrot, 100m; leg. J. Klapperich, 28–30 August 1983  
HT ♂ (NHMB) and 2 PT

Brancucci, M. & Wittmer, W. (1984): *Zur Kenntnis der indo-malaiischen Malthininae (Coleoptera, Cantharidae)*. Entomologica Basiliensia **9**(1984): 183–192. [31 December 1984 (header of p. 3, contents)]

Genus *Paramalthinus* Brancucci, 1984 (in Brancucci & Wittmer, 1984): 183

Type species: *Paramalthinus shimomurai* Brancucci, 1984 [by original designation]

*Paramalthinus shimomurai* Brancucci, 1984 (in Brancucci & Wittmer, 1984): 184

Type locality: Thailand, Chiang Mai, Doi Pui, 1400–1500 m; leg. T. Shimomura, 23 April 1983  
HT ♂ (NHMB) and 10 PT

*Frostia pseudobhutanensis* Brancucci, 1984 (in Brancucci & Wittmer, 1984): 188

Type locality: E Nepal, Thurukpa, 2600 m, 27°36'N, 87°36'E–Papun, 2100 m, 27°32'N, 87°38'E, Pemba Norbu; Kyushu Univ. coll., 10 July 1972  
HT ♂ (KUEC)

Brancucci, M. 1985: *Insects of Saudi Arabia. Coleoptera: Fam. Haliplidae, Noteridae, Dytiscidae, Gyrinidae (Part 4)*. Fauna of Saudi Arabia **6**(1984): 229–242. [25 February 1985 (p.[iii] “contents”); 1984 (title page of volume and running headline)]

*Yola buettikeri* Brancucci, 1985 (not 1984): 230

Type locality: Saudi Arabia, Khoda, 20°22'N, 41°18'E, 1890 m; leg. W. Büttiker, 30 September 1982  
HT ♂ (NHMB) and 8 PT

Brancucci, M. (1985): *La famille des Cantharidae (Coleoptera) sur l'île de Taiwan. 4*. Entomologica Basiliensia **10**(1985): 239–244. [20 November 1985 (top of p. 3, contents)]

*Microichthyurus ilanensis* Brancucci, 1985: 240

Type locality: Taiwan, Ilan Hsien; leg. N. Ohbayashi, 29 April 1982  
HT ♂ (SA in EUMJ) and 2 PT

Brancucci, M. (1985): *Trypheridium n.gen., un genre nouveau pour Trypherus nuristanicus Wittmer (Coleoptera, Cantharidae)*. Entomologica Basiliensia **10**(1985): 245–249. [20 November 1985 (top of p. 3, contents)]

Genus *Trypheridium* Brancucci, 1985: 245

Type species: *Trypherus nuristanicus* Wittmer, 1956 [by original designation]

Brancucci, M. (1985): *Révision du genre Trypherus Leconte (Coleoptera, Cantharidae)*. Entomologica Basiliensia **10**(1985): 251–322. [20 November 1985 (top of p. 3, contents)]

*Trypherus ohbayashii* Brancucci, 1985: 264

Type locality: Taiwan, Ilan Hsien, Yenyanfu; leg. N. Ohbayashi, 29 April 1982  
HT ♂ (SA in EUMJ) and 7 PT

*Trypherus atratulus* Brancucci, 1985: 266

Type locality: Japon, Honshu, Gifu Pref., Kamisaka, Nakatsugawa; leg. Y. Hori, 8 June 1975  
HT ♂ (SA in EUMJ) and 44 PT

*Trypherus nigrinus* Brancucci, 1985: 273

Type locality: Taiwan, Honshu, Kanagawa Pref., Sôun-zan, Hakone; leg. N. Ohbayashi, 23 June 1979  
HT ♂ (NHMB) and 26 PT

*Trypherus babai* Brancucci, 1985: 276

Type locality: Japon, Honshu, Niigata, M-Echigo, Mitsumata, Yuzawa; leg. K. Baba, 19 June 1977  
HT ♂ (SA in EUMJ) and 15 PT

*Trypherus charbinensis* Brancucci, 1985: 283

Type locality: N China, Charbin; 2 July 1952  
HT ♂ (BMNH) and 10 PT

*Trypherus fenderi* Brancucci, 1985: 286

Type locality: USA, Georgia; leg. Macon, 4 May 1939  
HT ♂ (USNM) and 2 PT

Brancucci, M. (1985): *Typhlodessus monteithi n.gen., n.sp., a blind terrestrial Dytiscidae (Coleoptera) from New Caledonia*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **58**(1985)(3–4): 467–470. [15 December 1985 (footer on outside back cover of fasc.)]

Genus *Typhlodessus* Brancucci, 1985: 467

Type species: *Typhlodessus monteithi* Brancucci, 1985 [by original designation]

*Typhlodessus monteithi* Brancucci, 1985: 468

Type locality: New Caledonia, Mt. Panié, 20°35'S, 164°47'E, rain forest, 1300–1600 m, moss and litter; leg. G.B. Monteith, 15 May 1984, Q.M. Berlesate No 649  
HT ♂ (QM)

Brancucci, M. (1986): *Revision of the Genus Lacconectus Motschulsky (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **11**(1986): 81–202. [special issue: 30 October 1986 (top of p. 3, contents)]

*Lacconectus ponti* Brancucci, 1986: 101

Type locality: Malaya, Cameron Highlands, Tanah Rata, GH 154, Agric. Dept.; leg. R.A. Lever, 2 October 1947, Com. Inst. Ent Col. No. 11 490  
HT ♂ (BMNH)

*Lacconectus gusenleitneri* Brancucci, 1986: 102

Type locality: India, Assam, Garo Hills, above Tura, 3500–3900 ft; leg. S. Kemp, 15 July–30 August 1917, coll. Gschwendtner  
HT ♂ (OLML) and 5 PT

*Lacconectus holzschuhi* Brancucci, 1986: 104

Type locality: W Nepal, Modi Khola, Landrung-Pothana, 1600–1900 m; leg. C.J. Rai, 6 June 1984  
HT ♂ (NHMB) and 28 PT

*Lacconectus pederzanii* Brancucci, 1986: 105

Type locality: India, Assam, Shillong, Khasi Hills; leg. Sircar, 1968  
HT ♂ (FP) and 6 PT

*Lacconectus similis* Brancucci, 1986: 109

Type locality: Thailand, Luang Prabang, Ban Nam Mo; leg. R.V. de Salvaza, 31 March 1918  
HT ♂ (MNHN) and 8 PT

*Lacconectus peguensis* Brancucci, 1986: 111

Type locality: [Myanmar] Pegu; 1908, coll. Guignot (*L. lividus* Rég.) and coll. Régimbart  
HT ♂ (MNHN) and 3 PT

*Lacconectus birmanicus* Brancucci, 1986: 112

Type locality: [Myanmar] Tenasserim, Sukli, 75 km E of Moulmein, 600 m; leg. R. Malaise, 27–31 October 1934  
HT ♂ (NHRS) and 6 PT

*Lacconectus fallaciosus* Brancucci, 1986: 114

Type locality: [Myanmar] Pégu; 1908, coll. Maurice Régimbart  
HT ♂ (MNHN) and 2 PT

*Lacconectus merguiensis* Brancucci, 1986: 117

Type locality: [Myanmar] Tenasserim, Mergui; leg. Lakatt & Pamboo, May 1895, partim coll. Régimbart 1908  
HT ♂ (MNHN) and 9 PT

*Lacconectus nicolasi* Brancucci, 1986: 119

Type locality: Nepal, Danda Pakhar, 1600–2500 m; leg. M. Brancucci, 1 June 1977  
HT ♂ (NHMB) and 111 PT

*Lacconectus biswasi* Brancucci, 1986: 121

Type locality: India, Assam, Manipur, Kamluvan, 1500 ft; leg. F. Schmid, 24 May 1960, ZSI Lot No 61 1960, *Lacconectus fulvescens* Motsch., det. T.G. Vazirani  
HT ♂ (NZSI)

*Lacconectus tonkinoides* Brancucci, 1986: 127

Type locality: Tonkin, Hoa Binh; leg. de Cooman, 1945, coll. Peschet  
HT ♂ (MNHN) and 33 PT

*Lacconectus krikkeni* Brancucci, 1986: 130

Type locality: Borneo Exped., Pondok?; leg. Dr. J. Büttik., G. Kenepai, January 1894  
HT ♂ (RMNH) and 81 PT

*Lacconectus corayi* Brancucci, 1986: 132

Type locality: Singapore; leg. H.N. Ridley  
HT ♂ (BMNH) and 3 PT

*Lacconectus minutus*: Brancucci, 1986: 136

Type locality: [Indonesia] Sumatra merid., Ranau; D. Limnol. Exp., coll. E. Csiki  
HT ♂ (HNHM)

*Lacconectus muluensis* Brancucci, 1986: 137

Type locality: [Malaysia] Sarawak, 5th Division, Gn. Mulu NP, pitfall-trap, fish bait, Kerangas, ca. 150 m; leg. I. Hanski, March–May 1978, BM 1978-524  
HT ♂ (BMNH) and 2 PT

*Lacconectus javanicus* Brancucci, 1986: 139

Type locality: [Indonesia] Java, Malang.

HT ♂ (MNHN) and 70 PT

*Lacconectus laccophiloides balabacicus* Brancucci, 1986: 143

Type locality: [Philippines] Balabac ; n.sp., Dr. Régimbart vidit, 1898

HT ♂ (MNHN)

*Lacconectus laccophiloides luzonicus* Brancucci, 1986: 143

Type locality: Philippines, Luzon, Los Banos; Staudinger-Bang Haas, 1945, coll. Peschet

HT ♂ (MNHN) and 4 PT

*Lacconectus punctatus* Brancucci, 1986: 144

Type locality: Cambodge, Sambor; Vitalis De Salvaza, 1945, coll. Peschet

HT ♂ (MNHN) and 5 PT

*Lacconectus heinertzi* Brancucci, 1986: 151

Type locality: Thailand, Doi Suthep-Pui natn. Park, Konthathan, waterfall area, 600 m; Zool. Mus. Copenhagen Exped., 20–27 October 1979

HT ♂ (ZMUC) and 1 PT

*Lacconectus rossi* Brancucci, 1986: 155

Type locality: India, Maharashtra, Mahableswar, 1250 m; leg. E.S. Ross &amp; D. Q. Cavagnaro, 13 February 1962

HT ♂ (CAS) and 52 PT

*Lacconectus spangleri* Brancucci, 1986: 158

Type locality: Ceylon, Kandy Distr., Kandy, Roseneath; leg. P. &amp; P. Spangler, 25 March 1971

HT ♂ (USNM) and 19 PT

*Lacconectus regimbarti* Brancucci, 1986: 160

Type locality: [India] Wallardi, Travancore; leg. R. P. Fabre, 5 September 1903

HT ♂ (MNHN) and 39 PT

*Lacconectus pulcher* Brancucci, 1986: 164

Type locality: [Malaysia] Sarawak, 4th Division, Gn. Mulu N.P., pitfall-trap, Fish bait, MD forest, 100–500 m; leg. I. Hanski, March–May 1978, BM 1978-524

HT ♂ (BMNH) and 1 PT

*Lacconectus sabahensis* Brancucci, 1986: 166

Type locality: Ost-Malaysia, Sabah, Nat. Park Kinabalu, 1585 m; leg. Beck, 11 August 1972

HT ♂ (GW)

Brancucci, M. (1987): *A New Lacconectus from Thailand (Coleoptera, Dytiscidae)*. *Aquatic Insects* 9(1987)(2): 93–95. [1987 (title page of vol., header of p. 93)]

*Lacconectus loeiensis* Brancucci, 1987: 93

Type locality: Thailand, Loei Prov., Phu Lang, Wildlife Sanctuary, 1400–1500 m, Karsholt, Lomholdt &amp; Nielsen; leg. Lomholdt &amp; Nielsen, 10–12 October 1984, coll. M. Brancucci

HT ♂ (ZMUC) and 10 PT

Fery, H. & Brancucci, M. (1987): *The costate species of the genus Deronectes Sharp (Coleoptera, Dytiscidae)*. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* 60(1987)(1–2): 63–72. [21.viii.1987 (footer, outer back cover of fasc. 1–2)]

*Deronectes ferrugineus* Fery et Brancucci, 1987: 70

Type locality: Portugal, Guarda Distr., Beira Alta, Serra da Estrela, nr. Penhas Douradas, mountain streamlet, 1150 m; leg. H. Fery, 14 August 1985  
HT ♂ (CHF) and 68 PT

Brancucci, M. (1988): *A revision of the genus Platambus Thomson (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **12**(1988): 165–239. [29 April 1988 (top of p. 3, contents)]

*Platambus schaeffleini* Brancucci, 1988: 188

Type locality: [China] Yunnan  
HT ♂ (MNHN) and 4 PT

Brancucci, M. (1989): *Notes on the genus Lacconectus with the description of two new species (Col., Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **62**(1989)(1–2): 107–111. [14 July 1989 (footer, outer back cover of fasc. 1–2)]

*Lacconectus nepalensis* Brancucci, 1989: 108

Type locality: Nepal, Rapti Tal, Monahari Khola, 350 m; leg. Dierl, Foster, Schacht, 6 May 1967  
HT ♂ (ZSM) and 9 PT

*Lacconectus sikkimensis* Brancucci, 1989: 109

Type locality: India, S Sikkim, Hanuman Tok, 2200 m; leg. Ch. J. Rai, 24–25 October 1985  
HT ♂ (NHMB) and 72 PT

Fery, H. & Brancucci, M. (1989): *A new subspecies of Deronectes costipennis Brancucci (Coleoptera, Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **62**(1989)(3–4): 303–305. [15 December 1989 (footer, outer back cover of fasc. 3–4)]

*Deronectes costipennis gignouxii* Fery et Brancucci, 1989: 303

Type locality: Spain, Prov. León, Picos de Europa, nr. Posada de Valdeón, mountain streamlet, 1200 m; leg. H. Fery, 5 August 1988  
HT ♂ (NHMB) and 52 PT

Brancucci, M. (1990): *A new species of Platambus, subgenus Agraphis, from Nepal and notes on P. guttulus (Régimbart) (Coleoptera, Dytiscidae)*. Quaestiones Entomologicae **26**(1990)(2): 239–243. [1990 (top right of p. 239; “issued July 1990”: footer inner front cover of fasc. n°2)]

*Platambus (Agraphis) khukri* Brancucci, 1990: 240

Type locality: Nepal, Bagmati, Sindhupalchok, Dapkakharka, 1800 m; leg. M. Brancucci, 11 June 1989  
HT ♂ (NHMB) and 7 PT

Fery, H. & Brancucci, M. (1990): *Deronectes angusi n.sp. aus Spanien (Coleoptera: Dytiscidae)*. Entomologische Zeitschrift mit Insektenbörse **100**(1990)(22): 430–432. [15 November 1990 (title page of no. 22, header)]

*Deronectes angusi* Fery et Brancucci, 1990: 430

Type locality: Spanien, Prov. Burgos, Pineda de la Sierra, Umg. Arlanzon, Zufluss zum Rio Arlanzon, ca. 1200 m; leg. H. Fery, 22 May 1990, coll. Brancucci  
HT ♂ (NHMB) and 45 PT

Brancucci, M. (1991): *A new species of Platambus, subgenus Agraphis, from North Vietnam (Coleoptera, Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **64**(1991)(3–4): 345–348. [30 December 1991 (footer outside back cover of fasc.)]

*Platambus regulae* Brancucci, 1991: 345

Type locality: N Vietnam (Tonkin), Hoang Lien Son, SA PA; leg. P. Pacholátko, 11–15 May 1990  
HT ♂ (NHMB) and 14 PT

Wewalka, G. & Brancucci, M. (1995): *Dytiscidae: Notes on Chinese Platambus Thomson, with description of two new species (Coleoptera)*. Pp. 97–102. In Jäch, M.A. & Ji, L. (eds): *Water Beetles of China Vol. I (1995)*. Vienna : Zoologisch-botanische Gesellschaft [November 1995 (header of p. 97)]

*Platambus jilanzhui* Wewalka et Brancucci, 1995: 98

Type locality: China, 36 km NW Peking, Fragrant Hills, kl. Bach; leg. M. Jäch & Ji, 2 July 1992  
HT ♂ (NMW) and 43 PT

*Platambus schillhammeri* Wewalka et Brancucci, 1995: 99

Type locality: China, NW-Hunan, Wulingyuan, N Dayong, Zangjiajie, 500 m; leg. Schillhammer, 30 October 1993  
HT ♂ (CASS) and 2 PT

Brancucci, M. & Monteith, G.B. 1997: *A second Terradessus species from Australia (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **19**(1996): 585–591. [12 June 1997 (top of p.[3], contents)]

*Terradessus anophthalmus* Brancucci et Monteith, 1997 (not 1996): 587

Type locality: Australia, NE Qld, Thornton Peak, summit, via Daintree, rainforest, 1100–1300 m, sieved litter and moss; leg. G.B. and S.R. Monteith, 24–27 September 1984  
HT ♂ (QM) and 6 PT

Fery, H. & Brancucci, M. (1997): *A taxonomic revision of Deronectes Sharp, 1882 (Insecta: Coleoptera: Dytiscidae) (part I)*. Annalen des Naturhistorischen Museums in Wien **99B**(1997): 217–302. [December 1997 (header of p. 217)]

*Deronectes angelinii* Fery et Brancucci, 1997: 228

Type locality: Italia, Lombardia, Pavia prov., Val Staffora, nr. Varzi; leg. Toledo, 31 June 1991  
HT ♂ (CHF) and 140 PT and 20 specimens, “additional material”

*Deronectes aubei sanfilippoi* Fery et Brancucci, 1997: 234

Type locality: Espagna, Picos de Europa, Prov. Oviedo, Rinnsal (= small headwater stream), 1100 m.; leg. H. Fery, 11 August 1984  
HT ♂ (CHF) and 75 PT

*Deronectes platynotus mazzoldii* Fery et Brancucci, 1997: 242

Type locality: [Greece] GR.-Mt. Olympos, Prionia, "Mavrolongos river, near Prionia, 1000–1070 m"; P. Mazzoldi, 25 July 1989  
HT ♂ (CHF) and 58 PT

*Deronectes perrinae* Fery et Brancucci, 1997: 260

Type locality: Djebel Filfila, Skikda (N Constantine), Algérie; leg. Constantin, 20 June 1971  
HT ♂ (CHF) and 102 PT

*Deronectes witzgalli* Fery et Brancucci, 1997: 278

Type locality: Türkei, NW Antalya (road to Korkuteli), Bach, ca. 700 m; 4 April 1985  
HT ♂ (CHF) and 38 PT

Brancucci, M. (2002): *New Lacconectus Motschulsky, 1855 from Indonesia, with notes on several poorly known species (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **24**(2002): 23–32. [24 September 2002 (top of p.[iii], contents)]

*Lacconectus jaechi* Brancucci, 2002: 23

Type locality: Indonesia, W-Sumatra, 70 km SE Padang, Gg. Talang, 1500 m; leg. M. Jäch  
HT ♂ (NMW) and 4 PT

*Lacconectus schoenmanni* Brancucci, 2002: 25

Type locality: Indonesia, Sumatra, Aceh, Louser N.P., 30 km NW Kutacane; leg. M. Jäch, 23 February 1990  
HT ♂ (NMW) and 13 PT

*Lacconectus schoedli* Brancucci, 2002: 27

Type locality: Indonesia, W-Sumatra–(12c), NSG Lemba Harau, 15 km, NE Payakumba; leg. S. Schödl, 11 February 1991  
HT ♂ (NMW) and 9 PT

Brancucci, M. (2003): *Description of two new Falsomalthinus Pic (Coleoptera, Cantharidae) from Brunei*. Special Bulletin of the Japanese Society of Coleopterology (Tokyo) **6**(2003): 275–278. [25 May 2003 (header of p. 275)]

*Falsomalthinus satoi* Brancucci, 2003: 275

Type locality: Brunei, Kuala Belalong FSC, E 115°7' N 4°34', Dipterocarp forest, *Dryobalanops beccarii*, (BMNH), 1991-173, aerial Malaise 1A, 260 m; leg. N. Mawdsley, 4 July 1991, NM 216  
HT ♂ (BMNH) and 2 PT

*Falsomalthinus wittmeri* Brancucci, 2003: 276

Type locality: Brunei, Kuala Belalong FSC, E 115°7' N 4°34', Dipterocarp forest, (BMNH), 1991-173, FOG 13: Site 8-2, 280 m; leg. N. Mawdsley, 3 March 1992, NM 336  
HT ♂ (BMNH) and 3 PT

Brancucci, M. (2003): *II. Faunistic notes on Lacconectus Motschulsky from China and neighbouring countries, and descriptions of new species*. Pp. 95–113. In Jäch, M.A & Ji, L. (eds.): *Water Beetles of China, Vol. III (2003)* – Wien: Zoologisch-Botanische Gesellschaft in Österreich und Wiener Coleopterologenverein VI + 572. [April 2003 (header of p. 95)]

*Lacconectus nigrita* Brancucci, 2003: 97

Type locality: LAOS-N (Oudomxai), 1000 m, 20°45'N, 102°09'E, OUDOMXAI (17 km NEE [=ENE]); leg. Vít. Kubáň, 1–9 May 2002  
HT ♂ (NHMB) and 1 PT

*Lacconectus kubani* Brancucci, 2003: 98

Type locality: LAOS, Louangphrabang pr., 20°33–4'N, 102°14'E, Ban Song Cha (5 km W), 1200 m; leg. Vít. Kubáň, 24–30 April 1999  
HT ♂ (NHMB) and 190 PT

*Lacconectus menglunensis* Brancucci, 2003: 100

Type locality: China, Yünnan, Xishuangbanna ca.15 km W Menglun, ca. 700–800 m; leg. M. Jäch, 5 November 1999  
HT ♂ (CASS) and 1 PT

*Lacconectus meyeri* Brancucci, 2003: 101

Type locality: LAOS-N (Oudomxai), 1000 m, 20°45'N, 102°09'E, 17 km NEE OUDOM XAI, 17 km NEE [=ENE]; leg. Vít. Kubáň, 1–9 May 2002  
HT ♂ (NHMB) and 64 PT

*Lacconectus maoyangensis* Brancucci, 2003: 103

Type locality: China: Hainan (194), 30 km E Maoyang, Wuzhi Shan Resort, 700–800 m; leg. M. Jäch, 18 January 1996  
HT ♂ (CASS) and 4 PT

*Lacconectus schillhammeri* Brancucci, 2003: 104

Type locality: C-LAOS: Prov. Viangchan, Phou Khao Khouay N.P., Nam Leuk env., Tad Leuk Waterf., 200 m flight intercept trap; leg. Schillhammer, 1–8 June 1996  
HT ♂ (NMW) and 9 PT

*Lacconectus pseudosimilis* Brancucci, 2003: 105

Type locality: LAOS-C, KHAM MOUAN pr. Ban Khoun Ngeum, 200 m: 18°07'N, 104°29'E; leg. P. Pacholátko, 19–31 May 2001  
HT ♂ (NHMB) and 115 PT

*Lacconectus pseudonicolasi* Brancucci, 2003: 106

Type locality: LAOS, Louangphrabang pr., 20°33–4'N, 102°14'E, Ban Song Cha (5 km W), 1200 m; leg. Vít. Kubáň, 10–16 May 1999  
HT ♂ (NHMB) and 120 PT

Brancucci, M. (2003): *A review of the genus Lacconectus Motschulsky, 1855 from the Indian subcontinent (Coleoptera, Dytiscidae)*. Entomologica Basiliensia **25**(2003): 23–39. [24 October 2003 (top of p.[ii], contents)]

*Lacconectus splendidus* Brancucci, 2003: 25

Type locality: India, Meghalaya, Nokrek n.p., 3 km S. Daribokgiri, 25°27'N, 90°19'E, 1400 m; leg. L. Dembický & P. Pacholátko, 26 April 1999  
HT ♂ (NHMB) and 5 PT

*Lacconectus pacholatkoii* Brancucci, 2003: 27

Type locality: S India, Karnataka, W. Ghats, 18 km E Shiradi, Gundia, 12°47'N, 75°43'E, 200–500 m; leg. P. Pacholátko, 16–21 May 2002  
HT ♂ (NHMB) and 477 PT



*Lacconectus munnarensis* Brancucci, 2003: 30

Type locality: India, Kerala, Kallar Valley, 10 km WSW Munnar, 10°03'N, 76°58'E, 1100 m; leg. D. Boukal, 7 January 1999

HT ♂ (NMW) and 27 PT

*Lacconectus blandulus* Brancucci, 2003: 31

Type locality: India, Kerala, 30 km NNE Trivandrum, 400 m, Kallar Bridge, 08°45'N, 77°05'E; leg. D. Boukal, 30 December 1998

HT ♂ (NMW)

*Lacconectus satoi* Brancucci, 2003: 33

Type locality: S. India, Karnataka, W. Ghats, 18 km E Shiradi, Gundia, 12°47'N, 75°43'E, 200–500 m; leg. P. Pacholátko, 16–21 May 2002

HT ♂ (NHMB) and 308 PT

Brancucci, M. (2004): *Two New Lacconectus from Vietnam (Coleoptera; Dytiscidae)*. *Aquatic Insects* **26**(2004)(3/4): 175–181. [September / December 2004 (outer front cover of fasc. 3/4)]

*Lacconectus valeriae* Brancucci, 2004: 176

Type locality: S Vietnam, 14 km SW Bao Loc, 11°30'N, 107°47'E; leg. P. Pacholátko & L. Dembický, 16–29 May 1994

HT ♂ (NHMB) and 167 PT

*Lacconectus baolocensis* Brancucci, 2004: 178

Type locality: S Vietnam, 14 km SW Bao Loc, 11°30'N, 107°47'E; leg. P. Pacholátko & L. Dembický, 16–29 May 1994

HT ♂ (NMW) and 25 PT

Brancucci, M. (2004): *Notes on Platambus species from Laos, with the description of a new species (Coleoptera, Dytiscidae)*. *Mitteilungen der Schweizerischen Entomologischen Gesellschaft* **77**(2004)(1–2): 81–85. [December 2004 (footer outer back cover of fasc. 1–2)]

*Platambus phufahensis* Brancucci, 2004: 82 (= *Platambus princeps* (Régimbart, 1888))

Type locality: Laos, Phongsaly prov., Phongsaly env., Phufah, 21°41–2'N, 102°06–8'E, 1500 m; leg. M. Brancucci, 28 May–20 June 2003

HT ♂ (NHMB) and 88 PT

Brancucci, M. & Gusich, V. (2004): *The genus Lacconectus Motschulsky, 1855, in Thailand with a description of two new species (Coleoptera, Dytiscidae)*. *Entomologica Basiliensia* **26**(2004): 105–112. [24 November 2004 (top of p.[iii], contents)]

*Lacconectus schawalleri* Brancucci, 2004 (in Brancucci & Gusich, 2004): 107

Type locality: N-Thailand, Doi Phu Kha N.P., 50 km NE Nan; leg. J. Rejsek, 28 June–1 July 1997

HT ♂ (SMNS)

*Lacconectus khaosokensis* Brancucci, 2004: 110

Type locality: South Thailand, Khao Sok rain forest, 38 km E Takua Pa; leg. J. Rejsek, 21 November 1996

HT ♂ (NMW)

Brancucci, M. (2005): *Review of the Lacconectus-species from Myanmar, with the description of one new species (Coleoptera: Dytiscidae)*. Aquatic Insects **27**(2005)(4): 253–259. [December 2005 (header of p. 253 & contents page of fasc. no.4)]

*Lacconectus shaverdoae* Brancucci, 2005: 254

Type locality: Myanmar, Shan State, NE Mintaingbin Forest Camp, above 150, puddle; leg. H. Shaverdo, 22 June 2004

HT ♂ (NMW) and 104 PT

Brancucci, M. & Hendrich, L. (2005): *A review of Indomalayan Lacconectus Motschulsky, 1855 (Coleoptera: Dytiscidae: Copelatinae)*: Mitteilungen der Schweizerischen Entomologischen Gesellschaft **78**(2005)(3–4): 265–297. [December 2005 (footer outer back cover of fasc.)]

*Lacconectus balkei* Brancucci et Hendrich, 2005: 267

Type locality: West Malaysia, Province Perak, Cameron Highlands, Tanah Rata, Gunung Jasar (track 11), 1500 m; leg. Hendrich, 13 and 15 June 1994

HT ♂ (NMW) and 228 PT

*Lacconectus kelantanensis* Brancucci et Hendrich, 2005: 268

Type locality: Malaysia, Kelantan, 100 km Ö Gerik; leg. M. Jäch, 3 February 1992

HT ♂ (NMW) and 2 PT

*Lacconectus stastnyi* Brancucci et Hendrich, 2005: 271

Type locality: Malaysia, Sarawak Bario env. Pa Umor; leg. J. Štastný, 23 June 2003

HT ♂ (NHMB) and 51 PT

*Lacconectus heubergeri* Brancucci et Hendrich, 2005: 275

Type locality: Mal., Sarawak, 20 km W Kuching, Kubah NP, Gg. Serapu.; leg. M. Jäch, 6 / 7 March 1993

HT ♂ (NMW) and 1 PT

*Lacconectus rutilans* Brancucci et Hendrich, 2005: 276

Type locality: Mal., Sarawak, Umg. Kuching, Bako NP; leg. M. Jäch, 21 February 1993

HT ♂ (NMW) and 19 PT

Hendrich, L. & Brancucci, M. (2005): *A new subspecies of Laccophilus newtoni Brancucci, 1983 from the Philippines (Coleoptera; Dytiscidae: Laccophilinae)*. Linzer Biologische Beiträge **37**(2005)(2): 1243–1249. [16 December 2005 (header of p. 1243)]

*Laccophilus newtoni palawanensis* Hendrich et Brancucci, 2005: 1244

Type locality: Philippines, Palawan, Cabayugan River, 10°09'.40N, 118°53'.00E, Puerto Princesa City Bgy. Cabayugan SO Manturon; leg. H. Freitag, 25 May 2001

HT ♂ (NMW) and 20 PT

Brancucci, M. (2005): *Notes on some Platambus (s.str.) Thomson, 1859 species from China, with the description of one new species (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **27**(2005): 1–5. [15 December 2005 (outer back cover, footnote)]

*Platambus wulingshanensis* Brancucci, 2005: 1

Type locality: China, NW Hunan prov., Wulingshan, Tianzishan Nat. Res., 800 m; leg. Bolm, 16–18 June 1997  
HT ♂ (NHMB) and 1 PT

Brancucci, M. (2006): *A review of the genus Platambus (s.str.) in the Himalayas, with the description of a new species (Coleoptera, Dytiscidae)*. Tijdschrift voor Entomologie **149**(2006)(1): 89–94. [1 June 2006 (p. 89: abstract and spreadsheet at <http://www.nev.nl/pages/publicaties/tve/cat/index.php>)]

*Platambus dembickyi* Brancucci, 2006: 91

Type locality: NE India, Meghalaya, 8 km N of Shillong, 25°38'N, 91°54'E, approx. 1200 m; leg. L. Dembický, 7–9 May 2004  
HT ♂ (NHMB) and 48 PT

Brancucci, M. & Hendrich, L. (2006): *A new high-altitude Ilybiosoma Crotch, 1873 from Tibet, as an example of a Palaearctic-Afrotropical disjunction (Coleoptera, Dytiscidae)*. Aquatic Insects **28**(2006)(2): 131–138. [June 2006 (header of p. 131; outer front cover of fasc., title page of fasc. no. 2)]

*Ilybiosoma yeti* Brancucci et Hendrich, 2006: 132

Type locality: China, S Tibet, Zhangmu env. [= Khasa, 28°00'N 85°58'E], 4000 m; leg. P. Gorbachev', 17 July 1995  
HT ♂ (NHMB) and 1 PT

Brancucci, M. (2006): *Lacconectus Motschulsky collected in Laos, with the description of a new species (Coleoptera, Dytiscidae)*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **79**(2006)(3–4): 235–240. [December 2006 (footer on outside back cover)]

*Lacconectus geiseri* Brancucci, 2006: 235

Type locality: Laos, Phongsaly Prov., Ban Sano Mai, 21°21'N, 102°03'E, about 1150 m; leg. Vít. Kubáň, 19–26 May 2004  
HT ♂ (NHMB) and 3 PT

Brancucci, M. (2006): *Some species of Lacconectus Motschulsky, 1855 collected in the Eastern Himalayas, with the description of two new species (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **28**(2006): 59–65. [22 December 2006 (outer back cover, footnote)]

*Lacconectus klausnitzeri* Brancucci, 2006: 59

Type locality: NE India, Arunachal Pradesh. 8 km S Jamiri, Sessa vicinity, 27°07'–09'N, 92°34'E, 350 m; leg. P. Pacholátko, 26 May–4 June 2005  
HT ♂ (NHMB) and 11 PT

*Lacconectus arunachal* Brancucci, 2006: 61

Type locality: NE India, Arunachal Pradesh. 8 km S Jamiri, Sessa vicinity, 27°07'–09'N, 92°34'E, 350 m; leg. P. Pacholátko, 26 May–4 June 2005  
HT ♂ (NHMB) and 6 PT

Brancucci, M. (2006): *A new species of Platambus Thomson, 1860 from China, with notes on the subgenus Agraphis Guignot, 1954 (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **28**(2006): 67–71. [22 December 2006 (outer back cover, footnote)]

*Platambus (s.str.) wangi* Brancucci, 2006: 67

Type locality: China, Hubei, Shennongjia Forest Distr., 10 km E Muyu, Chaiqui, 1600m; leg. Schönmann & Wang (CWBS 522), 9 October 2004

HT ♂ (NMW) and 12 PT

Brancucci, M. (2007): *A new species of Platambus (s.str.) Thomson, 1859 from Laos (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **29**(2007): 21–25. [20 December 2007 (outer back cover, footnote)]

*Platambus (s.str.) sisouthami* Brancucci, 2007: 21

Type locality: LAO-NE, Hua Phan prov., Phu Phan Mt., approx. 20°12'N 104°01'E, 1500–1900 m; leg. M. Brancucci, 17 May–3 June 2007

HT ♂ (NHMB) and 4 PT

Brancucci, M. & Geiser, M. (2007): *A new species of Lamellipalpus Maulik, 1921 from Vietnam (Coleoptera, Lampyridae)*. Entomologica Basiliensia et Collectionis Frey **29**(2007): 41–45. [20 December 2007 (outer back cover, footnote)]

*Lamellipalpus constantini* Brancucci et Geiser, 2007: 41

Type locality: N Vietnam, Cuc Phuong National Park; leg. P. Pacholátko & L. Dembický, 21–22 May 1996

HT ♂ (NHMB)

Brancucci, M. & Hendrich, L. (2008): *5100 m above sea level: Agabus joachimschmidti sp.n. and notes on other high altitude diving beetles from Tibet and Bhutan (Coleoptera, Dytiscidae)*. Zootaxa (2008) **1825**: 51–58. [18 July 2008 (footer p. 51 & journal website)]

*Agabus joachimschmidti* Brancucci et Hendrich, 2008: 52

Type locality: Tibet South Central, Budha Valley N of Yangpachem, about 30°10'38N 90°30'18E, 5100 m; 20 June 2007

HT ♂ (NHMB) and 9 PT

Brancucci, M. (2008): *The genus Platynectes Régimbart, 1879 in Laos, with the description of a new species (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **30**(2008): 21–25. [22 December 2008 (outer back cover, footnote)]

*Platynectes (Gueorguievtes) njai* Brancucci, 2008: 21

Type locality: LAO-NE, Hua Phan prov., Phu Phan Mt., approx. 20°12'N 104°01'E, 1500–1900 m; leg. M. Brancucci, 17 May–3 June 2007

HT ♂ (NHMB)

Okushima, Y. & Brancucci, M. (2008): *A remarkable new species of the genus Lycocerus Gorham, 1889 from Laos and Vietnam (Coleoptera, Cantharidae)*. Entomologica Basiliensia et Collectionis Frey **30**(2008): 41–47. [22 December 2008 (outer back cover, footnote)]

*Lycocerus michiakii* Okushima et Brancucci, 2008: 43

Type locality: near Ban Saleui, 1365 m alt., N20°13', E103°59', Houaphan Prov., NE. Laos; leg. M. Hasegawa, 9 April 2004

HT ♂ (KURA) and 2 PT

Brancucci, M. (2008): *Description of two new species of Falsomalthinus Pic, 1924 from Sumatra (Coleoptera, Cantharidae)*. Entomologica Basiliensia et Collectionis Frey **30**(2008): 75–79. [22 December 2008 (outer back cover, footnote)]

*Falsomalthinus dembickyi* Brancucci, 2008: 77

Type locality: [Indonesia] West Sumatra Prov.: Kerinci, Seblat N.P.; 24 km NE Tapan; Muara Sako-E. env.; 2°05'S 101°15'E; 400–550 m; leg. Dembický, 4–18 March 2003

HT ♂ (NHMB) and 7 PT

*Falsomalthinus seblatensis* Brancucci, 2008: 77

Type locality: West Sumatra Prov.: Kerinci, Seblat N.P.; 24 km NE Tapan; Muara Sako-E. env.; 2°05'S 101°15'E; 400–550 m; leg. Dembický, 4–18 March 2003

HT ♂ (NHMB)

Brancucci, M. & Geiser, M. (2009): *A revision of the genus Lamellipalpus Maulik, 1921 (Coleoptera, Lampyridae)*. Zootaxa (2009) **2080**: 1–20. [22 April 2009 (footer of p. 1)]

*Lamellipalpus pacholatko* Brancucci et Geiser, 2009: 8

Type locality: NE India, Assam, Bhalukpong, 27°02'N, 92°35'E, 150 m; leg. P. Pacholátko, 26 May–3 June 2006

HT ♂ (BMNH) and 14 PT

*Lamellipalpus pacholatko turaensis* Brancucci et Geiser, 2009: 10

Type locality: NE India, Meghalaya, Tura Peak, 600–1000 m, 25°31'N, 90°14'E; leg. P. Pacholátko, 12–22 June 2007

HT ♂ (NHMB) and 1 PT

*Lamellipalpus kubani* Brancucci et Geiser, 2009: 11

Type locality: Thailand, Umphang riv., 1000 m, 16°07'N, 99°00'E; leg. Vít. Kubáň, 28 April–6 May 1991

HT ♂ (NHMB) and 1 PT

*Lamellipalpus flavomarginatus* Brancucci et Geiser, 2009: 12

Type locality: Assam, Sairang, Lushai Hills, 200/500'; leg. F. Schmid, 29 September 1960

HT ♂ (NHMB)

*Lamellipalpus atripalpis* Brancucci et Geiser, 2009: 14

Type locality: NE India, Meghalaya, SW of Cherrapunjee, 25°14'N 91°40'E, 900 m; leg. P. Pacholátko, 21–25 June 2007

HT ♂ (NHMB)

*Lamellipalpus longipalpis* Brancucci et Geiser, 2009: 15

Type locality: Dhad Khola, Kabre, 600 m, Nepal, Bagmati; leg. M. Brancucci, 31 May 1989

HT ♂ (NHMB) and 2 PT

*Lamellipalpus sinuaticollis* Brancucci et Geiser, 2009: 16

Type locality: NE India, Meghalaya, 3 km E of Tura, 500–1100 m, 25°30'N 90°14'E; leg. Dembický & Pacholátko, 1–8 May 1999  
HT ♂ (NMPC)

*Lamellipalpus nepalensis* Brancucci et Geiser, 2009: 18

Type locality: Dhankuta, 1150 m, E. Nepal, Thamur V.; leg. M. Brancucci, 23 May 1989  
HT ♂ (NHMB)

Brancucci, M. (2009): *Ichthyurini from Nepal (Insecta: Coleoptera: Cantharidae)*. Pp. 313–326. In Hartmann, M. & Weiper, J. (eds.): *Biodiversität und Naturlausstattung im Himalaya Vol. III (2009)* – Erfurt: Verein der Freunde & Förderer des Naturkundemuseums Erfurt e.V. 477 pp. + Tafel I–XX. [2009 (header of p. 313; post 20 April 2009: preface date p. 5)]

*Ichthyurus kopetzi* Brancucci, 2009: 314

Type locality: India, Darjeeling District, Payong Busty, 850 m; leg. Bhakta B., 25–27 May 1986  
HT ♂ (NHMB) and 77 PT

*Ichthyurus lamobagar* Brancucci, 2009: 318

Type locality: O-Nepal, Lambobagar Gao, 1400 m; leg. W. Wittmer, 28–31 May 1980  
HT ♂ (NHMB) and 3 PT

*Ichthyurus dentitibialis* Brancucci, 2009: 320

Type locality: India, Darjeeling District, Homes, 1230 m; leg. Bhakta B., 7 May 1985  
HT ♂ (NHMB) and 7 PT

*Microichthyurus godavariensis* Brancucci, 2009: 322

Type locality: Nepal, Kathmandu V., Godawari Mahabharat; leg. J. Kolibáč, 15 May–16 June 1995  
HT ♂ (NHMB) and 51 PT

*Microichthyurus tanguensis* Brancucci, 2009: 324

Type locality: [Bhutan] Tangu, 2600–2800 m, 22 km N of Thimpu; Nat.-Hist. Museum Basel – Bhutan Expedition 1972, 30 June 1972  
HT ♂ (NHMB) and 10 PT

*Microichthyurus arunensis* Brancucci, 2009: 324

Type locality: E-Nepal, Koshi, Simraghat-Lumbughat, 450 m; leg. M. Brancucci, 14 June 1985  
HT ♂ (NHMB) and 7 PT

Yang, Y.-X., Brancucci, M. & Yang, X.-K. (2009): *Taxonomic study on the genus Pseudopodabrus Pic, 1906 (Coleoptera, Cantharidae)*. Entomologica Basiliensia et Collectionis Frey 31(2009): 41–48. [28 December 2009 (outer back cover, footnote)]

*Pseudopodabrus longiimpressus* Yang, Brancucci et Yang, 2009: 45

Type locality: Thailand, Mae Hong Son, Ban Huai Po, 1600–2000 m, 19°19'N, 97°59'E; leg. J. Horák, 17–23 May 1991  
HT ♂ (NHMB) and 2 PT

*Pseudopodabrus murzini* Yang, Brancucci et Yang, 2009: 46

Type locality: Thailand, 100 km N Chiang Mai, Chiang Dao hill resort, 600 m, 19°26'N, 98°59'E; leg. Sergei Murzin, 25 June 2008  
HT ♂ (NHMB)

Yang, Y.-X., Brancucci, M. & Yang, X.-K. (2010): *Review of the subgenus Habronychus (Macrohabronychus), with descriptions of two new species (Coleoptera, Cantharidae)*. Entomological News, **120**(2010)(5)(December 2009): 546–553. [November and December 2009 (header of p. 547; “mailed on Dec. 13, 2010”: footer p. 547)]

*Habronychus (Macrohabronychus) bicoloratus* Yang, Brancucci et Yang, 2010 (not 2009): 549

Type locality: China: Yunnan, Lushui, Yaojiaping, 2500 m; 2 April 1981, coll. Shuyong Wang  
HT ♂ (IZCAS) and 17 PT

*Habronychus (Macrohabronychus) parameratus* Yang, Brancucci et Yang, 2010 (not 2009): 551

Type locality: N. Nepal, Thodung via Those, 3100 m; leg. W. Wittmer & C. Baroni Urbani, 29–31 May 1976  
HT ♂ (NHMB) and 5 PT

Brancucci, M. & Vongsana, K. (2010): *Distributional notes on the genus Platynectes Régimbart, 1879, in Laos with the description of a new species (Coleoptera: Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **32**(2010): 1–6. [20 December 2010 (outer back cover, footnote)]

*Platynectes (Gueorguievtes) nageli* Brancucci et Vongsana, 2010: 1

Type locality: Laos, Bolikhamsay Prov., Nam Kading NBCA, Tad Paloy campsite, 280–400 m, 18°21–23' N / 104°09' E; leg. M. Brancucci & M. Geiser, 7–12 July 2010  
HT ♂ (NHMB) and 6 PT

Hájek, J. & Brancucci, M. (2011): *Order Coleoptera, family Dytiscidae*. Arthropod fauna of the UAE (A. van Harten, ed.) **4**(2011): 126–143. [31 May 2011 (header of p. 126)]

*Copelatus antoniorum* Hájek et Brancucci, 2011: 127

Type locality: Oman: Batinah Prov. / WADI BANI AWF / oasis and stream with pools / 23°16'32"N, 57°27'36"E, 543 m; leg. A. Reiter, 18 December 2009  
HT ♂ (NMPC) and 36 PT

*Hydroglyphus hormuzensis* Hájek et Brancucci, 2011: 134

Type locality: UAE RAS AL KHAIMAH / Wadi Fara, env. Al Ghail / N 25°25'06" E 55°05'50" / 266 m a.s.l.; leg. J. Batelka & H. Pinda, 17 March 2007  
HT ♂ (NMPC) and 99 PT

Brancucci, M. 2011: *A new Platambus (s. str.) Thomson, 1859 species from Guangxi, China (Coleoptera, Dytiscidae)*. Entomologica Basiliensia et Collectionis Frey **33**(2011): 9–13. [22 December 2011 (outer back cover, footnote)]

*Platambus (s.str.) yuxiae* Brancucci, 2011: 10

Type locality: [China] Guangxi, Napo, Baihe, 440 m; leg. Wen-Zhu Li, 6 April 1998  
HT ♂ (IZCAS) and 210 PT

Brancucci, M. & Biström, O. (2013): *Review of the Hydrovatini, Hygrotini and Hyphydrini in Laos (Coleoptera, Dytiscidae)*. In: Brancucci M., Nagel P., Kolibáč J. & Geiser M. (editors), *Beetle diversity of Laos, Part I*. Entomologica Basiliensia et Collectionis Frey 34(2013): 89–102. [30 November 2013 (Impressum, p.[2])]

*Hyphoporus oudomxai* Brancucci et Biström, 2013: 97

Type locality: Laos, S-Udomxai Prov., Pak Beng 450 m, 19°53'37"N, 101°05'51"E; leg. J. Kolibáč, 18–27 May 2001

HT ♂ (NHMB) and 1 PT

Brancucci, M. (2013). *The genus Lacconectus Motschulsky, 1855 in Laos (Coleoptera, Dytiscidae): New species and new data*. In: Brancucci M., Nagel P., Kolibáč J. & Geiser M. (editors), *Beetle diversity of Laos, Part I*. Entomologica Basiliensia et Collectionis Frey 34(2013): 103–128. [30 November 2013 (Impressum, p.[2])]

*Lacconectus haucki* Brancucci, 2013: 105

Type locality: Laos, Xieng Khouang Prov., 19°03'N, 103°25'E, 550m, Ban Thaviang env., forest stream; leg. M. Geiser & D. Hauck, 17 May 2010

HT ♂ (NHMB) and 4 PT

*Lacconectus attapeu* Brancucci, 2013: 106

Type locality: Laos, Attapeu Prov., Thong Kai Ohk Ban Kachung (Mai) env., 1200–1450 m, 15°01–02'N/107°26–27'E; NHMB Laos Expedition 2011, M. Brancucci, M. Geiser, D. Hauck, Z. Kraus, A. Phantala & E. Vongphachan., 10–24 June 2011

HT ♂ (NHMB) and 8 PT

*Lacconectus reumauxi* Brancucci, 2013: 107

Type locality: Laos, Bokeo Prov., ca. 5 km W Ban Toup, Bokeo Nature Reserve, 500–700 m, 20°27–28' N / 100°45' E; NHMB Laos Expedition 2011, M. Brancucci, M. Geiser, D. Hauck, Z. Kraus, A. Phantala & E. Vongphachan, 4–18 May 2011

HT ♂ (NHMB) and 9 PT

*Lacconectus hajeki* Brancucci, 2013: 108

Type locality: Laos, Attapeu Prov., Annam Highland Mts, Dong Amphan NBCA, ca. 1160 m, Nong Fa (crater lake), env. 15°15–9'N, 107°25–6' E; leg. J. Hájek, 30 April–6 May 2010

HT ♂ (NMPC) and 444 PT

*Lacconectus vongsanai* Brancucci, 2013: 110

Type locality: Laos, Bolikhamsay Prov., Nam Kading NBCA, Tad Paloy campsite, 300 m, 18°23–17' N / 104°09–65'E, forest stream; leg. M. Brancucci & M. Geiser, 7–12 July 2010

HT ♂ (NHMB) and 8 PT

*Lacconectus namkading* Brancucci, 2013: 111

Type locality: Laos, Bolikhamsay Prov., Nam Kading NPA, Tad Paloy campsite, 250–400 m, 18°21–23' N / 104°09' E; leg. M. Geiser & D. Hauck, 24–28 May 2011

HT ♂ (NHMB) and 87 PT

*Lacconectus savannakhet* Brancucci, 2013: 114

Type locality: Laos, Savannakhet Prov., Phou Xang He NBCA, ca. 5 km SW Ban Pa Phaknau, 250–400 m, 17°00' N / 105°38' E; NHMB Laos Expedition 2011, M. Brancucci, M. Geiser, D. Hauck, Z. Kraus, A. Phantala & E. Vongphachan, 31 May–6 June 2011

HT ♂ (NHMB) and 60 PT



*Lacconectus atlas* Brancucci, 2013: 116

Type locality: LAOS, Attapeu Prov., Thong Kai Ohk, Ban Kachung (Mai) env., 1200–1450 m, 15°01–02' N / 107°26–27' E; NHMB Laos Expedition 2011, M. Brancucci, M. Geiser, D. Hauck, Z. Kraus, A. Phantala & E. Vongphachan, 10–24 June 2011  
HT ♂ (NHMB) and 134 PT

Brancucci, M. & Vongsana, K. (2013): *A revision of the genus Laccosternus Brancucci, 1983 (Coleoptera, Dytiscidae)*. In: Brancucci M., Nagel P., Kolibáč J. & Geiser M. (editors), *Beetle diversity of Laos, Part I*. Entomologica Basiliensia et Collectionis Frey **34**(2013): 129–135. [30 November 2013 (Impressum, p.[2])]

*Lacconectus krausi* Brancucci et Vongsana, 2013: 131

Type locality: Laos, Savannakhet Prov., Phou Xang He NBCA, ca. 5 km SW Ban Pa Phaknau, 250–400 m, 17°00' N / 105°38' E; NHMB Laos Expedition 2011, M. Brancucci, M. Geiser, D. Hauck, Z. Kraus, A. Phantala & E. Vongphachan, 31 May–6 June 2011  
HT ♂ (NHMB) and 3 PT

**Index to “List of taxa originally described by Michel Brancucci”****DYTISCIDAE**

- Agabus joachimschmidti, 37  
angelinii, Deronectes, 31  
angusi, Deronectes, 31  
anophthalmus, Terradessus, 31  
antoniorum, Copelatus, 40  
arunachal, Lacconectus, 36  
atlas, Lacconectus, 42  
attapeu, Lacconectus, 41  
aubei, Deronectes, 31  
bacchusi, Laccophilus, 25  
balabacicus, Lacconectus laccophiloides, 29  
balkei, Lacconectus, 35  
banajai, Potamonectes, 18  
baolocensis, Lacconectus, 34  
besucheti, Geodessus, 17  
birmanicus, Lacconectus, 28  
bistroemi, Derovatellus (s. str.), 18  
biswasi, Lacconectus, 28  
blandulus, Lacconectus, 34  
buettikeri, Yola, 26  
chiengmaiensis, Laccophilus siamensis, 24  
Copelatus antoniorum, 40  
corayi, Lacconectus, 28  
costipennis, Deronectes, 22  
costipennis, Deronectes, 30  
Cybister (Melanectes) wittmeri, 17  
dembickyi, Platambus, 36  
Deronectes angelinii, 31  
Deronectes angusi, 31  
Deronectes aubei sanfilippoi, 31  
Deronectes costipennis, 22  
Deronectes costipennis gignouxii, 30  
Deronectes ferrugineus, 30  
Deronectes perrinae, 32  
Deronectes platynotus mazzoldii, 32  
Deronectes witzgalli, 32  
Derovatellus (s. str.) bistroemi, 18  
fallaciosus, Lacconectus, 28  
ferrugineus, Deronectes, 30  
geiseri, Lacconectus, 36  
**Geodessus** (genus), 17  
Geodessus Besucheti, 17  
gignouxii, Deronectes costipennis, 30  
girardi, Laccophilus, 23  
gusenleitneri, Lacconectus, 27  
hajeki, Lacconectus, 41  
haucki, Lacconectus, 41  
heidiae, Laccophilus, 24  
heinertzi, Lacconectus, 29  
heubergeri, Lacconectus, 35  
holmeni, Laccophilus kempii, 24  
holzschuhi, Lacconectus, 28  
hormuzensis, Hydroglyphus, 40  
Hydroglyphus hormuzensis, 40  
Hydronebrius mattheyi nepalensis, 18  
Hydronebrius mattheyi, 17  
Hydroporus martensi, 18  
Hyphoporus oudomxai, 41  
Ilybiosoma yeti, 36  
jaechi, Lacconectus, 32  
javanicus, Lacconectus, 29

- jilanzhui, Platambus, 31  
 joachimschmidti, Agabus, 37  
 kaensis, Laccophilus, 24  
 kaszabi, Laccophilus, 25  
 kavanaughi, Laccophilus siamensis, 24  
 kelantanensis, Lacconectus, 35  
 kempi, Laccophilus, 24  
 khaosokensis, Lacconectus, 34  
 khukri, Platambus (Agraphis), 30  
 klausnitzeri, Lacconectus, 36  
 krausi, Lacconectus, 42  
 krikkeni, Lacconectus, 28  
 kubani, Lacconectus, 33  
 Lacconectus arunachal, 36  
 Lacconectus atlas, 42  
 Lacconectus attapeu, 41  
 Lacconectus balkei, 35  
 Lacconectus baolocensis, 34  
 Lacconectus birmanicus, 28  
 Lacconectus biswasi, 28  
 Lacconectus blandulus, 34  
 Lacconectus corayi, 28  
 Lacconectus fallaciosus, 28  
 Lacconectus geiseri, 36  
 Lacconectus gusenleitneri, 27  
 Lacconectus hajeki, 41  
 Lacconectus haucki, 41  
 Lacconectus heinertzi, 29  
 Lacconectus heubergeri, 35  
 Lacconectus holzschuhi, 28  
 Lacconectus jaechi, 32  
 Lacconectus javanicus, 29  
 Lacconectus kelantanensis, 35  
 Lacconectus khaosokensis, 34  
 Lacconectus klausnitzeri, 36  
 Lacconectus krausi, 42  
 Lacconectus krikkeni, 28  
 Lacconectus kubani, 33  
 Lacconectus laccophiloides balabacicus, 29  
 Lacconectus laccophiloides luzonicus, 29  
 Lacconectus loeiensis, 29  
 Lacconectus maoyangensis, 33  
 Lacconectus menglunensis, 33  
 Lacconectus merguiensis, 28  
 Lacconectus meyeri, 33  
 Lacconectus minutus, 28  
 Lacconectus muluensis, 28  
 Lacconectus munnarensis, 34  
 Lacconectus namkading, 41  
 Lacconectus nepalensis, 30  
 Lacconectus nicolasi, 28  
 Lacconectus nigrita, 33  
 Lacconectus pacholatkoii, 33  
 Lacconectus pederzani, 28  
 Lacconectus peguensis, 28  
 Lacconectus ponti, 27  
 Lacconectus pseudonicolasi, 33  
 Lacconectus pseudosimilis, 33  
 Lacconectus pulcher, 29  
 Lacconectus punctatus, 29  
 Lacconectus regimbarti, 29  
 Lacconectus reumauxi, 41  
 Lacconectus rossi, 29  
 Lacconectus rutilans, 35  
 Lacconectus sabahensis, 29  
 Lacconectus satoi, 34  
 Lacconectus savannakhet, 41  
 Lacconectus schawalleri, 34  
 Lacconectus schillhammeri, 33  
 Lacconectus schoedli, 32  
 Lacconectus schoenmanni, 32  
 Lacconectus shaverdoae, 35  
 Lacconectus sikkimensis, 30  
 Lacconectus similis, 28  
 Lacconectus spangleri, 29  
 Lacconectus splendidus, 33  
 Lacconectus stastnyi, 35  
 Lacconectus tonkinoides, 28  
 Lacconectus valeriae, 34  
 Lacconectus vongsanai, 41  
 laccophiloides, Lacconectus, 29  
 Laccophilus bacchusi, 25  
 Laccophilus girardi, 23  
 Laccophilus heidia, 24  
 Laccophilus kaensis, 24  
 Laccophilus kaszabi, 25  
 Laccophilus kempi holmeni, 24  
 Laccophilus latipennis, 24  
 Laccophilus lewisoides, 24  
 Laccophilus maindroni persicus, 24  
 Laccophilus menieri, 24  
 Laccophilus newtoni palawanensis, 35  
 Laccophilus newtoni, 25  
 Laccophilus punctatissimus, 25  
 Laccophilus samuelsoni, 24  
 Laccophilus schereri, 25  
 Laccophilus siamensis chiengmaiensis, 24  
 Laccophilus siamensis kavanaughi, 24  
 Laccophilus siamensis taiwanensis, 24  
 Laccophilus smithi, 25  
 Laccophilus tobaensis, 23  
 Laccophilus tonkinensis, 23  
 Laccophilus transversalis leptogonus, 24  
 Laccophilus wittmeri, 24  
 Laccophilus wolfei, 24  
**Laccosternus** (genus), 25  
 latipennis, Laccophilus, 24  
 leptogonus, Laccophilus transversalis, 24  
 lewisoides, Laccophilus, 24  
 loeiensis, Lacconectus, 29  
 luzonicus, Lacconectus laccophiloides, 29  
 maindroni, Laccophilus, 24

- maoyangensis, *Laconectus*, 33  
 martensi, *Hydroporus*, 18  
 mattheyi, *Hydronebrius*, 17, 18  
 mazzoldii, *Deronectes platynotus*, 32  
 menglunensis, *Laconectus*, 33  
 menieri, *Laccophilus*, 24  
 merguensis, *Laconectus*, 28  
 meyeri, *Laconectus*, 33  
 minutus, *Laconectus*, 28  
 monteithi, *Typhlodessus*, 27  
 muluensis, *Laconectus*, 28  
 munnarensis, *Laconectus*, 34  
 nageli, *Platynectes (Gueorguievtes)*, 40  
 namkading, *Laconectus*, 41  
 nepalensis, *Hydronebrius mattheyi*, 18  
 nepalensis, *Laconectus*, 30  
 newtoni, *Laccophilus*, 25  
 newtoni, *Laccophilus*, 35  
 nicolasi, *Laconectus*, 28  
 nigrita, *Laconectus*, 33  
 njai, *Platynectes*, 37  
 oudomxai, *Hyphoporus*, 41  
 pacholatkoii, *Laconectus*, 33  
 palawanensis, *Laccophilus newtoni*, 35  
 pederzani, *Laconectus*, 28  
 peguensis, *Laconectus*, 28  
 perrinae, *Deronectes*, 32  
 persicus, *Laccophilus maindroni*, 24  
 phufahensis, *Platambus*, 34  
*Platambus (Agraphis) khukri*, 30  
*Platambus (Anagabus) wewalkai*, 20  
*Platambus (s.str.) sisouthami*, 37  
*Platambus (s.str.) wangi*, 37  
*Platambus (s.str.) yuxiae*, 40  
*Platambus dembickyi*, 36  
*Platambus jilanzhui*, 31  
*Platambus phufahensis*, 34  
*Platambus punctatipennis*, 25  
*Platambus regulae*, 31  
*Platambus satoi*, 21  
*Platambus schaeffleini*, 30  
*Platambus schillhammeri*, 31  
*Platambus wulingshanensis*, 36  
*Platynectes (Gueorguievtes) nageli*, 40  
*Platynectes (Gueorguievtes) njai*, 37  
 platynotus, *Deronectes*, 32  
 ponti, *Laconectus*, 27  
*Potamonectes banajai*, 18  
 pseudonicolasi, *Laconectus*, 33  
 pseudosimilis, *Laconectus*, 33  
 pulcher, *Laconectus*, 29  
 punctatipennis, *Platambus*, 25  
 punctatissimus, *Laccophilus*, 25  
 punctatus, *Laconectus*, 29  
 regimbarti, *Laconectus*, 29  
 regulae, *Platambus*, 31  
 reumauxi, *Laconectus*, 41  
 rossi, *Laconectus*, 29  
 rutilans, *Laconectus*, 35  
 sabahensis, *Laconectus*, 29  
 samuelsoni, *Laccophilus*, 24  
 sanfilippoi, *Deronectes aubei*, 31  
 satoi, *Laconectus*, 34  
 satoi, *Platambus*, 21  
 savannakhet, *Laconectus*, 41  
 schaeffleini, *Platambus*, 30  
 schawalleri, *Laconectus*, 34  
 schererii, *Laccophilus*, 25  
 schillhammeri, *Laconectus*, 33  
 schillhammeri, *Platambus*, 31  
 schoedli, *Laconectus*, 32  
 schoenmanni, *Laconectus*, 32  
 shaverdoae, *Laconectus*, 35  
 siamensis, *Laccophilus*, 24  
 sikkimensis, *Laconectus*, 30  
 similis, *Laconectus*, 28  
 sisouthami, *Platambus (s.str.)*, 37  
 smithi, *Laccophilus*, 25  
 spangleri, *Laconectus*, 29  
 splendidus, *Laconectus*, 33  
 stastnyi, *Laconectus*, 35  
 taiwanensis, *Laccophilus siamensis*, 24  
*Terradessus anophthalmus*, 31  
 tobaensis, *Laccophilus*, 23  
 tonkinensis, *Laccophilus*, 23  
 tonkinoides, *Laconectus*, 28  
 transversalis, *Laccophilus*, 24  
**Typhlodessus** (genus), 27  
*Typhlodessus monteithi*, 27  
 valeriae, *Laconectus*, 34  
 vongsanai, *Laconectus*, 41  
 wangi, *Platambus (s.str.)*, 37  
 wewalkai, *Platambus (Anagabus)*, 20  
 wittmeri, *Cybister*, 17  
 wittmeri, *Laccophilus*, 24  
 witzgalli, *Deronectes*, 32  
 wolfei, *Laccophilus*, 24  
 wulingshanensis, *Platambus*, 36  
 yeti, *Ilybiosoma*, 36  
 Yola buettikeri, 26  
 yuxiae, *Platambus (s.str.)*, 40
- LAMPYRIDAE**  
 atripalpis, *Lamellipalpus*, 38  
 constantini, *Lamellipalpus*, 37  
 flavomarginatus, *Lamellipalpus*, 38  
 kubani, *Lamellipalpus*, 38  
*Lamellipalpus atripalpis*, 38  
*Lamellipalpus constantini*, 37  
*Lamellipalpus flavomarginatus*, 38

Lamellipalpus kubani, 38  
 Lamellipalpus longipalpis, 38  
 Lamellipalpus nepalensis, 39  
 Lamellipalpus pacholatkoi turaensis, 38  
 Lamellipalpus pacholatkoi, 38  
 Lamellipalpus sinuaticollis, 39  
 longipalpis, Lamellipalpus, 38  
 nepalensis, Lamellipalpus, 39  
 pacholatkoi, Lamellipalpus, 38  
 sinuaticollis, Lamellipalpus, 39  
 turaensis, Lamellipalpus pacholatkoi, 38

#### CANTHARIDAE

acutipennis, Belotus, 19  
 araguanus, Maronius, 19  
 arunensis, Microichthyurus, 39  
 atratulus, Trypherus, 27  
 babai, Trypherus, 27  
 bakeri, Caccodes, 21  
 belemensis, Macromalthinus, 20  
 Belotus acutipennis, 19  
 Belotus bernardensis, 17  
 Belotus bicolor saltensis, 16  
 Belotus bicolor, 16  
 Belotus curtispennis, 16  
 Belotus flavus, 17  
 Belotus grandis, 17  
 Belotus jolyi, 17  
 Belotus maculatus platonensis, 19  
 Belotus maculithorax, 16  
 Belotus nueschi, 17  
 Belotus paranensis, 17  
 Belotus striaticollis, 16  
 Belotus wittmeri, 17  
 bengalensis, Malthinus, 16  
 bernardensis, Belotus, 17  
 bhaktai, Malthinus, 16  
 bicolor, Belotus, 16  
 bicoloratus, Habronychus (Macrohabronychus), 40  
 Caccodes bakeri, 21  
 campbelli, Paramaronius, 25  
 charbinensis, Trypherus, 27  
 chujoi, Trypherus, 23  
 coxalis, Malthinus, 16  
 curtispennis, Belotus, 16  
 dembickyi, Falsomalthinus, 38  
 dentitibialis, Ichthyurus, 39  
 difficilis, Maronius, 19  
**DYSMORPHOCERINAE** (subfamily), 18  
 Falsomalthinus dembickyi, 38  
 Falsomalthinus klapperichi, 26  
 Falsomalthinus malayensis, 21  
 Falsomalthinus satoi, 32  
 Falsomalthinus seblatensis, 38  
 Falsomalthinus shillongensis, 21

Falsomalthinus wittmeri, 32  
 fenchihuensis, Trypherus, 23  
 fenderi, Trypherus, 27  
 flavus, Belotus, 17  
 Frostia pseudobhutanensis, 26  
 globuliventris, Macromalthinus, 20  
 godavariensis, Microichthyurus, 39  
 grandis, Belotus, 17  
 Habronychus (Macrohabronychus)  
 bicoloratus, 40  
 Habronychus (Macrohabronychus)  
 parameratus, 40  
 haennii, Microichthyurus, 22  
 heidiae, Ichthyurus, 22  
 howdeni, Lobetus, 21  
 Ichthyurus dentitibialis, 39  
 Ichthyurus heidiae, 22  
 Ichthyurus klapperichi, 22  
 Ichthyurus kopetzi, 39  
 Ichthyurus lamobagar, 39  
 ilanensis, Microichthyurus, 26  
 inca, Maroniodes, 19  
**Indomalthinus** (subgenus), 16  
 jolyi, Belotus, 17  
 kanoi, Trypherus, 22  
 kavanaughii, Lobetus, 21  
 klapperichi, Falsomalthinus, 26  
 klapperichi, Ichthyurus, 22  
 kopetzi, Ichthyurus, 39  
 lamobagar, Ichthyurus, 39  
 laticornis, Maroniodes, 20  
 Lobetus howdeni, 21  
 Lobetus kavanaughii, 21  
 Lobetus minutissimus, 21  
 Lobetus nigromarginatus, 21  
 Lobetus rahmi, 21  
 longiimpressus, Pseudopodabrus, 39  
 longiporus, Maroniodes, 19  
 Lycocerus michiakii, 38  
 Macromalthinus belemensis, 20  
 Macromalthinus globuliventris, 20  
 Macromalthinus santaremensis, 20  
 maculatus, Belotus, 19  
 maculithorax, Belotus, 16  
 malayensis, Falsomalthinus, 21  
**MALCHININI** (tribe), 18  
 Malchinus obscuripes soguksuensis, 18  
 Malthinus (Indomalthinus) bengalensis, 16  
 Malthinus (Indomalthinus) bhaktai, 16  
 Malthinus (Indomalthinus) coxalis, 16  
 Malthinus (Indomalthinus) schmidi, 22  
 Malthinus (Indomalthinus) tantricus, 16  
**MALTHODINI** (tribe), 18  
**Maroniodes** (genus), 19  
 Maroniodes inca, 19

- Maroniodes laticornis, 20  
 Maroniodes longiporus, 19  
 Maronius araguanus, 19  
 Maronius difficilis, 19  
 Maronius minutus, 19  
 Maronius nigerrimus, 19  
 Maronius sarasini, 19  
 menieri, Paramaronius, 20  
 michiakii, Lycocerus, 38  
 Microichthyurus arunensis, 39  
 Microichthyurus godavariensis, 39  
 Microichthyurus haennii, 22  
 Microichthyurus ilanensis, 26  
 Microichthyurus satoi, 22  
 Microichthyurus shimomurai, 22  
 Microichthyurus tanguensis, 39  
 minutissimus, Lobetus, 21  
 minutus, Maronius, 19  
 murzini, Pseudopodabrus, 39  
 nakanei, Trypherus, 22  
 nantouensis, Trypherus, 23  
 nigerrimus, Maronius, 19  
 nigrinus, Trypherus, 27  
 nigromarginatus, Lobetus, 21  
 nueschi, Belotus, 17  
 obscuripes, Malchinus, 18  
 ohbayashii, Trypherus, 27  
**Paramalthinus** (genus), 26  
 Paramalthinus shimomurai, 26  
 Paramaronius campbelli, 25  
 Paramaronius menieri, 20  
 parameratus, Habronychus (Macrohabronychus), 40  
 paranensis, Belotus, 17  
 parilis, Trypherus, 23  
 perplexus, Trypherus, 23  
 plagiocephalus Trypherus, 23  
 platonensis, Belotus maculatus, 19  
 pseudobhutanensis, Frostia, 26  
 Pseudolobetus tibialis, 20  
 pseudoparilis, Trypherus, 22  
 Pseudopodabrus longiimpessus, 39  
 Pseudopodabrus murzini, 39  
 rahmi, Lobetus, 21  
 saltensis, Belotus bicolor, 16  
 santaremensis, Macromalthinus, 20  
 sarasini, Maronius, 19  
 satoi, Falsomalthinus, 32  
 satoi, Microichthyurus, 22  
 schmidi, Malthinus, 22  
 seblatensis, Falsomalthinus, 38  
 shillongensis, Falsomalthinus, 21  
 shimomurai, Microichthyurus, 22  
 shimomurai, Paramalthinus, 26  
 similis, Trypherus, 23  
 simulator, Trypherus, 23  
 soguksuensis, Malchinus obscuripes, 18  
 striaticollis, Belotus, 16  
 taihorinensis, Trypherus, 23  
 taiwanensis, Trypherus, 23  
 tanguensis, Microichthyurus, 39  
 tantricus, Malthinus, 16  
 tibialis, Pseudolobetus, 20  
**Trypheridium** (genus), 26  
 Trypherus atratulus, 27  
 Trypherus babai, 27  
 Trypherus charbinensis, 27  
 Trypherus chujoi, 23  
 Trypherus fenchihuensis, 23  
 Trypherus fenderi, 27  
 Trypherus kanoi, 22  
 Trypherus nakanei, 22  
 Trypherus nantouensis, 23  
 Trypherus nigrinus, 27  
 Trypherus ohbayashii, 27  
 Trypherus parilis, 23  
 Trypherus perplexus, 23  
 Trypherus plagiocephalus, 23  
 Trypherus pseudoparilis, 22  
 Trypherus similis, 23  
 Trypherus simulator, 23  
 Trypherus taihorinensis, 23  
 Trypherus taiwanensis, 23  
 wittmeri, Belotus, 17  
 wittmeri, Falsomalthinus, 32

### **Taxa dedicated to Michel Brancucci**

We searched the “Zoological Record” for the years 1978 to 2015, the collection databases of the NHMB and BMNH, as well as following online data bases: Global Names Index <<http://gni.globalnames.org/>>, Index to Organism Names <<http://www.organismnames.com/>>, Encyclopedia of Life – Animals – Plants – Pictures & Information <<http://eol.org/>>, and Catalogue of Life <<http://www.catalogueoflife.org/>> for species named after Michel Brancucci. A few additional names became known to us through other sources.

The listed records are complete with exception to the title of the articles, as these are not essential for tracing the reference. The bibliographic details of all records were checked, including the date of the actual publication.

The classification at family level is organised according to BOUCHARD *et al.* (2011) for Coleoptera. The order of the genera within each family is alphabetical. The genera under which the new species were originally described are given. New generic assignments or synonyms “(= ...)” are listed after the original genus, provided they became known to us. The page number indicates the start of the description of the new species. The country of the *locus typicus* is listed in English in round brackets.

We found 158 animals, which were named after Michel Brancucci, belonging to 35 families and five orders. The animals named in honour after Michel Brancucci do not all belong to the Coleoptera but also to the Dermaptera, Heteroptera, Hymenoptera and Diptera. Especially beetles belonging to the families Chrysomelidae and Elateridae were named after him.

The dedication is mostly achieved by use of his surname (resulting in “*brancucci*”), sometimes also by use of his first name (resulting in “*michel*”). In total 91 taxonomists named a taxon after Michel Brancucci. Taxa from Laos, but also many from Nepal were named after him in particular.

Despite careful and intensive research a few already existing patronyms will have escaped our notice; additionally, more taxa will be named after Michel Brancucci in the future, hereby keeping his dedication for the acquisition and documentation of biodiversity data, specially that of Laos, in good memory.

**List of taxa named for Michel Brancucci****DERMAPTERA****Diplatyidae**

*Haplodiplatys brancuccii* Srivastava, 1983: 39 (India)

Entomologica Basiliensia **8**(1983): 39–42 [30 Nov 1983 (top of p. 3, contents)]

**HETEROPTERA****Reduviidae**

*Chelocoris brancuccii* Kormilev, 1988: 73 (Bhutan)

Entomologica Basiliensia **12**(1988): 63–76 [29 April 1988 (top of p. 3, contents)]

**Pyrrhocoridae**

*Brancucciana* Ahmad et Zaidi, 1986: 424 (Bhutan)

(Type species: *Brancucciana bhutanensis* Ahmad et Zaidi, 1986)

Mitteilungen der Schweizerischen Entomologischen Gesellschaft **59**(1986) (3–4): 423–426 [15.xii.1986 (footer, outer back cover of fasc. 3–4)]

**Tingidae**

*Aeipeplus brancuccii* Péricart, 1985: 53 (Bhutan)

Entomologica Basiliensia **10**(1985): 27–62 [20 Nov. 1985 (top of p. 3, contents)]

**Largidae**

*Theraneis brancuccii* Stehlík, 2006: 57 (Brazil)

Entomologica Basiliensia et Collectionis Frey **28**(2006): 49–58 [22 Dec 2006 (outer back cover, footnote)]

**HYMENOPTERA****Tenthredinidae**

*Macrophya brancuccii* Muche, 1983: 178 (India)

Reichenbachia **21**(1983)(Heft 2, Nr. 29): 167–180 [December 1983 (header, p. 167)]

**Formicidae**

*Myrmica brancuccii* Radchenko, Elmes et Collingwood, 1999 (in Radchenko & Elmes 1999): 30 (Nepal)

Vestnik Zoologii **33**(1999)(3)(May–June 1999): 27–46 [18 June 1999 (p. 2 of fasc. 3, footer)]

**COLEOPTERA****Carabidae**

*Apatrobus (Parapatrobus) brancuccii* Zamotajlov, 1992: 267 (Bhutan)

Mitteilungen der Schweizerischen Entomologischen Gesellschaft **65**(1992)(3–4): 251–281 [xii.1992 (footer, outer back cover of fasc. 3–4)]

*Bembidion (Philochtemphanes) brancuccii* Toledano, 2000 (not 1999): 17 (China: Yunnan)

Memorie della Società Entomologica Italiana **78**(1999)(1): 5–70 [30 April 2000 (header, p. 5; see also Poggi in Mem. Soc. ent. ital. 87(2), 2008, p. 182)]

*Calochroa brancuccii* Wiesner, 2013: 48 (Laos)

Entomologica Basiliensia et Collectionis Frey **34**(2013): 47–51 [30 Nov. 2013 (Impressum, p.[2])]

- Dhanya brancuccii* Deuve, 2007: 52 (Malaysia: Sabah)  
Coléoptères 13(2007)(6): 51–61 [16 April 2007(p. 62)]
- Lebioderus brancuccii* Nagel, 2009: 102 (Laos)  
Entomologica Basiliensia et Collectionis Frey 31(2009): 111–113 [28 Dec 2009 (outer back cover, footnote)]
- Leistus (Evanoleistus) brancuccii* Farkač, 1995: 148 (China: Yunnan)  
Acta Societatis Zoologicae Bohemoslovacae 59(1995)(3–4): 145–163+4p. [27 Dec.1995 (p. 145)]
- Neocollyris brancucci* Naviaux, 1992 (not 1991): 280 (India)  
Bulletin de la Societe Entomologique de France 96(1991)(3)(August 1991): 275–282 [31 janvier 1992 (p. 504, “dates de la publication du bulletin”)]
- Orthogonius brancuccii* Tian et Deuve, 2006: 95 (Thailand)  
Coléoptères 12(2006)(8): 69–110 [Mars 2006]
- Paradromius (Rugadromius) brancuccii* Mateu, 1984: 63 (India)  
Entomologica Basiliensia 9(1984): 54–66 [31 Dec 1984 (header of p. 3, contents)]
- Paussus brancuccii* Nagel, 2016: 121 (Laos)  
Entomologica Basiliensia et Collectionis Frey 35(2016): 119–132 [10 May 2016 (Impressum, p.[2])]
- Pristonychus brancuccii* Casale, 1982: 148 (India)  
[= *Laemostenus (Pristonychus) brancuccii*]  
Entomologica Basiliensia 7(1982): 142–155 [30 Nov 1982 (top of p. 3, contents)]
- Pristosia brancuccii* Deuve, Lassalle et Queinnec, 1985: 79 (India)  
Entomologica Basiliensia 10(1985): 75–84 [20 Nov. 1985 (top of p. 3, contents)]
- Pterostichus brancuccii* Straneo, 1982: 130 (Nepal)  
Entomologica Basiliensia 7(1982): 127–141 [30 Nov 1982 (top of p. 3, contents)]
- Trechus brancuccii* Deuve, 2006: 118 (India)  
Revue Française d’Entomologie (Nouvelle Serie) 28(2006)(3): 117–124 [3 Oct. 2006 (inner and outer back cover of fasc. 3)]
- Trigonognatha brancuccii* Sciaky, 1995: 2 (China: Sichuan)  
[= *Myas (Trigonognatha) brancuccii*]  
Koleopterologische Rundschau 65(1995): 1–13 [Juni 1995 (header, p. 1)]
- Xestagonum brancuccii* Schmidt, 1997 (not 1996): 249 (Bhutan)  
Entomologische Nachrichten und Berichte 40(1996)(4): 245–251 [20 Feb. 1997 (inner front cover of fasc., impressum)]
- Xestagonum brancuccianum* Morvan, 2007 (not 2006): 25 (India)  
Loened Aziad, Amprevaned Feuraskelleged C’hwiledig (Carentoir, France) 11(2006): 1–59 [14 Nov 2006 (date stamp on fasc., Entom. Library, Nat. Hist. Mus. Lond., one erratic copy only, no evidence of existence of “publication” *sensu* ICZN); 2006 (header, odd-numbered pages); “avril 2007” (title page of fasc., footer); “date de publication 2 avril 2007” (p.[61], back cover)]
- Dytiscidae**
- Copelatus brancuccii* Rocchi, 1979: 33 (Nigeria)  
Monitore Zoologico Italiano, Supplemento N.S. 12 Supplemento, 1979: 33–38 [15 May 1979 (p. 33, header)]
- Deronectes brancuccii* Fery et Hosseinie, 1998: 250 (Iran)  
Annalen des Naturhistorischen Museums in Wien, Serie B, 100 (1998): 219–290 [Dez, 1998 (p. 219, header)]
- Hydroporus (Hydroporus) brancuccii* Fery, 1987: 65 (Portugal)  
Entomologische Zeitschrift mit Insektenbörse 97(1987)(6): 65–71 [16 March 1987 (header, p. 65)]



*Hydrovatus brancuccii* Biström, 1997 (not 1996): 51 (Kenya)  
Entomologica Basiliensia **19**(1996): 51–55 [12 June 1997 (top of p.[3], contents)]

*Hyphydrus brancuccii* Biström, 1981: 184 (Cameroon)  
Entomologica Basiliensia **6**(1981): 183–186 [30 Nov 1981 (top of p.[1], contents)]

*Lacconectus brancuccii* Hájek, Zhao et Jia, 2013: 92 (China: Hainan Island)  
Zootaxa (2013) **3693**(1): 91–96 [26 July 2013 (footer, p. 91)]:

*Laccophilus brancuccii* Biström, Nilsson et Bergsten, 2015: 223 (Central African Republic)  
ZooKeys **542**(2015): 1–379 [7 December 2015 (p. 1, below title line)]

*Platambus brancuccii* Hendrich et Przewoźny, 2015: 192 (China: Sichuan)  
Zootaxa (2015) **3947**(2): 191–200 [15 April 2015 (p. 191, footer)]

*Platynectes (Gueorguievtes) brancuccii* Hendrich et Štastný, 2014: 33 (Australia)  
Zootaxa (2014) **3795**(1): 25–37 [9 May 2014 (p. 25, footer)]

### **Hydrophilidae**

*Anacaena brancuccii* Komarek, 2013: 139 (Laos)  
Entomologica Basiliensia et Collectionis Frey **34**(2013): 137–177 [30 Nov. 2013 (Impressum, p.[2])]

### **Histeridae**

*Asiaster brancuccii* Mazur, 2013: 196 (Laos)  
Entomologica Basiliensia et Collectionis Frey **34**(2013): 179–206 [30 Nov. 2013 (Impressum, p.[2])]

### **Leiodidae**

*Agathidium (Agathidium) brancuccii* Angelini et De Marzo, 1981: 269 (India)  
[= *Agathidium (Macroceble) brancuccii*]  
Entomologica Basiliensia **6**(1981): 187–294 [30 Nov 1981 (top of p.[1], contents)]

*Rybinskiella (Sintania) brancuccii* Frank, 1988: 270 (Pakistan)  
Entomologica Basiliensia **12**(1988): 259–278 [29 April 1988 (top of p. 3, contents)]

### **Staphylinidae**

*Geodromicus brancuccii* Coiffait, 1984: 142 (Pakistan)  
Entomologica Basiliensia **9**(1984): 116–157 [31 Dec 1984 (header of p. 3, contents)]

*Megalinus brancuccii* Bordoni, 2016: 142 (Laos)  
Entomologica Basiliensia et Collectionis Frey **35**(2016): 133–150 [10 May 2016 (Impressum, p.[2])]

*Pachymedon brancuccii* Coiffait, 1982: 299 (India)  
Entomologica Basiliensia **7**(1982): 231–302 [30 Nov 1982 (top of p. 3, contents)]

*Pseudobironium brancuccii* Löbl et Tang, 2013: 690 (Nepal)  
Revue Suisse de Zoologie **120**(2013)(4): 665–734 [Décembre 2013 (header, p. 665)]

### **Hybosoridae**

*Chaetodus (Chaetodopsis) brancuccii* Martinez, 1995 (not 1994): 224 (Venezuela)  
(= *Chaetodopsis brancuccii*)  
Elytron (Barcelona) **8**(1994): 223–239 [June 1995 (colophon p.[248], last page of vol., footer, end of contents)]

### **Scarabaeidae**

*Anomala brancuccii* Sabatinelli, 1991: 399 (Nepal)  
Entomologica Basiliensia **14**(1991): 395–402 [31 Dec 1991 (top of p. 3, contents)]

*Brachyllus brancuccii* Keith, 2006: 419 (Laos)

In: Hartmann & Weipert (eds), Biodiversität und Naturlausstattung im Himalaya II. Erfurt: Verein der Freunde und Förderer des Naturkundemuseums Erfurt e.V., 548p., 2006: 419–424 [2006 (title page; post Nov. 2006: preface date p. 5)]

*Ischnopopillia brancuccii* Sabatinelli, 1997: 250 (Bhutan)

Lambillionea 97(1997)(2): 242–258 [June 1997 (header p. 242)]

*Microserica (Parvulomaladera) brancuccii* Ahrens, 2001: 223 (Nepal)

(= *Oxyserica brancuccii*)

Lambillionea 101(2001)(2): 216–224 [June 2001 (headline p. 216)]

*Mimela brancuccii* Sabatinelli, 1994: 59 (Nepal)

Coleoptera, Schwanfelder Coleopterologische Mitteilungen 3: 57–71 [July 1994 (outer front cover of fasc.)]

*Neodontocnema brancuccii* Sabatinelli, 1983: 211 (India)

(= *Miridiba brancuccii*)

Entomologica Basiliensia 8(1983): 211–214 [30 Nov 1983 (top of p. 3, contents)]

*Popillia brancuccii* Sabatinelli, 1993: 205 (Bhutan)

Fragmenta Entomologica 24(1992–1993)(2): 201–214 [30 April 1993 (p.[iv] of fasc. 2)]

**Scirtidae***Cyphon brancuccii* Klausnitzer, 2005: 21 (Philippines)

Entomologica Basiliensia et Collectionis Frey 27(2005): 15–25 [15 Dec 2005 (outer back cover, footnote)]

*Dermestocyphon (Oreocyphon) brancuccii* Ruta, Yoshitomi et Klausnitzer, 2013: 271 (Vietnam)

Acta Entomologica Musei Nationalis Pragae 53(2013)(1): 253–285 [15 July 2013 (header, p. 253)]

*Mescirtes brancuccii* Klausnitzer, 2012: 203 (Thailand)

Entomologische Blätter und Coleoptera 108(2012): 201–208 [December 2012 (header outer front cover)]

*Prionocyphon brancuccii* Klausnitzer, 2013: 237 (Laos)

Entomologica Basiliensia et Collectionis Frey 34(2013): 237–241 [30 Nov. 2013 (Impressum, p.[2])]

*Scirtes brancuccii* Yoshitomi et Ruta, 2010: 62 (Laos)

Zootaxa (2010) 2467(2010): 1–74 [14 May 2010 (footer, p. 1)]

**Buprestidae***Pachyschelus brancuccii* Bílý, 1983: 227 (India)

Entomologica Basiliensia 8(1983): 215–232 [30 Nov 1983 (top of p. 3, contents)]

**Psephenidae***Schinostethus (Sundodrupeus) brancuccii* Lee, 2016: 170 (India)

Entomologica Basiliensia et Collectionis Frey 35(2016): 151–180 [10 May 2016 (Impressum, p.[2])]

**Ptilodactylidae***Ptilodactyla brancuccii* Satô, 1979: 57 (Nepal)

Entomologica Basiliensia 4(1979): 43–67 [10 Oct 1979 (top of p.[1], contents)]

**Eucnemidae***Fornax brancucci* Otto, 2016: 327 (Laos)

Entomologica Basiliensia et Collectionis Frey 35(2016): 181–427 [10 May 2016 (Impressum, p.[2])]

**Elateridae***Abelater brancuccii* Schimmel, 2004: 51 (Nepal)

In: Schimmel, R.: Die Megapenthini-Arten Süd- und Südostasiens. Dritter Teil: Abelater, Amamipenthes, Cateanus n. gen., Friedrichiellus n. gen., Hayekpenthes, Megapenthes, Melanoxanthus, Pengamethes, Platianeus n. gen., Sawadapenthes und Wallaceus n. gen. Bad Dürkheim: Eigenverlag der Pollichia, 2004, 504 pp. (= Pollichia-Buch 45) [2004 (dust cover, title page & impressum, p. 2)]

*Ampedus brancuccii* Schimmel, 1993: 121 (Nepal)

Entomologica Basiliensia **16**(1993): 79–180 [29 Dec 1993 (top of p. 3, contents)]

*Brancuccia* Schimmel et Platia, 1991: 267 (Nepal)

(Type species: *Brancuccia atramentaria* Schimmel et Platia, 1991)

Entomologica Basiliensia **14**(1991): 261–382 [31 Dec 1991 (top of p. 3, contents)]

*Cardiohypnus brancuccii* Dolin, 1992: 218 (India)

Entomologica Basiliensia **15**(1992): 215–228 [31. Dec 1992 (top of p. 3, contents)]

*Cateanus brancuccii* Schimmel, 2004: 248 (Nepal)

In: Schimmel R., Die Megapenthini-Arten Süd- und Südostasiens. Dritter Teil: Abelater, Amamipenthes, Cateanus n. gen., Friedrichiellus n. gen., Hayekpenthes, Megapenthes, Melanoxanthus, Pengamethes, Platianus n. gen., Sawadapenthes und Wallaceus n. gen. Bad Dürkheim: Eigenverlag der Pollichia, 2004, 504 pp. (= Pollichia-Buch **45**) [2003 (dust cover, title page & impressum, p. 2)]

*Dicronychus brancuccii* Platia et Schimmel, 1997: 309 (Oman)

Fauna of Saudi Arabia **16**(1997): 291–318 [30 Nov. 1997 (header, p. 291)]

*Dima brancuccii* Schimmel et Platia, 1991: 279 (Nepal)

Entomologica Basiliensia **14**(1991): 261–382 [31 Dec 1991 (top of p. 3, contents)]

*Elater brancuccii* Schimmel, 1997 (not 1996)

(= *Nipponoelater brancuccii*)

Entomologische Blaetter fuer Biologie und Systematik der Kaefer **92**(3)(Dezember 1996)[20 Jan. 1997 (footer title page of vol.)]: 122 (India)

*Gamepenthes brancuccii* Schimmel, 2003: 32 (Nepal)

In: Schimmel R., Die Megapenthini-Arten Süd- und Südostasiens. Zweiter Teil: Acumenator, Anchastelater, Dicarinator, Gamepenthes, Ganoxanthus, Martiniana und Simodactylus (Coleoptera: Elateridae). Bad Dürkheim: Eigenverlag der Pollichia, 2003, 261 Seiten. (= Pollichia-Buch **42**) [2003 (dust cover, title page & impressum, p. 2)]

*Melanotus (Melanotus) brancuccii* Platia et Schimmel, 2001: 84 (Nepal)

In: Platia, G. & Schimmel, R.: Revisione delle specie orientali (Giappone e Taiwan esclusi) del genere *Melanotus* Eschscholtz, 1829 (Coleoptera, Elateridae, Melanotinae). Torino: Museo Regionale di Scienze Naturali, 2001, pp. [vi]+638+[2] (= Museo Regionale di Scienze Naturali, Torino, Monografie **XXVII**) [June 2001 (colophon, p.[640])]

*Neoathousius brancuccii* Schimmel et Platia, 1991: 884 (India)

Revue Suisse de Zoologie **98**(1991)(4): 879–895 [Décembre 1991 (header p. 879)]

*Penia brancuccii* Schimmel, 1996: 164 (Bhutan)

In: Schimmel R., Das Monophylum Diminae CANDŤZE, 1863 (Insecta: Coleoptera: Elateridae). Bad Dürkheim: Eigenverlag der Pollichia, 1996, 227 pp. & annex (= Pollichia-Buch Nr. **33**) [1996 (title page & impressum, p. 2)]

*Priopus brancuccii* Platia et Schimmel, 1995: 153 (Indonesia: Sumatra)

Bulletin de l'Institut Royal des Sciences Naturelles de Belgique. Entomologie **65**(1995): 135–173 [1995 (headline, p. 135)]

*Prokraerus brancuccii* Schimmel, 1999: 53 (Nepal)

In: Schimmel, R.: Die Megapenthini-Arten Süd- und Südostasiens. Erster Teil: Prokraerus, Ectamenogonus, Xanthopenthes, Dolinolus n. gen., Girardelater n. gen. und Preusselater n. gen. (Insecta: Coleoptera, Elateridae). Bad Dürkheim: Eigenverlag der Pollichia, 1999, 299 pp. (= Pollichia-Buch Nr. **38**) [1999 (dust cover, title page & impressum)]

*Quasimus (Quasimus) brancuccii* Dolin, 1993: 191 (Nepal)

Entomologica Basiliensia **16**(1993): 181–201 [29 Dec 1993 (top of p. 3, contents)]

*Senodonia brancuccii* Schimmel et Platia, 1992: 240 (Nepal)

Entomologica Basiliensia **15**(1992): 229–254 [31. Dec 1992 (top of p. 3, contents)]

*Silesis brancuccii* Platia et Schimmel, 1991: 113 (India)

Fragmenta Entomologica **23**(1991–1992)(1): 101–177 [10. Sept. 1991 (end of indici)]

*Simodactylus brancuccii* Schimmel, 2003: 90 (Sumatra, Indonesia)

In: Schimmel R., Die Megapenthini-Arten Süd- und Südostasiens. Zweiter Teil: Acumenator, Anchastelater, Dicarinator, Gamepentes, Ganoxanthus, Martiniana und Simodactylus (Coleoptera: Elateridae). Bad Dürkheim: Eigenverlag der Pollichia, 2003, 261 Seiten. (= Pollichia-Buch 42) [2003 (dust cover, title page & impressum, p. 2)]

*Xanthopenthes brancuccii* Schimmel, 1999: 207 (Nepal)

In: Schimmel R., Die Megapenthini-Arten Süd- und Südostasiens. Erster Teil: Procrærus, Ectamenogonus, Xanthopenthes, Dolinolus n. gen., Girardelater n. gen. und Preusselater n. gen. (Insecta: Coleoptera, Elateridae). Bad Dürkheim: Eigenverlag der Pollichia, 1999, 299 pp. (= Pollichia-Buch Nr. 38) [1999 (dust cover, title page & impressum)]

*Zoroehrus (Zoroehrus) brancuccii* Dolin, 1999: 32 (Nepal)

(= *Zoroehrus brancuccii*)

Zeitschrift der Arbeitsgemeinschaft Oesterreichischer Entomologen **51**(1999)(1): 31–39 [30. April 1999 (header p. 31)]

**Lycidae***Dihammatus brancuccii* Kazantsev, 1992: 262 (Nepal)

Entomologica Basiliensia **15**(1992): 261–266 [31. Dec 1992 (top of p. 3, contents)]

*Plateros brancuccii* Kazantsev, 1991: 173 (Nepal)

Entomologica Basiliensia **14**(1991): 153–182 [31 Dec 1991 (top of p. 3, contents)]

*Sulabanus brancuccii* Dvorak et Bocak, 2007: 18 (Indonesia: Sulawesi)

Zootaxa (2007)**1611**: 1–24 [10 Oct 2007 (p. 1, footer)]

**Cantharidae***Athemus (s.str.) micheli* Švihla, 2006 458 (Nepal)

(= *Lycocerus micheli*)

In: Hartmann & Weipert (eds), Biodiversität und Naturlausstattung im Himalaya **II**. Erfurt: Verein der Freunde und Förderer des Naturkundemuseums Erfurt e.V., 548p., 2006: 457–461 [2006 (title page; post Nov. 2006: preface date p. 5)]

*Cantharis brancuccii* Švihla, 1992: 303 (China: Xinjiang)

Entomologica Basiliensia **15**(1992): 279–332 [31. Dec 1992 (top of p. 3, contents)]

*Lycocerus brancuccii* Švihla, 2004: 194 (Nepal)

Entomologica Basiliensia **26**(2004): 155–238 [24 Nov 2004 (top of p.[iii]), contents]

*Malthinus brancuccii* Wittmer, 1978: 359 (Turkey)

Entomologica Basiliensia **3**(1978): 347–376 [18 Oct 1978 (top of p. 3, contents)]

*Malthodes brancuccii* Wittmer, 1984: 160 (Taiwan)

Entomological Review of Japan **39**(2)(1984): 141–166 [Dec. 1984 (header p. 101)]

*Maronius brancuccii* Constantin, 2010: 25 (Ecuador)

Entomologica Basiliensia et Collectionis Frey **32**(2010): 7–29 [20 Dec 2010 (outer back cover, footnote)]

*Pakabsidia brancuccii* Kopetz, 2006: 263 (Nepal)

Veröffentlichungen des Naturkundemuseums Erfurt **25**(2006): 261–268.

*Paramaronius brancuccii* Biffi, 2015: 53 (Brazil)

Zookeys **516**(2015): 49–69 [6 August 2015 (p. 49)]

*Pseudopodabrus brancuccii* Wittmer, 1983: 114 (Thailand)

Entomologische Arbeiten aus dem Museum G. Frey **31/32**(1983): 109–115 [1 Nov. 1983 (header, p.[5], "Inhalt")]

*Rhagonycha brancuccii* Švihla, 1993: 274 (Turkey)

Entomologica Basiliensia **16**(1993): 255–277 [29 Dec 1993 (top of p. 3, contents)]

*Rhagonycha micheli* Okushima et Yang, 2013: 93 (Taiwan)

Elytra (Tokyo), New Series **3**(2013)(1): 89–96 [15 Sept. 2013 (journal website)]

*Themus (Haplothemus) brancuccii* Kopetz, 2010: 174 (China: Sichuan)

Vernate (Erfurt) **29**(2010): 165–188 [2010 (outer front cover & title page); press deadline 30. Nov. 2010 (impressum, verso of title page)]

### **Melyridae**

*Hypomixis brancuccii* Wittmer, 1999: 181 (India)

Entomologica Basiliensia **21**(1999): 171–252 [20 April 1999 (top of p.[3], contents)]

*Laius brancucci* Wittmer, 1989: 234 (India)

Entomologica Basiliensia **13**(1989): 207–237 [31 Dec 1989 (top of p. 3, contents)]

### **Helotidae**

*Helota brancuccii* Lee, 2008: 734 (Laos)

Annals of the Entomological Society of America **101**(2008)(4): 722–742 [1 July 2008 (journal website)]

### **Cucujidae**

*Ancistria brancuccii* Burckhardt et Ślipiński, 1995: 1014 (Nepal)

Revue Suisse de Zoologie **102**(1995)(4): 995–1044 [Décembre 1995 (header p. 995)]

### **Cerylonidae**

*Philothermus brancuccii* Ślipiński, 1981: 434 (India)

Entomologica Basiliensia **6**(1981): 427–436 [30 Nov 1981 (top of p.[1], contents)]

### **Mordellidae**

*Mordella brancuccii* Horák, 1995: 168 (Nepal)

Entomological Problems (Bratislava) **26**(1995)(2): 165–184 [Dec. 1995 (outer front cover of fasc. 2)]

### **Tenebrionidae**

*Amarygmus brancuccii* Bremer, 2003: 51 (Thailand)

[= *Amarygmus nepalensis* (Kaszab, 1976)]

Acta Coleopterologica (Munich) **19**(2003)(2): 27–44 [1 Oct 2003]

*Borbonalia brancuccii* Novák, 2014: 138 (China: Yunnan)

(Type species of *Borbonalia* Novák, 2014)

Studies and Reports, Taxonomical Series (Prague) **10**(2014)(1): 135–159 [31 March 2014: inner front cover of fasc. 1]

*Gerdacula brancuccii* Novák, 2015: 146 (Nepal)

Studies and Reports, Taxonomical Series (Prague) **11**(2015)(1): 143–158 [31 March 2015: inner front cover of fasc. 1]

*Herbertfranziella brancuccii* Fouquè, 2013: 192 (India)

Stuttgarter Beiträge zur Naturkunde, A (Biologie), Neue Serie **6**(2013): 183–197 [30 April 2013 (header p. 183)]

*Laena brancuccii* Schawaller, 2014: 294 (Laos)

Annales Zoologici (Warszawa) **64**(2014)(2)(June 2014): 287–298 [1 June 2014 (publ. date of fasc., journal website)]

*Liodocistela brancuccii* Novák, 2014: 535 (Nepal)

Studies and Reports, Taxonomical Series (Prague) **10**(2014)(2): 527–552 [5. Oct. 2014 (inner front cover of fasc. 2)]

*Luprops brancuccii* Schawaller, 2013: 330 (Laos)

Entomologica Basiliensia et Collectionis Frey **34**(2013): 327–340 [30 Nov. 2013 (Impressum, p.[2])]

*Notocorax brancuccii* Iwan, 1997: 262 (Vietnam)

Annales Zoologici (Warszawa) 47(1997)(1–2): 243–272 [20. Sept. 1997 (inner front cover of fasc. 1–2)]

*Platydemia brancuccii* Schawaller, 2012: 244 (Laos)

Stuttgarter Beiträge zur Naturkunde, A (Biologie), Neue Serie 5(2012): 243–255 [30 April 2012 (header p. 243)]

*Plesiophthalmus brancuccii* Masumoto et Akita, 2009: 111 (India)

Elytra (Tokyo) 37(2009)(1): 105–141 [May 2009 (header, p. 105)]

*Strongylium brancuccii* Masumoto et Schawaller, 2010: 30 (Nepal)

Entomological Review of Japan 65(2010)(1): 21–40 [30 June 2010 (header p. 21)]

### Oedemeridae

*Indasclera brancuccii* Švihla, 1997: 440 (Nepal)

Entomologica Basiliensia 20(1997): 417–466 [1 Dec 1997 (top of p.[3], contents)]

*Nacerdes brancucci* Švihla, 1983: 336 (India)

Entomologica Basiliensia 8 (1983): 334–341 [30 Nov 1983 (top of p. 3, contents)]

### Cerambycidae

*Iranobrium brancuccii* Holzschuh, 1993: 122 (Saudi Arabia)

Fauna of Saudi Arabia 13(1993): 110–111 [30 April 1993 (header p.[iii], Contents)]

### Megalopodidae

*Zeugophora (Pedrillia) brancuccii* Medvedev, 1993: 360 (Nepal)

Entomologica Basiliensia 16(1993): 359–376 [29 Dec 1993 (top of p. 3, contents)]

### Chrysomelidae

*Adiscus brancuccii* Medvedev, 2008: 203 (India)

Russian Entomological Journal 17(2008)(2) (June 2008): 193–205 [“printed in October 2008” (verso of title page of fasc. 2; “publication date 12 Nov. 2008”: [http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Aoria (Aoria) brancuccii* Medvedev, 2012: 51 (India)

Russian Entomological Journal 21(2012)(1)(March 2012): 45–52 [23 May 2012 ([http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Aphthona brancuccii* Medvedev, 1997: 15 (Nepal)

(= *Aphthona strigosa* Baly, 1874)

Elytra (Tokyo) 25(1997)(1): 13–22 [15 May 1997 (outer front cover of fasc. 1; also header p. 13)]

*Apophyllia brancuccii* Medvedev, 1998: 28 (Nepal)

In: Medvedev & Sprecher-Uebersax, Spixiana 21(1998)(1): 25–42 [1 March 1998 (header p. 25)]

*Apophyllia micheli* Bezděk, 2003: 7 (Nepal)

Stuttgarter Beiträge zur Naturkunde, Serie A (Biologie) 649(2003): 1–11 [4 June 2003 (header p. 1)]

*Brancucciella* Medvedev, 1995: 479 (Thailand)

(Type species: *Brancucciella micheli* Medvedev, 1995)

(= *Sanckia* Duvivier, 1891)

Entomologica Basiliensia 18(1995): 479–488 [15 Dec 1995 (top of p.[3], contents)]

*Brancucciella micheli* Medvedev, 1995: 480 (Thailand)

[= *Sanckia micheli* (Medvedev)]

Entomologica Basiliensia 18(1995): 479–488 [15 Dec 1995 (top of p.[3], contents)]

*Chlamisus brancuccii* Medvedev et Sprecher-Uebersax, 1997: 226 (Nepal)

Coleoptera. Schwanfelder coleopterologische Mitteilungen 1(1997): 203–247 [20 Dec. 1997 (outer front cover of fasc. “pp. 203–248”)]

*Colaspoides brancuccii* Medvedev, 2004 (not 2003): 261 (India)

(= ? *C. subrugosa* Jacoby, 1908)

Russian Entomological Journal **12** (2003)(3)(September 2003): 257–297 [2004 (footer p. 257); Feb. 2004 (verso title page fasc. 3); 27 March 2004 ([http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Crosita brancuccii* Daccordi, 1982: 406 (Oman)

[= *Chrysolina (Bittotaenia) grata brancuccii*]

Entomologica Basiliensia **7**(1982): 406–412 [30 Nov 1982 (top of p. 3, contents)]

*Cryptocephalus (s.str.) brancuccii* Lopatin, 1984: 333 (Nepal)

Entomologica Basiliensia **9**(1984): 328–339 [31 Dec 1984 (header of p. 3, contents)]

*Cryptocephalus (s.str.) micheli* Medvedev et Sprecher-Uebersax, 1997: 215 (Nepal)

(= *Cryptocephalus sprecheri* Lopatin, 2005)

Coleoptera. Schwanfelder Coleopterologische Mitteilungen **1**(1997): 203–247 [20 Dec. 1997 (outer front cover of fasc. “pp. 203–248”)]

*Dermoxanthus brancuccii* Zoia, 2010: 331 (Tanzania)

Entomologica Basiliensia et Collectionis Frey **32**(2010): 323–341 [20 Dec 2010 (outer back cover, footnote)]

*Discotarsa brancuccii* Medvedev, 1993: 52 (Philippines)

Russian Entomological Journal **2**(1993)(3–4)(October 1993): 41–58 [Oct. 1993 (verso of title page of fasc.; 13 Dec. 1993: [http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Gonioctena (Brachyphytodecta) brancuccii* Sprecher-Uebersax et Daccordi, 2016: 478 (Laos)

Entomologica Basiliensia et Collectionis Frey **35**(2016): 455–485 [10 May 2016 (Impressum, p.[2])]

*Hyperaxis brancuccii* Medvedev, 1993: 362 (Nepal)

(= *Lypestes brancuccii*)

Entomologica Basiliensia **16**(1993): 359–376 [29 Dec 1993 (top of p. 3, contents)]

*Lilioceris brancuccii* Medvedev, 1992: 379 (India)

Entomologica Basiliensia **15**(1992): 379–388 [31. Dec 1992 (top of p. 3, contents)]

*Lipromorpha brancuccii* Medvedev, 1994 (not 1993): 20 (Philippines)

Russian Entomological Journal **2**(1993)(5–6)(Dec. 1993): 11–32 [Jan. 1994 (verso of title page of fasc. 5–6; 9. January 1994: [http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Liroetis brancuccii* Medvedev, 2007: 295 (Nepal)

Entomologica Basiliensia et Collectionis Frey **29**(2007): 289–305 [20 Dec 2007 (outer back cover, footnote)]

*Manobia brancuccii* Medvedev, 1994 (not 1993): 28 (Philippines)

Russian Entomological Journal **2**(1993)(5–6)(Dec. 1993): 11–32 [Jan. 1994 (verso of title page of fasc. 5–6; 9. Jan. 1994: [http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Mimastra brancuccii* Medvedev, 2011: 249 (Nepal)

Vernate (Erfurt) **30**(2011): 249–254 [2011: outer front cover & title page]; press deadline 30 Nov. 2011 (impressum, verso of title page)

*Monolepta brancuccii* Medvedev, 2005: 261 (Philippines)

Entomologica Basiliensia et Collectionis Frey **27**(2005): 239–277 [15 Dec 2005 (outer back cover, footnote)]

*Smaragdina (Physosmaragdina) brancuccii* Medvedev, 1988: 472 (India)

[= *Physosmaragdina tonkinensis* (Lefèvre, 1891)]

Entomologica Basiliensia **12**(1988): 469–480 [29 April 1988 (top of p. 3, contents)]

*Smaragdina micheli* Medvedev, 1995 (not 1994): 89 (China: Sichuan)

Russian Entomological Journal **3**(1994)(3–4)(December 1994): 87–91[“printed in June 1995” (verso of title page of fasc. 3–4, and [http://kmkjournals.com/journals/REJ/REJ\\_Exact\\_Publ\\_Dates](http://kmkjournals.com/journals/REJ/REJ_Exact_Publ_Dates), accessed Nov. 2015)]

*Sphaeroderma brancuccii* Medvedev, 2009: 181 (Laos)

Medvedev L.N., Alticinae of Indochina. Moscow: KMK Scientific Press, 224p. (30.xi.2009, p.[224])

*Trachyaphthona brancuccii* Medvedev, 2004: 307 (Laos)

[= *Trachytetra brancuccii* (Medvedev)]

Entomologica Basiliensia 26(2004): 299–323 [24 Nov 2004 (top of p.[iii]), contents]

*Xenoda (Paraxenidea) brancuccii* Medvedev, 2004: 344 (Philippines)

Entomologica Basiliensia 26(2004): 339–348 [24 Nov 2004 (top of p.[iii]), contents]

### Curculionidae

*Coeliosomus brancuccii* Colonnelli, 1992: 400 (India)

Entomologica Basiliensia 15(1992): 395–422 [31. Dec 1992 (top of p. 3, contents)]

*Shigizo brancuccii* Pelsue, 2007: 192 (Vietnam)

Koleopterologische Rundschau 77(2007): 191–198 [July 2007 (header p. 191)]

*Systates brancuccii* Rheinheimer, 2003: 314 (Saudi Arabia)

Koleopterologische Rundschau 73(2003): 313–320 [June 2003 (header p. 313)]

## DIPTERA

### Scatopsidae

*Lumpuria brancuccii* Haenni, 1988: 498 (Nepal)

Entomologica Basiliensia 12(1988): 491–502 [29 April 1988 (top of p. 3, contents)]

## Index to genus-group taxa dedicated to Michel Brancucci

### DERMAPTERA

Haplodiplatys, 48

### HETEROPTERA

Aeipeplus, 48

Chelocoris, 48

Brancucciana, 48

Theraneis, 48

### HYMENOPTERA

Macrophya, 48

Myrmica, 48

### COLEOPTERA

Abelater, 51

Adiscus, 55

Agathidium, 50

Amarygmus, 54

Ampedus, 52

Anacaena, 50

Ancistria, 54

Anomala, 50

Aoria, 55

Apatrobus, 48

Aphthona, 55

Apophyllia, 55

Asiaster, 50

Athemus, 53

Bembidion, 48

Bittotaenia, 56

Borbonalia, 54

Brachyllus, 51

Brancuccia, 52

Brancucciella, 55

Calochroa, 48

Cantharis, 53

Cardiohypnus, 52

Cateanus, 52

Chaetodopsis, 50

Chaetodus, 50

Chlamisus, 55

Chrysolina, 56

Coeliosomus, 57

Colaspoides, 56

Copelatus, 49

Crosita, 56

Cryptocephalus, 56

Cyphon, 51

Dermestocyphon, 51

Dermoxanthus, 56

Deronectes, 49

Dhanya, 49

Dicronychus, 52

Dihammatus, 53

Dima, 52

Discotarsa, 56



- Elater, 52  
 Evanoleistus, 49  
 Fornax, 51  
 Gamepenthès, 52  
 Geodromicus, 50  
 Gerdacula, 54  
 Goniocæna, 56  
 Gueorguievtes, 50  
 Haplothemus, 54  
 Helota, 54  
 Herbertfranziella, 54  
 Hydroporus, 49  
 Hydrovatus, 50  
 Hyperaxis, 56  
 Hyphydrus, 50  
 Hypomixis, 54  
 Indasclera, 55  
 Iranobrium, 55  
 Ischnopopillia, 51  
 Lacconectus, 50  
 Laccophilus, 50  
 Laemostenus, 49  
 Laena, 54  
 Laius, 54  
 Lebioderus, 49  
 Leistus, 49  
 Liliocæris, 56  
 Liodocistela, 54  
 Lipomorpha, 56  
 Liroetis, 56  
 Luprops, 54  
 Lycocærus, 53  
 Lypesthes, 56  
 Macroceble, 50  
 Malthinus, 53  
 Malthodes, 53  
 Manobia, 56  
 Maronius, 53  
 Megalinius, 50  
 Melanotus, 52  
 Mescirtès, 51  
 Microserica, 51  
 Mimastra, 56  
 Mimela, 51  
 Miridiba, 51  
 Monolepta, 56  
 Mordella, 54  
 Myas, 49  
 Nacerdes, 55  
 Neoathousius, 52  
 Neocollyris, 49  
 Neodontocnema, 51  
 Nipponoelater, 52  
 Notocorax, 55  
 Oreocyphon, 51  
 Orthogonius, 49  
 Oxysærica, 51  
 Pachymedon, 50  
 Pachyschelus, 51  
 Pakabsidia, 53  
 Paradromius, 49  
 Paramaronius, 53  
 Parapatrobùs, 48  
 Paraxenidea, 57  
 Parvulomaladera, 51  
 Paussus, 49  
 Pedrillia, 55  
 Penia, 52  
 Philochtemphanes, 48  
 Philothermus, 54  
 Physosmaragdina, 56  
 Platambus, 50  
 Plateros, 53  
 Platydema, 55  
 Platynectes, 50  
 Plesiophthalmus, 55  
 Popillia, 51  
 Prionocyphon, 51  
 Priopus, 52  
 Pristonychus, 49  
 Pristosia, 49  
 Procaærus, 52  
 Pseudobironium, 50  
 Pseudopodabrus, 53  
 Pterostichus, 49  
 Ptilodactyla, 51  
 Quasimus, 52  
 Rhagonycha, 54  
 Rugadromius, 49  
 Rybinskiella, 50  
 Sanckia, 55  
 Schinostethus, 51  
 Scirtès, 51  
 Senodonia, 52  
 Shigizo, 57  
 Silesis, 53  
 Simodactylus, 53  
 Sintania, 50  
 Smaragdina, 56  
 Sphaeroderma, 57  
 Strongylium, 55  
 Sulabanus, 53  
 Sundodrupeus, 51  
 Systates, 57  
 Themus, 54  
 Trachyaphthona, 57  
 Trachytetra, 57  
 Trechus, 49  
 Trigonognatha, 49  
 Xanthopenthès, 52  
 Xenoda, 57  
 Xestagonum, 49  
 Zeugophora, 55  
 Zoroehros, 53  
 Zoroehrus, 53
- DIPTERA**  
 Lumpuria, 57

### Acknowledgements

We are grateful for the help we received from the Natural History Museum of Basel, especially from the entomological staff and the librarian. Eva Sprecher-Uebersax, in particular, helped trace original information from the libraries as well as from the collections. We thank Thierry Deuve, Muséum National d'Histoire Naturelle, Paris, for his helpful comments on the dating of one publication.

### References

- BOUCHARD P., BOUSQUET Y., DAVIES A.E., ALONSO-ZARAZAGA M.A., LAWRENCE J.F., LYAL C.H.C., NEWTON A.F., REID C.A.M., SCHMITT M., SLIPINSKI S.A. & SMITH A.B.T. (2011): *Family Group Names in Coleoptera (Insecta)*. ZooKeys **88(1+2)**: 1–972. [4 April 2011 (journal website); April 2011 (impressum, verso of title page)]
- BRANCUCCI M. (2005): *Dr.h.c. Walter Wittmer – a coleopterist to the bone*. Entomologica Basiliensia et Collectionis Frey **27**: 347–406 [15 December 2005 (outer back cover, footnote)]
- BURCKHARDT D. (2012): *Michel Brancucci. 9. September 1950–18. Oktober 2012 [obituary]*. Mitteilungen der Schweizerischen Entomologischen Gesellschaft **85(3–4)**: ix–xvi [31 December 2012 (footer outer back cover of fasc.)]
- GEISER M & NAGEL P (2013): *Coleopterology in Laos - an introduction to the nature of the country and its coleopterological exploration*. In: BRANCUCCI M.†, NAGEL P., KOLIBÁČ J., GEISER M. (Eds): *Beetle diversity of Laos. Part I*. Entomologica Basiliensia et Collectionis Frey, Vol. **34**. Basel: Pro Entomologia, ISBN 978-3-7234-0101-9, pp. 11–46. [30 November 2013 (impressum, verso of half title)]
- KLAUSNITZER B (2012): *Dr. Michel Brancucci (9. September 1950 bis 18. Oktober 2012) zum Gedenken*. Entomologische Blätter und Coleoptera **108**: 1–14 [December 2012 (header outer front cover of vol.)]
- LÖBL I. & SMETANA A. (eds) (2007): *Catalogue of Palaearctic Coleoptera, Vol. 4 (Elateroidea, Derodontoidea, Bostrichoidea, Lymexyloidea, Cleroidea, Cucujoidea)*. Stenstrup: Apollo Books, 935 pp. [30 June 2007 (impressum, verso of title page)]

#### Authors' addresses:

Prof. Dr. Peter Nagel  
Universität Basel  
Dept. Umweltwissenschaften, Biogeographie  
St. Johannis-Vorstadt 10  
4056 Basel  
SWITZERLAND  
E-mail: peter.nagel@unibas.ch

Dr. Lara Schmidlin  
Universität Basel, Dept. Umweltwissenschaften, Biogeographie  
St. Johannis-Vorstadt 10  
4056 Basel  
SWITZERLAND  
E-mail: lara.grieder-schmidlin@alumnibas.ch

Dr. Michael Geiser  
Department of Life Sciences (Entomology: Coleoptera), The Natural History Museum  
Cromwell Road  
London, SW7 5BD  
UNITED KINGDOM  
E-mail: m.geiser@nhm.ac.uk

