

Zeitschrift:	L'Enseignement Mathématique
Herausgeber:	Commission Internationale de l'Enseignement Mathématique
Band:	13 (1967)
Heft:	1: L'ENSEIGNEMENT MATHÉMATIQUE
 Artikel:	BOUNDEDNESS THEOREMS FOR SOLUTIONS OF $u''(t) + a(t)f(u) = 0$ (IV)
Autor:	Wong, James S. W.
Bibliographie	
DOI:	https://doi.org/10.5169/seals-41539

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 19.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Theorem 6. Suppose that assumptions A_1 , A_2 , A_3 and A_4 hold and in addition that $a(t) > 0$ and $a'(t) \geq 0$ for $t \geq T$; then all solutions of (3.3) are bounded.

Proof. Integrate (3.3) in the following manner:

$$\begin{aligned} G(u'(t)) - G(u'(t_0)) + a(t)F(u(t)) - a(t_0)F(u(t_0)) \\ = \int_{t_0}^t a'(s)F(u(s))ds + \int_{t_0}^t \frac{h(t, u, u')u'(s)ds}{g(u')} \end{aligned} \quad (3.4)$$

where $G(v) = \int_0^\gamma \frac{s ds}{g(s)}$ and $F(u) = \int_0^u f(s) ds$. Taking absolute values and

noting that $G(v) \geq 0$ and $F(u) \geq 0$, we obtain

$$a(t)F(u(t)) \leq c_0 + c_1 + \int_{t_0}^t a'(s)F(u(s))ds \quad (3.5)$$

where $c_0 = G(u'(t_0)) + a(t_0)F(u(t_0))$ and $c_1 = \int_{t_0}^\infty \gamma(s) ds$ are non-negative constants. From (3.5) and A_4 it is now clear that every solution of (3.3) are bounded (cf. [1]).

Corollary. In addition to the hypothesis of Theorem 6, suppose that assumption A_5 also holds and that $\lim_{t \rightarrow \infty} a(t) = k > 0$; then all solutions of (3.3) and their derivatives are bounded.

We note that by setting $h(t, u, u') \equiv 0$, the above result again reduces to Theorem 1 and its corollary. Other comparison theorems may be formulated in a similar way as Theorem 6 by extending the corresponding result for the homogeneous equation. Since the procedure is clear, the statements and proofs of these results will be omitted.

RÉFÉRENCES

- [1] J. S. W. WONG, A note on boundedness theorems of certain second order differential equations. *SIAM Review*, 6 (1964), 175-176.
- [2] — and T. A. BURTON, Some properties of solutions of $u''(t) + a(t)f(u)g(u') = 0$ (II). *Monatshefte für Mathematik*, 69 (1965), 368-374.
- [3] J. S. W. WONG, Some properties of solutions of $u''(t) + a(t)f(u)g(u') = 0$ (III). *SIAM Journal*, 14 (1966), 209-214.
- [4] ZHANG BING-GEN (CHANG PING-KEN), Boundedness of solutions of ordinary differential equations of the second order. *Acta Math. Sinica*, 14 (1964), 128-137; English translation, *Chinese Mathematics*, 4 (1964), 139-148.

- [5] C. T. TAAM, Criteria of boundedness of the solutions of non-linear differential equations. *Proc. Amer. Math. Soc.*, 6 (1955), 377-385.
- [6] I. BIHARI, Researches of the boundedness and stability of the solutions of non-linear differential equations, *Acta. Math. Acad. Sci. Hungar.*, 8 (1957), 261-278.
- [7] W. R. UTZ, Properties of solutions of $u'' + g(t) u^{2n-1} = 0$. *Monatshefte für Mathematik*, 66 (1962), 55-60.
- [8] K. M. DAS, Properties of solutions of certain non-linear differential equations. *J. of Math. Ana. and Appl.*, 8 (1964), 445-452.
- [9] C. M. PETTY and G. LEITMANN, A boundedness theorem for a non-linear, non-autonomous system. *Monatshefte für Mathematik*, 68 (1964), 46-51.
- [10] R. BELLMAN, *Stability theorem of differential equations*. McGraw-Hill, New York (1953).
- [11] I. BIHARI, A generalization of a lemma of Bellman and its application to uniqueness problems of differential equations. *Acta Math. Hung.*, 7 (1956), 81-94.
- [12] E. F. BECKENBACH and R. BELLMAN, *Inequalities*. Springer-Verlag, Berlin (1961).
- [13] Ju. A. KLOKOV, Some theorems on boundedness of solutions of ordinary differential equations. *Uspehi Mat. Nauk*, 13 (1958), No. 2 (80), 189-194; English translation. *Amer. Math. Soc. Transl.*, 18 (1961), 289-294.
- [14] P. WALTMAN, Some properties of solutions of $u''(t) + a(t)f(u) = 0$. *Monatshefte für Mathematik*, 67 (1963), 50-54.
- [15] LI YUE-SHENG (LI YUEH-SHENG), The bound, stability, and error estimates for the solution of non-linear differential equations. *Acta Math. Sinica*, 12 (1962), 32-39; English translation, *Chinese Mathematics*, 3 (1963), 34-41.
- [16] D. WILLETT and J. S. W. WONG, On the discrete analogues of some generalizations of Gronwall's inequality. *Monatshefte für Mathematik*, 69 (1965), 362-367.
- [17] J. S. W. WONG, On two theorems of Waltman. *SIAM Journal*, 14 (1966), 724-728.
- [18] P. WALTMAN, On the asymptotic behaviour of solutions of a non-linear equation. *Proc. Amer. Math. Soc.*, 15 (1964), 918-923.

(Reçu le 31 janvier 1967)

James S. W. Wong
University of Alberta
Edmonton, Canada.

vide-leer-empty