

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 15 (1969)
Heft: 1: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: ON A NEW CLASS OF TOPOLOGICAL SPACES
Autor: Iséki, Kiyoshi
DOI: <https://doi.org/10.5169/seals-43214>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 05.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

ON A NEW CLASS OF TOPOLOGICAL SPACES

Kiyoshi ISÉKI

To the memory of Professor J. Karamata

In this short Note, I shall define a new class of topological spaces.

Let R be a Hausdorff space (i.e. T_2 -space). R is said to be H -closed if there is a point common to the closures of all sets of any collection of open sets with the finite intersection property. As is well known, a compact T_1 -space is characterized by the condition: there exists a subbasis Φ for the closed sets of R such that there is a point common to all sets of any collection of sets of Φ having the finite intersection property.

On the other hand, a H -closed space is not characterized by replacing a subbasis in the condition above into an open basis. Therefore we shall consider the following condition on *an open basis* Φ in R .

(A) *There is a point common to the closures of all sets of any collection of Φ with the finite intersection property.*

As shown by the following simple examples, a topological space satisfying the condition (A) defines a new class of topological spaces.

In any discrete space, we can take an open basis Φ satisfying the condition (A). Any H -closed space (or compact space) has an open basis satisfying the condition (A). Further, an arbitrary product of T_2 -spaces with the condition (A) is a T_2 -space satisfying the condition (A). On the other hand, the space of all rational numbers is not a topological space with the condition (A).

Vide-leer-empty