

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 23 (1977)
Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: ON REPRESENTATION OF FUNCTIONS BY MEANS OF SUPERPOSITIONS AND RELATED TOPICS
Autor: Vitushkin, A. G.
Kurzfassung: CONTENTS
DOI: <https://doi.org/10.5169/seals-48931>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 09.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

ON REPRESENTATION OF FUNCTIONS BY MEANS OF SUPERPOSITIONS AND RELATED TOPICS¹

by A. G. VITUSHKIN

CONTENTS

PREFACE	256
CHAPTER 1. Survey of results	257
1. Superpositions of analytic functions	258
2. The problem of resolvents	259
3. Superpositions of smooth functions and the theory of approximation	261
4. Superpositions of continuous functions	263
5. Linear superpositions	265
CHAPTER 2. Superpositions of smooth functions	267
1. The notion of entropy	267
2. The entropy of the space of smooth functions	269
3. Theorem on superpositions of smooth functions	276
CHAPTER 3. Superpositions of continuous functions	277
1. Certain improvements of Kolmogorov's theorem	277
2. The theorem of Kahane	279
3. The main lemma	280
4. The proof of the theorem	282
CHAPTER 4. Linear superpositions	283
1. Notation	283
2. Estimate of the difference of the integrals of one term of a superposition along nearby level curves	284
3. Deletion of dependent terms	288
4. Reduction of linear superpositions to a form with independent terms	292

¹⁾ Summary of lectures given at the University of California in Los Angeles, in April-May 1977, under the sponsorship of the International Mathematical Union.

5. The set of linear superpositions in the space of continuous functions is closed	296
6. The set of linear superpositions in the space of continuous functions is nowhere dense	299
CHAPTER 5. Dimension of the space of linear superpositions	302
1. (ε, δ) -entropy and the “dimension” of function spaces	302
2. (ε, δ) -entropy of the set of linear superpositions	306
3. Functional “dimension” of the space of linear superpositions . .	311
4. Variation of superpositions of smooth functions	312
5. Instability of the representation of functions as superpositions of smooth functions	316
REFERENCES	317

PREFACE

By means of an algebraic substitution, the so-called Tschirnhaus transformation, the general algebraic equation of the n -th degree $x^n + a_1 x^{n-1} + a_2 x^{n-2} + \dots + a_{n-1} x + a_n = 0$ may be reduced to the form $y^n + b_4 y^{n-4} + b_5 y^{n-5} + \dots + b_{n-1} y + 1 = 0$. Further attempts by algebraists to reduce the solution of the general algebraic equation to the solution of equations containing a smaller number of parameters remained unsuccessful for a long time (the problem of resolvents).

In his famous Mathematical Problems [1] Hilbert looked at this problem in a new way, formulating it as No. 13 in the following form: the impossibility of solving the general equation of the 7-th degree by means of functions of only two variables. To prove this Hilbert regarded it as possible to show that the equation of the 7-th degree $f^7 + xf^3 + yf^2 + zf + 1 = 0$ is not soluble by means of any continuous functions of only two variables.

Various mathematicians have understood the 13-th Problem differently and have attributed to it results of a different character.

Hilbert [3] found an algebraic substitution reducing the solution of the general algebraic equation of the 9-th degree to the solution of equations with 4 parameters. Hilbert proved also the existence of analytic functions of three variables not representable by superpositions of functions of only two variables. Ostrowski [2] constructed an analytic function of two variables not representable as a superposition of infinitely differentiable functions of one variable and arithmetic operations. The author [4] proved the