

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 23 (1977)
Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: ON THE CHARACTERISTIC CLASSES OF GROUPS OF
DIFFEOMORPHISMS

Autor: Bott, Raoul

Bibliographie

DOI: <https://doi.org/10.5169/seals-48927>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 14.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

classes by this means, see [10] and [9]. On the other hand no “stable class” has ever been detected by a homogenous example.

Using the Lefschetz-Hyperplane Theorem for G^C/P^C , Haefliger and I have quite recently been able to explain this. Indeed one has the following quite general fact:

THEOREM. *All stable classes of $F\Gamma$ in $H^*(|G/P\cdot\Gamma|)$ vanish.*

Here P is parabolic in G , and $\Gamma \subset G$. Presumably the same is true in all homogenous cases but this is not clear to us so far.

The master of non homogenous actions has been first and foremost Thurston, and last year Heitch has been able to considerably extend Thurston’s computations [9]. I will not be able to report on this work here, except to state what Thurston’s constructions imply for the smooth cohomology of $\text{Diff}(S^1)$. He shows first of all that e and ω are independent, and in fact he constructs a smooth family of actions of the group

$$\Pi = \{X, Y, U, V \mid [X, Y] = [U, V]\}$$

on S^1 for which the class ω varies continuously. See [2] for details in this context.) He also constructed examples to show that $\omega^n \neq 0$. On the other hand we still have no example for which e^n , $n \geq 2$ is nonzero.

BIBLIOGRAPHY

- [1] BOTT, R. Lectures on characteristic classes and foliations (Notes by Lawrence Conlon). *Lecture Notes in Mathematics* 279, pp. 1-94, Springer Verlag, New York.
- [2] — On some formulas for the characteristic classes of group actions. *Proceedings of the Conference on Foliations*, Rio de Janeiro, 1976.
- [3] BOTT, R. and A. HAEFLIGER. On characteristic classes of Γ -foliations. *Bull. AMS* 78 (1972), pp. 1039-1044.
- [4] BOTT, R., H. SHULMAN and J. STASHEFF. On the de Rham theory of certain classifying spaces. (To be published in *Advances of Math.*)
- [5] CHERN, S. and J. SIMONS. Some cohomology classes in principal fiberbundles and their applications to Riemannian geometry. *Proc. Nat. Acad. Sci. U.S.A.* 68 (1971), pp. 791-794.
- [6] GELFAND, I. M. and D. B. FUKS. Cohomology of the Lie algebra of tangent vector fields of a smooth manifold. I, II. *Funkcional Anal. i Prilozen.* 3 (1969), No. 3, pp. 32-52; *ibid.* 4 (1970), pp. 23-32 (Russian), MR 41, 1067.
- [7] GODBILLON-VEY. Un invariant des feuilletages de codimension 1. *C. R. Acad.Sci. Paris* 273 (1971), p. 92.

- [8] DUPONT, T. L. Semisimplicial de Rham cohomology and characteristic classes of flat bundles. (To be published in *Topology*.)
- [9] HEITCH, J. Residue formulae for characteristic classes. (To be published.)
- [10] KAMBER, F. W. and P. TONDEUR. Foliated bundles and characteristic classes. *Lecture Notes in Mathematics 493*, Springer Verlag, New York.
- [11] THURSTON, W. Foliations and groups of diffeomorphisms. *Bull. AMS 80*, (1974), pp. 304-307.

(Reçu le 5 mai 1977)

Raoul Bott

Harvard University
Cambridge
Mass. 02138
USA