

**Zeitschrift:** L'Enseignement Mathématique  
**Herausgeber:** Commission Internationale de l'Enseignement Mathématique  
**Band:** 24 (1978)  
**Heft:** 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

**Artikel:** ON A FUNCTIONAL EQUATION RELATING TO THE BRAUER-RADEMACHER IDENTITY  
**Autor:** SURYANARAYANA, D.

**Bibliographie**

**DOI:** <https://doi.org/10.5169/seals-49690>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 19.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

and

$$R(p^\beta, p^\alpha) = \mu_A(p^{st}) \sum_{d \in A(pjt)} f(d) h\left(\frac{n}{d}\right) = 0, \text{ since } s \geq 2.$$

Now, it is easy to see that  $L(p^\beta, p^\alpha) = R(p^\beta, p^\alpha)$  if and only if (16) holds. Thus the Theorem is proved.

COROLLARY If  $f \in \mathcal{C}$  and  $h = \mu_A g$ , where  $g \in \mathcal{M}$ , then the pair  $(f, h)$  satisfies the functional equation (14).

*Proof.* We have

$$\begin{aligned} F_A(p^\alpha) f(p^{\alpha-t}) &= \left\{ \sum_{d \in A(p^{st})} f(d) \mu_A(p^{st}/d) g(p^{st}/d) \right\} f(p^{(s-1)t}) \\ &= \left\{ \sum_{i=0}^s f(p^{it}) \mu_A(p^{(s-i)t}) g(p^{(s-i)t}) \right\} f(p^{(s-1)t}) \\ &= \{f(p^{st}) - f(p^{(s-1)t}) g(p^t)\} f(p^{(s-1)t}) \\ (17) \quad &= f(p^{(2s-1)t}) - f(p^{(2s-2)t}) g(p^t), \end{aligned}$$

since  $f \in \mathcal{C}$ . Also,

$$\begin{aligned} f(p^\alpha) F_A(p^{\alpha-t}) &= f(p^{st}) \left\{ \sum_{i=0}^{s-1} f(p^{it}) \mu_A(p^{(s-1-i)t}) g(p^{(s-1-i)t}) \right\} \\ &= f(p^{st}) \{f(p^{(s-1)t}) - f(p^{(s-2)t}) g(p^t)\} \\ (18) \quad &= f(p^{(2s-1)t}) - f(p^{(2s-2)t}) g(p^t). \end{aligned}$$

Now, from (17) and (18), we see that (16) holds for all primes  $p$  and all integers  $\alpha \geq 2$ , where  $t = \tau_A(p^\alpha)$ . Hence the Corollary follows in virtue of the Theorem.

#### REFERENCES

- [1] BRAUER, A. und H. RADEMACHER. Aufgabe 31. *Jahresbericht der deutschen Mathematiker Vereinigung*, 35 (1926), pp. 94-95 (Supplement).
- [2] COHEN, E. Some totient functions. *Duke Math. J.*, 23 (1956), pp. 515-522.
- [3] —— Generalizations of the Euler  $\varphi$ -function. *Scripta Math.*, 23 (1957), pp. 157-161.
- [4] —— Representations of even functions (mod  $r$ ), I. *Arithmetical identities*, *Duke Math. J.*, 25 (1958), pp. 401-421.
- [5] —— Representations of even functions (mod  $r$ ), II. Cauchy products. *Duke Math. J.*, 26 (1959), pp. 165-182.
- [6] —— Arithmetical Inversion formulas. *Canadian J. Math.*, 12 (1960), pp. 399-409.
- [7] —— The Brauer-Rademacher identity. *Amer. Math. Monthly*, 67 (1960), pp. 30-33.
- [8] —— A trigonometric sum. *Math. Student*, 28 (1960), pp. 29-32.
- [9] —— Arithmetical functions associated with the unitary divisors of an integer. *Math. Zeit.*, 74 (1960), pp. 66-80.

- [10] DICKSON, L. E. *History of the theory of numbers, Vol. I.* Chelsea Publishing Company, New York, reprinted, 1952.
- [11] McCARTHY, P. J. Some remarks on arithmetical identities. *Amer. Math. Monthly*, 67 (1960), pp. 539-548.
- [12] —— Some more remarks on arithmetical identities. *Portugaliae Math.*, 21 (1962), pp. 45-57.
- [13] —— Regular arithmetical convolutions. *Portugaliae Math.*, 27 (1968), pp. 1-13.
- [14] NAGESWARA RAO, K. *Studies in Arithmetical functions.* Ph. D. thesis, 1967, University of Delhi, India.
- [15] NARKIEWICZ, W. On a class of arithmetical convolutions. *Colloq. Math.*, 10 (1963), pp. 81-94.
- [16] SHADER, E. L. The Unitary Brauer-Rademacher identity. *Atti. Acad. Naz. Lincei. Rend. Cl. Sci. Fis. Mat. Natur.*, (8) 48 (1970), pp. 403-404; M.R. 42, #7583.
- [17] SUBBARAO, M. V. The Brauer-Rademacher identity. *Amer. Math. Monthly*, 72, (1965), pp. 135-138.
- [18] SZÜSZ, P. Once more the Brauer-Rademacher identity. *Amer. Math. Monthly*, 74 (1967), pp. 570-571.
- [19] VASU, A. C. A generalization of Brauer-Rademacher identity. *Math. Student*, 33 (1965), pp. 97-101.

(Reçu le 9 juin 1977)

D. Suryanarayana

Department of Mathematical Sciences  
Memphis State University  
Memphis, Tennessee 38152  
U.S.A.

Department of Mathematics  
Andhra University  
Waltair, India