

**Zeitschrift:** L'Enseignement Mathématique  
**Herausgeber:** Commission Internationale de l'Enseignement Mathématique  
**Band:** 24 (1978)  
**Heft:** 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

**Artikel:** THE LEVI PROBLEM AND PSEUDO-CONVEX DOMAINS: A SURVEY  
**Autor:** Narasimhan, Raghavan

**Bibliographie**  
**DOI:** <https://doi.org/10.5169/seals-49697>

### **Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

### **Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

### **Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 27.04.2026

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

THEOREM 3. *If  $\Omega$  has a smooth real-analytic boundary, then  $\Omega$  is regular.*

The essential ingredients in the proofs of these two theorems are contained in the next two [4].

THEOREM 4. *Let  $\Omega$  be a pseudo-convex domain with a smooth boundary, and let  $a \in \partial \Omega$ . Let  $U$  be a neighbourhood of  $a$  in  $\mathbb{C}^n$  such that  $\partial \Omega \cap U$  is real-analytic.*

*Let  $q > 0$ , and suppose that  $\partial \Omega \cap U$  contains the germ of a real-analytic set whose holomorphic dimension is  $\geq q$ . Then  $\partial \Omega \cap U$  contains the germ of a complex analytic set of dimension  $\geq q$ .*

THEOREM 5. *Let  $X$  be a compact, real-analytic set in  $\mathbb{C}^n$ . Then  $X$  does not contain the germ of any complex analytic set of dimension  $> 0$ .*

Putting these results together, one obtains the following theorem.

THEOREM 6. *Let  $\Omega$  be a bounded pseudo-convex domain in  $\mathbb{C}^n$  with a smooth, real-analytic boundary. Then*

- a)  $\bar{\Omega}$  has a fundamental system of neighbourhoods that are pseudo-convex, hence Stein.
- b) For any  $a \in \partial \Omega$ , and any  $q > 0$ , the  $\bar{\partial}$ -Neumann problem is subelliptic at  $a$  for forms of type  $(p, q)$ .

These results and techniques are being very actively pursued at present. Many problems which looked inaccessible until recently have been solved, at least in important special cases. For instance, the Mergelyan theorem for  $\bar{\Omega}$  has seen significant progress (see e.g. [9]). So has the question of global defining equations for the boundary of a pseudo-convex domain ([3]). Finally, a beginning has been made in the study of domains whose boundaries do contain complex analytic sets of positive dimension ([2]).

#### REFERENCES

- [1] ANDREOTTI A. and R. NARASIMHAN. Okas' Heftungstemma and the Levi problem for complex spaces. *Trans. Amer. Math. Soc.* 76 (1962), pp. 499-509.
- [2] BEDFORD, E. and J. E. FORNAESS. Domains with Pseudoconvex Neighbourhood systems. *To Appear.*

- [3] DIEDERICH, K. and J. E. FORNAESS. Exhaustion functions and Stein neighborhoods for smooth pseudoconvex domains. *Proc. Nat. Acad. Sci. USA* 72 (9) (1975), pp. 3279-3280.
- [4] ——— Pseudoconvex domains with real analytic boundary. *To Appear.*
- [5] ELENCAWAJG, G. Pseudoconvexité locale dans les variétés kählériennes. *Ann. Inst. Fourier* 25 (1975), pp. 295-314.
- [6] FISCHER, G. Holomorph-vollständige Faserbündel, *Math. Ann.* 180 (1969), pp. 341-348.
- [7] FORNAESS, J. E. An increasing union of Stein manifolds whose limit is not Stein. *To Appear.*
- [8] ——— A counterexample for the Levi problem for branched Riemann domains over  $C^n$ . *To appear.*
- [9] FORNAESS, J. E. and A. NAGEL. The Mergelyan property for weakly pseudoconvex domains. *To appear.*
- [10] GRAUERT, H. On Levis' problem and the imbedding of real analytic manifolds. *Annals of Math.* 68 (1958), pp. 460-472.
- [11] HÖRMANDER, L. *An Introduction to Complex Analysis in Several Variables.* Van Nostrand Co. 1966.
- [12] KOHN, J. J. Harmonic integrals on strongly pseudoconvex manifolds, I, II. *Annals of Math.* 78 (1963), pp. 112-148, 79 (1964), pp. 450-472.
- [13] ——— Sufficient conditions for subellipticity on weakly pseudo-convex domains. *Proc. Nat. Acad. Sci. USA.* 74, (6) (1977), pp. 2214-2216.
- [14] MATSUSHIMA, Y. et A. MORIMOTO. Sur certains espaces fibrés sur une variété de Stein. *Bull. Soc. Math. France* 88 (1960), pp. 137-155.
- [15] OKA, K. Sur les fonctions analytiques de plusieurs variables. IX. Domaines finis sans point critique intérieur. *Japanese Journal of Math.* 27 (1953), pp. 97-155.
- [16] PFLUG, R. P. Quadratintegrable holomorphe Funktionen und die Serre Vermutung. *Math. Ann.* 216 (1975), pp. 285-288.
- [17] SIU, Y. T. Holomorphic fiber bundles whose fibers are bounded Stein domains with zero first betti number. *Math. Annalen* 219 (1976), pp. 171-192.
- [18] SKODA, H. Fibrés holomorphes à base et à fibre de Stein. *Inv. Math.* 43 (1977), pp. 97-107.
- [19] STEHLÉ, J. L. Fonctions plurisousharmoniques et convexité holomorphe de certains fibrés analytiques. *Comptes Rendus Ac. Sci. Paris* 279, série A (1974), pp. 235-238.
- [20] STEIN, K. Überlagerungen holomorph-vollständiger komplexer Räume. *Arch. Math.* 7 (1956), pp. 354-361.

(Reçu le 15 mai 1978)

Raghavan Narasimhan

Department of Mathematics  
University of Chicago  
5734 University Avenue  
Chicago, Illinois, 60637