

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 34 (1988)
Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: GEODESICS IN THE UNIT TANGENT BUNDLE OF A ROUND SPHERE
Autor: Gluck, Herman
Bibliographie
DOI: <https://doi.org/10.5169/seals-56596>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 08.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

We complete the proof of the Fundamental Constraint by checking the two degenerate cases, again using Sasaki's equations.

If $p(t)$ is a constant point, then Sasaki's second equation is certainly satisfied, while the first tells us that $(p(t), v(t))$ is a geodesic in US^3 if and only if $v(t)$ traces out, at constant speed, a great circle in the tangent space to S^3 at that point.

If $p(t)$ is a great circle in S^3 , travelled at constant speed, then $p'' = 0$, so Sasaki's second equation reads

$$R(v', v)p' = 0.$$

This can be satisfied in two ways.

One is that $v' = 0$, so that $v(t)$ is a parallel vector field along $p(t)$. In this case, Sasaki's first equation is automatically satisfied, so $(p(t), v(t))$ must be a geodesic in US^3 .

The other way for Sasaki's second equation to be satisfied is that v and v' are both orthogonal to p' . Parallel translate $v(t)$ backwards along $p(t)$ to the vector field $u(t)$ in the tangent space to S^3 at $p(0)$. Then Sasaki's first equation says that $u(t)$ traces out, at constant speed, a great circle orthogonal to $p'(0)$. Equivalently, $v(t)$ spins at constant but arbitrary speed along a great circle orthogonal to that of $p(t)$. In these circumstances, the curve $(p(t), v(t))$ will be a geodesic in US^3 .

But these are precisely the interpretations of the Fundamental Constraint which were set in the introduction, and the proof is complete.

REFERENCES

- [Ba-Br-Bu] BALLMANN, W., M. BRIN and K. BURNS. On surfaces with no conjugate points. *J. Diff. Geom.* 25 (1987), 249-273.
- [Gl-Zi] GLUCK, H. and W. ZILLER. On the volume of a unit vector field on the three-sphere. *Comm. Math. Helv.* 61 (1986), 177-192.
- [Jo] JOHNSON, D. Volumes of flows. *Proc. Amer. Math. Soc.*, to appear.
- [Pe] PEDERSEN, S. Volumes of vector fields on spheres. To appear.
- [Sa] SASAKI, S. On the differential geometry of tangent bundles of Riemannian manifolds. *Tohoku Math. J.* 10 (1958), 338-354.

(Reçu le 20 octobre 1987)

Herman Gluck

Department of Mathematics
University of Pennsylvania
Philadelphia, PA 19104
(USA)