Zeitschrift: L'Enseignement Mathématique

Herausgeber: Commission Internationale de l'Enseignement Mathématique

Band: 37 (1991)

Heft: 1-2: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: PRIMES OF DEGREE ONE AND ALGEBRAIC CASES OF EBOTAREV'S THEOREM

Autor: Lenstra, H. W. / Stevenhagen, P.

Kurzfassung

DOI: https://doi.org/10.5169/seals-58727

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 28.11.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

L'Enseignement Mathématique, t. 37 (1991), p. 17-30

PRIMES OF DEGREE ONE AND ALGEBRAIC CASES OF ČEBOTAREV'S THEOREM

by H. W. LENSTRA, JR. and P. STEVENHAGEN

ABSTRACT. Let $A \subset B$ be an extension of Dedekind domains for which the corresponding extension of fields of fractions is finite and separable. It is shown that the class group of B is then generated by classes of primes of degree one with respect to A. When the main argument of the proof is applied to the situation of the ray class groups occurring in class field theory, it leads to purely algebraic proofs of special cases of Čebotarev's density theorem.

1. INTRODUCTION

Let A be a Dedekind domain with field of fractions K, and suppose L is a finite field extension of K. Then the integral closure of A in L is a Dedekind domain B, and for each non-zero prime ideal $\mathfrak{q}$ of B we define its *degree* over A as the degree of the residue class field extension at $\mathfrak{q}$, i.e.

$$\deg_A \mathfrak{q} = [B/\mathfrak{q} : A/(A \cap \mathfrak{q})] .$$

We write Cl_B for the ideal class group of B and denote the class of $\mathfrak{q}$ in Cl_B by $[\mathfrak{q}]$. Using this notation, we prove the following theorem.

THEOREM 1. *If L/K is a separable field extension and S is a finite set of primes of B, one has*

$$Cl_B = \langle [\mathfrak{q}] : \deg_A \mathfrak{q} = 1 \quad \text{and} \quad \mathfrak{q} \notin S \rangle .$$

In case B is not a principal ideal domain, it follows that B has infinitely many primes that are of degree one over A. We will see in section 3 that the hypothesis that L/K be separable cannot be omitted.

1980 Mathematics subject classification (1985): 11R44, 13F05.

Acknowledgements: The authors are supported by the National Science Foundation under grants No. DMS-8706176 and 9002939 and by the Netherlands Organisation for Scientific Research (NWO).