Zeitschrift: L'Enseignement Mathématique

Herausgeber: Commission Internationale de l'Enseignement Mathématique

Band: 38 (1992)

Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: RATIONALITY OF PIECEWISE LINEAR FOLIATIONS AND

HOMOLOGY OF THE GROUP OF PIECEWISE LINEAR

HOMEOMORPHISMS

Autor: Tsuboi, Takashi

Kapitel: Introduction

DOI: https://doi.org/10.5169/seals-59495

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 04.12.2025

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

RATIONALITY OF PIECEWISE LINEAR FOLIATIONS AND HOMOLOGY OF THE GROUP OF PIECEWISE LINEAR HOMEOMORPHISMS

by Takashi TSUBOI

Introduction

Let \mathcal{F} be a codimension one transversely piecewise linear foliation of $S^3 \times S^3$. For such a foliation, the discrete Godbillon-Vey class is defined as a 3-dimensional cohomology class ([5], [3]). Hence in this case, $GV(\mathcal{F}) \in H^3(S^3 \times S^3; \mathbb{R}) \cong \mathbb{R} \oplus \mathbb{R}$.

In this paper, we first show that if $GV(\mathcal{F}) = (a, b) \in H^3(S^3 \times S^3; \mathbb{R})$, then $a/b \in \mathbb{Q} \cup \{\infty\}$, which is the meaning of the rationality in the title.

The same question on the Godbillon-Vey class ([6]) for the smooth codimension one foliations was raised in Gel'fand-Feigin-Fuks [2] and discussed in Morita [10]. In the case of transversely oriented, transversely piecewise linear foliations, the classifying space for them is known by Greenberg ([7]). In fact, this classifying space is weakly homotopic to the join $B\mathbf{R}^{\delta} * B\mathbf{R}^{\delta}$ of two copies of $B\mathbf{R}^{\delta} = K(\mathbf{R}, 1)$ which is the classifying space for the additive group \mathbf{R} with the discrete topology. Since the cup product is trivial on the cohomology ring of the join of two spaces (see §1), the higher discontinuous invariants defined by Morita ([10]) are trivial in this classifying space. The rationality for codimension one transversely piecewise linear foliations of $S^3 \times S^3$ is a consequence of this.

Morita translated the question of rationality into that of graded commutativity of *-product defined on the homology of the group of diffeomorphisms of \mathbf{R} with compact support ([10]). Using the description by Greenberg ([7]) of the classifying space for transversely oriented, transversely piecewise linear foliations, we can calculate the homology of the group $PL_c(\mathbf{R})$ of piecewise linear homeomorphisms of \mathbf{R} with compact support as well as the *-product structure. Then we see that the *-product is certainly not graded commutative, which insures the rationality. In fact we calculated this

first, and later we found out the fact that the classifying space is a join is the origin of rationality.

This paper is organized as follows. In §1, we show two lemmas in algebraic topology. One asserts that the cup product is trivial on the cohomology ring of the join of two spaces. The other concerns the relationship between the tensor product in the E^2 term of the spectral sequence associated to the fibration $\Omega X \to PX \to X$ and the Pontrjagin product on the homology of ΩX . Both of them should be well known but we include their proofs. In §2, we review the definition of discontinuous invariants of Morita ([10]). We see immediately that all higher discontinuous invariants vanish for codimension one transversely piecewise linear foliations. This implies the rationality of such foliations. The rest of this paper concerns the homology of the group $PL_c(\mathbf{R})$ of piecewise linear homeomorphisms of the real line with compact support. This would be of interest because it would provide a good concrete example illustrating the relationship between the homology of the group of homeomorphisms and the homotopy of the classfying space for foliations. In § 3, we give the result of calculation of the homology of $PL_c(\mathbf{R})$. In §4, we describe the way of calculation. This is done by defining sufficiently many cocycles. For this, we define and use a determinant with values in the tensor product over the rationals Q of a number of copies of R. In §5, we show the fact that the homomorphism $PL_c([0,\infty)) \to \mathbf{R}$ which sends f to $\log f'(0)$ induces a surjection in homology. Since there are no natural sections, this is not trivial. The nontriviality of the cocycles defined in §4 depends on this fact.

My knowledge on the group of piecewise linear homeomorphisms of the real line was deepened during my visit à l'Université de Genève in the winter 1990/91. I would like to thank it for its warm hospitality. This work is done during my visit à l'Ecole Normale Supérieure de Lyon in the spring 1991. I would like to thank it for its warm hospitality and I also thank la Fondation Scientifique de Lyon et du Sud-Est for the financial support. I thank André Haefliger, Etienne Ghys, Peter Greenberg, Vlad Sergiescu and Shigeyuki Morita for their interest taken for this work.

§1. LEMMAS

First we show the cup product is trivial on the cohomology ring of the join of two spaces. This is an exercise in algebraic topology.

LEMMA (1.1). Let X and Y be two topological spaces. The cup product on the cohomology ring of the join X * Y is trivial.