

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 43 (1997)
Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: QUATERNARY CUBIC FORMS AND PROJECTIVE ALGEBRAIC THREEFOLDS
Autor: SCHMITT, Alexander

Bibliographie
DOI: <https://doi.org/10.5169/seals-63278>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 12.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

THEOREM 8. *Let X be a Kählerian threefold and $h \in H^2(X, \mathbf{R})$ be a Kähler class. Then the map*

$$\begin{aligned} \langle \cdot, \cdot \rangle: \quad H^2(X, \mathbf{R}) \times H^2(X, \mathbf{R}) &\longrightarrow \mathbf{R} \\ (a, b) &\longmapsto a \cup b \cup h \end{aligned}$$

is a non-degenerate, symmetric bilinear form of signature $(2h^{2,0} + 1, h^{1,1} - 1)$.

One can restate this theorem in such a form as to obtain – at least in theory – some explicit inequalities in the coefficients of cubic polynomials which are satisfied by the cup forms of Kählerian and hence projective algebraic threefolds. The main result of [Sch2] is

THEOREM 9. *For $n \geq 4$, the polynomial*

$$x_0 \left(\frac{4-n}{4} x_0^2 - 3x_1^2 - \dots - 3x_n^2 \right)$$

cannot occur as the (real) cup form of a projective algebraic threefold with $b_1 = 0$ and $b_3 = 0$.

As a corollary, one obtains the following generalization of a result of Campana and Peternell [CP]:

THEOREM 10. *For $n \geq 4$, twistor spaces over $\mathbb{H}_{i=1}^n \mathbf{P}_2$ are not homeomorphic to projective algebraic threefolds.*

REFERENCES

- [AGV] ARNOLD, V.I., S.M. GUSEIN-ZADE and A.N. VARCHENKO. *Singularities of Differentiable Maps, Vol. I.* Birkhäuser, 1985.
- [BC] BARDELLI, F. and A. DEL CENTINA. Nodal cubic surfaces and the rationality of the moduli space of curves of genus two. *Math. Ann.* 270 (1985), 599–602.
- [Be] BEKLEMISHEV, N.D. Invariants of cubic forms in four variables. *Vestnik Mosk. Univ. Mat.* 37 (1982), 42–9.
- [BW] BRUCE, J.W. and C.T.C. WALL. On the classification of cubic surfaces. *J. London Math. Soc. (2)* 19 (1979), 245–56.
- [CP] CAMPANA, F. and T. PETERNELL. Rigidity of Fano 3-folds. *Comm. Anal. Geom.* 2 (1994), 173–201.
- [GH] GRIFFITHS, Ph. and J. HARRIS. *Principles of Algebraic Geometry.* Wiley Interscience, 1978.

- [Ha1] HARTSHORNE, R. Generalized divisors on Gorenstein schemes. *K-Theory* 8 (1995), 287–339.
- [Ha2] — Families of curves in \mathbf{P}^3 and Zeuthen's problem. Preprint, Berkeley.
- [Hi] HILBERT, D. Über die vollen Invariantensysteme. *Math. Ann.* 42 (1893), 313–73.
- [Is] ISHII, S. Moduli space of polarized Del Pezzo surfaces and its compactification. *Tokyo J. Math.* 5 (1982), 289–97.
- [Ju] JUPP, P.E. Classification of certain 6-manifolds. *Proc. Cambridge Phil. Soc.* 36 (1973), 293–300.
- [La] LAMOTKE, K. The topology of complex projective varieties after S. Lefschetz. *Topology* 20 (1981), 15–51.
- [Ne] NEWSTEAD, P.E. *Introduction to Moduli Problems and Orbit Spaces*. Springer, 1978.
- [OV] OKONEK, Ch. and A. VAN DE VEN. Cubic forms and complex threefolds. *L'Enseignement Math.* 41 (1995), 297–333.
- [Sch1] SCHMITT, A. Zur Topologie dreidimensionaler komplexer Mannigfaltigkeiten. Ph.D. thesis. Zürich, 1995.
- [Sch2] — On the non-existence of Kähler structures on certain closed and oriented 6-manifolds. *J. reine angew. Math.* 479 (1996), 205–216.
- [Sch3] — On the classification of certain 6-manifolds and applications to algebraic geometry. *Topology* 36 (1997), 1291–1315.
- [Se] SEGRE, B. *The Nonsingular Cubic Surfaces*. Oxford at the Clarendon Press, 1942.
- [St] STURMFELS, B. *Algorithms in Invariant Theory*. Springer, 1993.
- [Wa] WALL, C. T. C. Classification problems in differential topology V. On certain 6-manifolds. *Inventiones Math.* 1 (1966), 335–74.

(Reçu le 6 décembre 1996; version révisée reçue le 10 février 1997)

Alexander Schmitt

Universitat de Barcelona
Facultat de Matemàtiques
Departament d'Àlgebra i Geometria
Gran Via de les Corts Catalanes, 585
E-08007 Barcelona
Spain
e-mail: schmitt@cerber.mat.ub.es