

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 44 (1998)
Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: THE REPRESENTATION THEORY OF AFFINE TEMPERLEY-LIEB ALGEBRAS
Autor: Graham, J. J. / Lehrer, G. I.
Kurzfassung
DOI: <https://doi.org/10.5169/seals-63902>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 05.03.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

THE REPRESENTATION THEORY OF AFFINE TEMPERLEY-LIEB ALGEBRAS

by J. J. GRAHAM and G. I. LEHRER

ABSTRACT. We define a sequence $\mathbf{T}^a(n)$ ($n = 0, 1, 2, 3, \dots$) of infinite dimensional algebras as the sets of endomorphisms of the objects in a certain category of diagrams. These algebras are extended versions of the Temperley-Lieb quotients of the affine Hecke algebras of type \tilde{A}_{n-1} . They have bases consisting of diagrams drawn without intersections on the surface of a cylinder. Using the methods of cellular algebras, we construct certain finite dimensional representations of these algebras, which we call “cell” or “Weyl” modules; these come from “functors on the category of diagrams” and are therefore constructed simultaneously for all $\mathbf{T}^a(n)$.

There are canonical invariant bilinear forms which put pairs of the cell modules in duality with each other and all the irreducible $\mathbf{T}^a(n)$ -modules are obtained as quotients of the cell modules by the radicals of the forms. By determining all homomorphisms between the cell modules, we are able to determine their decomposition matrices and from these to deduce the dimensions of all the irreducibles.

We also give explicit formulae for the discriminants of the forms. The representations we construct may be interpreted as representations of the affine Hecke algebra of type A ; they therefore give explicit results about some of the representations of the affine Hecke algebra at roots of unity. Our results may also be applied to study related finite dimensional algebras such as the usual Temperley-Lieb algebra or Jones’ annular algebra. For these, our results concerning discriminants give precise criteria for semisimplicity as well as a complete discussion of their modular representation theory, including the determination of the composition factors, with their multiplicities, of the cell modules. As a by-product of our explicit determination of the homomorphisms between the cell modules, we also obtain a closed formula for the Jones (or augmentation) idempotent of the Temperley-Lieb algebra which yields a presentation of Jones’ projection algebra when the Jones trace on the Temperley-Lieb algebra is degenerate.