

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 45 (1999)
Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: HARMONIC ANALYSIS ON VECTOR BUNDLES OVER
Sp(1,n)/Sp(1)xSp(n)

Autor: van Dijk, G. / PASQUALE, A.

Bibliographie

DOI: <https://doi.org/10.5169/seals-64447>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 19.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

The techniques employed to prove the inversion formula (that is, Koornwinder's analytic continuation argument and the change of contour of integration) are the same used in [Shi] for the case of Hermitian symmetric pairs. Our choice of this method of proof is motivated by the propaedeutic nature of this paper. In fact, the computations involved in the proofs presented above are very much in the spirit of those required for the decomposition of the canonical representations in [DP].

We just mention a few alternative methods. First of all, because of Formula (7.74) and Part 3 of Proposition 4.3, the spectral theorem for the τ_l -spherical transform can be deduced from the spectral theorem for the differential operator L_l (see (7.56)) on a suitable domain in $L^2(\Delta(t) dt)$ on which it is self-adjoint. The latter theorem can be classically determined as an application of the Weyl-Titchmarsh Theorem. A second method is obtained observing the relation, ensured by Formula (4.39), between the τ_l -spherical transform and the Jacobi transform. Theorems 2.3 and 2.4 of [K2] are then quickly translated to our situation. Finally, observe that Koornwinder's method with the Abel transform can also be applied directly here because of Formula (6.54).

REFERENCES

- [B] BOREL, A. *Représentations de groupes localement compacts*. Lecture Notes in Mathematics 276. Springer-Verlag, Berlin, 1972.
- [BR] BADERTSCHER, E. and H.M. REIMANN. Harmonic analysis for vector fields on hyperbolic spaces. *Math. Z.* 202 (1989), 431–456.
- [BOS] BRANSON, T.P., ÓLAFFSON, G. and H. SCHLICHTKRULL. A bundle-valued Radon transform, with applications to invariant wave equations. *Quart. J. Math. Oxford Ser. (2)* 45 (1994), 429–461.
- [Cam] CAMPORESI, R. The spherical transform for homogeneous vector bundles over Riemannian symmetric spaces. *J. Lie Theory* 7 (1997), 29–60.
- [Dea] DEANS, S.R. Gegenbauer transform via the Radon transform. *SIAM J. Math. Anal.* 10 (1979), 577–585.
- [Dei] DEITMAR, A. Invariant operators on higher K -types. *J. reine angew. Math.* 412 (1990), 97–107.
- [DH] VAN DIJK, G. and S.C. HILLE. Canonical representations related to hyperbolic spaces. *J. Funct. Anal.* 147 (1997), 109–139.
- [DP] VAN DIJK, G. and A. PASQUALE. Canonical representations of $Sp(1, n)$ associated with representations of $Sp(1)$. Report W 98-05, Leiden University (1998), 1–21.
- [Dij] VAN DIJK, G. Spherical functions on the p -adic group $PGL(2)$, I. *Indag. Math. (N.S.)* 31 (1969), 213–225.

- [E⁺] ERDÉLYI, A. ET AL. *Higher transcendental functions*, vol. 1. McGraw-Hill, New York, 1953.
- [GaV] GANGOLLI, R. and V.S. VARADARAJAN. *Harmonic Analysis of Spherical Functions on Real Reductive Groups*. Springer-Verlag, 1988.
- [Go] GODEMENT, R. A theory of spherical functions, I. *Trans. Amer. Math. Soc.* 73 (1952), 496–556.
- [HC1] HARISH-CHANDRA. Representations of semisimple Lie groups on Banach spaces, I. *Trans. Amer. Math. Soc.* 75 (1953), 185–243 (also in *Collected papers*, Volume I, pages 391–449, Springer-Verlag, 1983).
- [HC2] —— Representations of semisimple Lie groups, III. *Trans. Amer. Math. Soc.* 76 (1954), 234–253 (also in *Collected papers*, Volume I, pages 490–509, Springer-Verlag, 1983).
- [HS] HECKMAN, G. and H. SCHLICHTKRULL. *Harmonic analysis and special functions on symmetric spaces*. Academic Press, San Diego, 1994.
- [HT] HOWE, R. and E. TAN. Homogeneous functions on light cones: the infinitesimal structure of some degenerate principal series representations. *Bull. Amer. Math. Soc.* 28 (1993), 1–74.
- [K1] KOORNWINDER, T. H. A new proof for a Paley-Wiener type theorem for the Jacobi transform. *Ark. Mat.* 13 (1975), 145–159.
- [K2] —— Jacobi functions and analysis on noncompact semisimple Lie groups. In: Askey, R.A., Koornwinder, T.H. and N. Schempp (eds.), *Special functions: group theoretical aspects and applications*. D. Reidel Publishing Company, Dordrecht, 1984, 1–85.
- [M] MINEMURA, K. Invariant differential opeators and spherical sections on a homogeneous vector bundle. *Tokyo J. Math.* 15 (1992), 231–245.
- [O] OLBRICH, M. Die Poisson-Transformation für homogene Vektorbündel. Dissertation, Humboldt Universität, Berlin, 1994.
- [ØZ] ØRSTED, B. and G. ZHANG. L^2 -version of the Howe correspondence, II. *J. Math. Pures Appl.* (9) 74 (1995), 165–183.
- [P] PEDON, E. Analyse harmonique des formes différentielles sur l'espace hyperbolique réel. Thèse, Université Henri Poincaré (Nancy I), 1997.
- [Ros] ROSENBERG, J. A quick proof of Harish-Chandra's Plancherel Theorem for spherical functions on a semisimple Lie group. *Proc. Amer. Math. Soc.* 63 (1977), 143–149.
- [Rou] ROUVIÈRE, F. Sur la transformation d'Abel des groupes de Lie semisimples de rang un. *Ann. Scuola Norm. Sup. Pisa Cl. Sci.* (4) 10 (1983), 263–290.
- [Sak] SAKAI, S. On the representations of semi-simple Lie groups. *Proc. Japan Acad.* 30 (1954), 14–18.
- [Shi] SHIMENO, N. The Plancherel Formula for spherical functions with a one-dimensional K -type on a simply connected simple Lie group of Hermitian type. *J. Funct. Anal.* 121 (1994), 330–388.
- [T1] TAKAHASHI, R. Sur les représentations unitaires des groupes de Lorentz généralisés. *Bull. Soc. Math. France* 91 (1963), 289–433.
- [T2] —— Fonctions sphériques dans les groupes $\mathrm{Sp}(n, 1)$. In: Faraut, J. (ed.), *Théorie du potentiel et analyse harmonique*. Lecture Notes in Mathematics 404. Springer Verlag, Berlin, 1974, 218–238.

- [vdV] VAN DER VEN, H. Vector valued Poisson transforms on Riemannian symmetric spaces of rank one. *J. Funct. Anal.* 119 (1994), 358–400.
- [W1] WARNER, G. *Harmonic analysis on semi-simple Lie groups*, vol. 1. Springer Verlag, Berlin, 1972.
- [W2] —— *Harmonic analysis on semi-simple Lie groups*, vol. 2. Springer Verlag, Berlin, 1972.

(Reçu le 29 juillet 1998)

G. van Dijk

Department of Mathematics
Leiden University
P.O. Box 9512
2300 RA Leiden
The Netherlands
e-mail : dijk@wi.leidenuniv.nl

A. Pasquale

Institut für Mathematik
TU-Clausthal
Erzstrasse 1
D-38678 Clausthal-Zellerfeld
Germany
e-mail : mapa@math.tu-clausthal.de