Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 48 (2002)
Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: TOPOLOGICAL PROOF OF THE GROTHENDIECK FORMULA IN REAL ALGEBRAIC GEOMETRY
Autor: BOCHNAK, J. / Kucharz, W.
Bibliographie
DOI: https://doi.org/10.5169/seals-66075

Nutzungsbedingungen
Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation
L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use
The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 17.04.2026

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

REFERENCES

[1] AKBULUT, S. and H. KING. A relative Nash theorem. *Trans. Amer. Math. Soc. 267* (1981), 465–481.

[2] AKBULUT, S. and H. KING. The topology of real algebraic sets with isolated singularities. *Ann. of Math. (2) 113* (1981), 425–446.

[3] AKBULUT, S. and H. KING. The topology of real algebraic sets. *L'Enseignement Math. (2) 29* (1983), 221–261.

[4] AKBULUT, S. and H. KING. Polynomial equations of immersed surfaces. *Pacific J. Math. 131* (1988), 209–217.

[5] AKBULUT, S. and H. KING. *Topology of Real Algebraic Sets. Mathematical Sciences Research Institute Publications, 25.* Springer-Verlag, New York, 1992.

[6] BASS, H. *Algebraic K-Theory.* Benjamin, New York, 1968.

[7] BENEDETTI, R. and M. DEDÒ. Counterexamples to representing homology classes by real algebraic subvarities up to homeomorphism. *Compositio Math. 53* (1984), 143–151.

[8] BENEDETTI, R. and J.-J. RISLER. *Real Algebraic and Semialgebraic Sets.* Hermann, Paris, 1990.

[9] BENEDETTI, R. and A. TOGNOLI. On real algebraic vector bundles. *Bull. Sci. Math. (2) 104* (1980), 89–112.

[10] BENEDETTI, R. and A. TOGNOLI. Remarks and counterexamples in the theory of real algebraic vector bundles and cycles. In: Lecture Notes in Math. *959*, 198–211. Springer, Berlin, 1982.

[11] BOCHNAK, J., M. COSTE and M.-F. ROY. *Real Algebraic Geometry.* Ergeb. Math. Grenzgeb. (3), Vol. 36. Springer, Berlin – Heidelberg – New York, 1998.

[12] BOCHNAK, J. and W. KUCHARZ. K-theory of real algebraic surfaces and threefolds. *Math. Proc. Cambridge Philos. Soc. 106* (1989), 471–480.

[13] BOCHNAK, J. and W. KUCHARZ. Algebraic cycles and approximation theorems in real algebraic geometry. *Trans. Amer. Math. Soc. 337* (1993), 463–472.

[14] BOCHNAK, J. and W. KUCHARZ. *On Homology Classes Represented by Real Algebraic Varieties.* Banach Center Publications, Vol. 44, 21–35. Warsaw, 1998.

[15] BOREL, A. and A. HAEFLIGER. La classe d'homologie fondamentale d'un espace analytique. *Bull. Soc. Math. France 89* (1961), 461–513.

[16] DOLD, A. *Lectures on Algebraic Topology.* Springer, Berlin – Heidelberg, 1995.

[17] FULTON, W. *Intersection Theory.* Ergeb. Math. Grenzgeb. (3), Vol. 2. Springer, Berlin – Heidelberg – New York, 1984.

[18] GROTHENDIECK, A. La théorie des classes de Chern. *Bull. Soc. Math. France 86* (1958), 137–154.

[19] HIRONAKA, H. Smoothing of algebraic cycles in low dimensions. *Amer. J. Math. 90* (1968), 1–54.

[20] HIRSCH, M. *Differential Topology.* Graduate Texts in Math., Vol. 33. Springer, New York – Berlin – Heidelberg, 1997.

[21] HUSEMOLLER, D. *Fibre Bundles*, 2nd edition. Springer, New York – Berlin – Heidelberg, 1975.

[22] KUCHARZ, W. Algebraic cycles and algebraic models of smooth manifolds. *J. Algebraic Geom. 11* (2002), 101–127.

[23] KUNZ, E. *Introduction to Commutative Algebra and Algebraic Geometry.* Birkhäuser, Boston – Basel – Stuttgart, 1985.

[24] MILNOR, J. and J. STASHEFF. *Characteristic Classes.* Princeton Univ. Press, Princeton, 1974.

[25] NASH, J. Real algebraic manifolds. *Ann. of Math. (2) 56* (1952), 405–421.

[26] SPANIER, E. *Algebraic Topology.* McGraw-Hill, New York, 1966.

[27] TEICHNER, P. 6-dimensional manifolds without totally algebraic homology. *Proc. Amer. Math. Soc. 123* (1995), 2909–2914.

[28] TOGNOLI, A. Su una congettura di Nash. *Ann. Scuola Norm. Sup. Pisa, Sci. Fis. Mat. (3) 27* (1973), 167–185.

(Reçu le 27 novembre 2001)

J. Bochnak

Department of Mathematics
Vrije Universiteit
De Boelelaan 1081a
1081 HV Amsterdam
The Netherlands
e-mail: bochnak@cs.vu.nl

W. Kucharz

Department of Mathematics and Statistics
University of New Mexico
Albuquerque, New Mexico 87131-1141
U.S.A.
e-mail: kucharz@math.unm.edu