

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 49 (2003)
Heft: 3-4: L'ENSEIGNEMENT MATHÉMATIQUE

Artikel: HYPERBOLICITY OF MAPPING-TORUS GROUPS AND SPACES
Autor: Gautero, François

Bibliographie
DOI: <https://doi.org/10.5169/seals-66690>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 03.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Bestvina-Feighn theorem is given for mapping-tori of surface groups, the last one gives, thanks to [26], a new proof of the full version of the Combination Theorem for mapping-tori of hyperbolic groups, namely: "If G is a hyperbolic group and α is a hyperbolic automorphism of G , then $G \rtimes_{\alpha} \mathbf{Z}$ is a hyperbolic group."

REFERENCES

- [1] ALONSO, J.M. et al. Notes on word hyperbolic groups. Edited by H. Short. In: *Group Theory from a Geometrical Viewpoint, Trieste (1990)*, 3–63. World Sci. Publishing, 1991.
- [2] BESTVINA, M. \mathbf{R} -trees in topology, geometry and group theory. In: *Handbook of Geometric Topology*, 55–91. North-Holland, Amsterdam, 2002.
- [3] BESTVINA, M. and M. FEIGN. A combination theorem for negatively curved group. *J. Differential Geom.* 35 (1) (1992), 85–101. With an addendum and correction *J. Differential Geom.* 43 (4) (1996), 783–788.
- [4] BOWDITCH, B. Stacks of hyperbolic spaces and ends of 3-manifolds. Preprint, Southampton.
- [5] BRIDSON, M. and A. HAEFLIGER. *Metric Spaces of Non-positive Curvature*. Fundamental Principles of Mathematical Science 319. Springer-Verlag, 1999.
- [6] BRINKMANN, P. Hyperbolic automorphisms of free groups. *Geom. Funct. Anal.* 10 (5) (2000), 1071–1089.
- [7] COOPER, D. Automorphisms of free groups have finitely generated fixed point sets. *J. Algebra* 111 (1987), 453–456.
- [8] COORNAERT, M., T. DELZANT et A. PAPADOPOULOS. *Géométrie et théorie des groupes*. Lecture Notes in Math. 1441, Springer-Verlag, 1990.
- [9] CULLER, M. and J.W. MORGAN. Group actions on \mathbf{R} -trees. *Proc. London Math. Soc.* (3) 55 (1987), 571–604.
- [10] DICKS, W. and E. VENTURA. The group fixed by a family of injective endomorphisms of a free group. *Contemporary Mathematics* 195 (1996).
- [11] FARB, B. and L. MOSHER. The geometry of surface-by-free groups. *Geom. Funct. Anal.* 12 (5) (2002), 915–963.
- [12] FATHI, A., F. LAUDENBACH et V. POÉNARU. *Travaux de Thurston sur les surfaces*. *Astérisque* 66/67 (1979).
- [13] GAUTERO, F. Hyperbolicité relative des suspensions de groupes hyperboliques. *C. R. Acad. Sci. Paris* 336 (11) (2003), 883–888.
- [14] GAUTERO, F. and M. LUSTIG. Relative hyperbolicity of (one ended hyperbolic)-by-cyclic groups. To appear in *Math. Proc. Cambridge Philos. Soc.* (2005).
- [15] GERSTEN, S.M. Cohomological lower bounds for isoperimetric functions on groups. *Topology* 37 (5) (1998), 1031–1072.
- [16] GHYS, E. et P. DE LA HARPE. *Sur les groupes hyperboliques d'après Mikhael Gromov*. Progress in Mathematics 83, Birkhäuser, 1990.

- [17] GHYS, E. and P. DE LA HARPE. Infinite groups as geometric objects (after Gromov). In: *Ergodic Theory, Symbolic Dynamics, and Hyperbolic Spaces (Trieste, 1989)*, 299–314. Oxford Univ. Press, New York, 1991.
- [18] GITIK, R. On the combination theorem for negatively curved groups. *Internat. J. Algebra Comput.* 6 (6) (1996), 751–760.
- [19] GROMOV, M. Hyperbolic groups. In: *Essays in Group Theory*, 75–263. *Math. Sci. Res. Inst. Publ.* 8. Springer, 1987.
- [20] KAPOVICH, I. A non-quasiconvexity embedding theorem for hyperbolic groups. *Math. Proc. Cambridge Philos. Soc.* 127 (1999), 461–486.
- [21] — Mapping tori of endomorphisms of free groups. *Comm. Algebra* 28 (6) (2000), 2895–2917.
- [22] KHARLAMPOVICH, O. and A. MYASNIKOV. Hyperbolic groups and free constructions. *Trans. Amer. Math. Soc.* 350 (2) (1998), 571–613.
- [23] MITRA, M. Cannon-Thurston maps for trees of hyperbolic metric spaces. *J. Differential Geom.* 48 (1) (1998), 135–164.
- [24] MOSHER, L. A hyperbolic-by-hyperbolic hyperbolic group. *Proc. Amer. Math. Soc.* 125 (12) (1997), 3447–3455.
- [25] OTAL, J.P. *Le théorème d'hyperbolisation pour les variétés fibrées de dimension 3*. *Astérisque* 235 (1996).
- [26] SELA, Z. Cyclic splittings of finitely presented groups and the canonical JSJ decomposition. *Ann. of Math.* 146 (1) (1997), 53–109.
- [27] SWARUP, G. A. Proof of a weak hyperbolization theorem. *Quart. J. Math.* 51 (4) (2000), 529–533.

(Reçu le 15 juillet 2002)

François Gautero

Université Blaise Pascal (Clermont-Ferrand II)

Campus des Cézeaux

LMP, Bâtiment de mathématiques

F-63177 Aubière Cedex

France

e-mail: Francois.Gautero@math.univ-bpclermont.fr

Vide-leer-empty