Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 51 (2005)
Heft: 3-4: L'enseignement mathématique

Artikel: Cauchy-Davenport theorem in group extensions
Autor: Károlyi, Gyula
Bibliographie
DOI: https://doi.org/10.5169/seals-3597

Nutzungsbedingungen
Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

Conditions d'utilisation
L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

Terms of use
The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

Download PDF: 26.04.2026

ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch

REFERENCES

[1] BRAILOVSKY, L. V. and G. A. FREIMAN. On a product of finite subsets in a torsion-free group. *J. Algebra 130* (1990), 462–476.

[2] CAUCHY, A. L. Recherches sur les nombres. *J. École Polytech. 9* (1813), 99–116.

[3] CHOWLA, I. A theorem on the addition of residue classes: Application to the number $\Gamma(k)$ in Waring's problem. *Proc. Indian Acad. Sci. A 2* (1935), 242–243.

[4] DAVENPORT, H. On the addition of residue classes. *J. London Math. Soc. 10* (1935), 30–32.

[5] ELIAHOU, S. and M. KERVAIRE. The small sumsets property for solvable finite groups. To appear in *European J. Combin.* (2005).

[6] ELIAHOU, S. and M. KERVAIRE. Sumsets in dihedral groups. To appear in *European J. Combin.* (2005).

[7] ELIAHOU, S., M. KERVAIRE, and A. PLAGNE. Optimally small sumsets in finite abelian groups. *J. Number Theory 101* (2003), 338–348.

[8] FEIT, W. and J. G. THOMPSON. Solvability of groups of odd order. *Pacific J. Math. 13* (1963), 775–1029.

[9] HAMIDOUNE, Y. O. A generalization of an addition theorem of Shatrowsky. *European J. Combin. 13* (1992), 249–255.

[10] —— On small subset product in a group. *Astérisque 258* (1999), 281–308.

[11] —— Personal communication (2005).

[12] HAMIDOUNE, Y. O. and Ø. J. RØDSETH. An inverse theorem mod p. *Acta Arith. 92* (2000), 251–262.

[13] HUMPHREYS, J. F. *A Course in Group Theory.* Oxford University Press, 1996.

[14] KÁROLYI, GY. On restricted set addition in Abelian groups. *Ann. Univ. Sci. Budapest. Eötvös Sect. Math. 46* (2003), 47–54.

[15] —— The Erdős–Heilbronn problem in Abelian groups. *Israel J. Math. 139* (2004), 349–359.

[16] —— A compactness argument in the additive theory and the polynomial method. *Discrete Math. 302* (2005), 124–144.

[17] —— An inverse theorem for the restricted set addition in Abelian groups. *J. Algebra 290* (2005), 557–593.

[18] KEMPERMAN, J. H. B. On small sumsets in an abelian group. *Acta Math. 103* (1960), 63–88.

[19] KNESER, M. Abschätzung der asymptotischen Dichte von Summenmengen. *Math. Z. 58* (1953), 459–484.

[20] LEV, V. F. On small sumsets in abelian groups. *Astérisque 258* (1999), 317–321.

[21] NATHANSON, M. B. *Additive Number Theory. Inverse Problems and the Geometry of Sumsets.* Graduate Texts in Mathematics *165*. Springer, 1996.

[22] OLSON, J. E. On the symmetric difference of two sets in a group. *European J. Combin. 7* (1986), 43–54.

[23] PILLAI, S. S. Generalization of a theorem of Davenport on the addition of residue classes. *Proc. Indian Acad. Sci. A 6* (1938), 179–180.

[24] POLLARD, J. M. A generalisation of the theorem of Cauchy and Davenport. *J. London Math. Soc. (2) 8* (1974), 460–462.

[25] SHATROWSKY, L. A new generalization of Davenport's-Pillai's theorem on the addition of residue classes. *C. R. (Doklady) Akad. Sci. USSR, N. S. 45* (1944), 315–317.

[26] VOSPER, A. G. The critical pairs of subsets of a group of prime order. *J. London Math. Soc. 31* (1956), 200–205. Addendum, 280–282.

[27] YUZVINSKY, S. Orthogonal pairings of Euclidean spaces. *Michigan Math. J. 28* (1981), 131–145.

[28] ZEMOR, G. A generalisation to noncommutative groups of a theorem of Mann. *Discrete Math. 126* (1994), 365–372.

(Reçu le 18 juillet 2005)

G. Károlyi

Institute of Theoretical Computer Science
ETH Zentrum
CH-8092 Zurich
Switzerland
e-mail: karolyi@cs.elte.hu