

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 52 (2006)
Heft: 1-2: L'enseignement mathématique

Artikel: A homotopic intersection theory on surfaces: applications to mapping class group and braids
Autor: Perron, Bernard

Bibliographie
DOI: <https://doi.org/10.5169/seals-2229>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 18.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

where

$$\tilde{\Omega}_n = \begin{pmatrix} 1 & & & 0 & \dots & 0 \\ & \ddots & & & & \\ 1-t & & 1 & & & \vdots \\ \vdots & & & \ddots & & 0 \\ 1-t & \dots & 1-t & & 1 & 1 \end{pmatrix}$$

REMARK. Squier [Sq] gives an “hermitian” matrix M_n such that

$$\overline{Bu(\sigma)}^t \times M_n \times Bu(\sigma) = M_n,$$

but our matrix $\tilde{\Omega}_n$ is much simpler for two reasons :

- (a) $\tilde{\Omega}_n \in GL_n(\mathbf{Z}[t, t^{-1}])$, whereas $M_n \in GL_n(\mathbf{Z}[t^{\pm 1/2}])$;
- (b) $\tilde{\Omega}_n$ is triangular.

The fact that $\tilde{\Omega}_n$ is triangular imposes more constraints on a matrix to be a Burau matrix, than that of Squier. This will help to understand the group of Burau matrices (recall that we know that the Burau representation is not faithful for $n \geq 5$ by [Moo], [L; P], [Bg]).

COROLLARY 5.4. *Corollary 5.2 is true, if Gassner matrices are replaced by Burau matrices.*

Added in proof. After this paper had been written, the author was informed (in June 2005) that Theorem 0.1 and Lemma 1.2 were obtained previously by V. Turaev in a paper “Intersection loops in two-dimensional manifolds”, which appeared in *Mathematics of the USSR Sbornik* 35 (1979).

REFERENCES

- [Bg] BIGELOW, S. The Burau representation is not faithful for $n = 5$. *Geom. Topol.* 3 (1999), 397–404.
- [Bi] BIRMAN, J. *Braids, Links and Mapping Class Groups*. Ann. of Math. Stud. 82. Princeton University Press, 1974.
- [F] FOX, R. Free differential calculus I. *Ann. of Math. (2)* 57 (1953), 547–560.
- [H] HEMPEL, J. Intersection calculus on surfaces with applications to 3-manifolds. *Mem. Amer. Math. Soc.* 43, 282 (1983).
- [LP] LONG, D.D. and M. PATON. The Burau representation is not faithful for $n \geq 6$. *Topology* 32 (1993), 439–447.

- [Moo] MOODY, J. The Burau representation of the braid group B_n is unfaithful for large n . *Bull. Amer. Math. Soc. (N.S.)* 25 (1991), 379–384.
- [Mo₁] MORITA, S. Abelian quotients of subgroups of the mapping class group of surfaces. *Duke Math J.* 70 (1993), 699–725.
- [Mo₂] — Structure of the mapping class group of surfaces: a survey and a prospect. *Geom. Topol. Monogr.* 2 (1999), 349–406.
- [Pap] PAPAKYRIAKOPOULOS, C. D. Planar regular coverings of orientable, closed Surfaces. *Knots, Groups and 3-Manifolds*. Ann. of Math. Stud. 84, Princeton University Press, 1975, 261–292.
- [PaR] PARIS, L. and D. ROLFSEN. Geometric subgroups of mapping class groups. *J. reine angew. Math.* 521 (2000), 47–83.
- [Pe] PERRON, B. Homomorphic extensions of Johnson homomorphisms via Fox calculus. *Ann. Inst. Fourier (Grenoble)* 54 (2004), 1073–1106.
- [Sq] SQUIER, C. The Burau representation is unitary. *Proc. Amer. Math. Soc.* 90 (1984), 199–202.
- [Su] SUZUKI, M. The Magnus representation of the Torelli group $I_{g,1}$ is not faithful for $g \geq 2$. *Proc. Amer. Math. Soc.* 130 (2002), 909–914.

(Reçu le 31 janvier 2005)

Bernard Perron

Université de Bourgogne
U.F.R. Sciences et Techniques
9, avenue Alain Savary
B.P. 47 870
F-21 078 Dijon Cedex
France
e-mail: perron@topolog.u-bourgogne.fr