

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 52 (2006)
Heft: 3-4: L'enseignement mathématique

Artikel: Two-dimensional lattices with few distances
Autor: Moree, Pieter / Osburn, Robert

Bibliographie

DOI: <https://doi.org/10.5169/seals-2239>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 06.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

Thus the second smallest lattice is given by the maximal order with $D = -4$ (the square lattice) and the third and fourth smallest lattices by $D = -7$ and $D = -15$ respectively.

REMARK 3. The inequality (5.5) is quite subtle. Let $N_k = 2 \cdot 3 \cdots p_k$ be the product of the first k primes, then if the Riemann Hypothesis is true (5.5) is false for every integer n with $n = N_k$. On the other hand, if the Riemann Hypothesis is false then there are infinitely many integers k for which $n = N_k$ does satisfy (5.5). See Nicolas [23] for a proof of this interesting result.

ACKNOWLEDGEMENTS. This paper owes much to an inspiring discussion with Prof. Don Zagier in which he convinced the first author that proving Theorem 1 should be doable. The authors would like to thank Valentin Blomer for his helpful comments regarding Bernays' thesis and K.S. Williams for making his preprint [37] available. It is also a pleasure to thank UCD graduate student Raja Mukherji for his suggestions which greatly improved the efficiency of the GP/PARI program which was used in Sections 4 and 5. Finally, the authors thank the Max-Planck-Institut für Mathematik in Bonn for its hospitality and support during the preparation of this paper.

REFERENCES

- [1] BERNAYS, P. Über die Darstellung von positiven, ganzen Zahlen durch die primitiven, binären quadratischen Formen einer nicht-quadratischen Diskriminante. Dissertation, Göttingen, 1912.
<http://www.math.uni-bielefeld.de/~rehmann/DML/>
- [2] BERNDT, B. *Ramanujan's Notebooks*. Part IV. Springer-Verlag, New York, 1994.
- [3] BERNDT, B. and K. ONO. Ramanujan's unpublished manuscript on the partition and tau functions with proofs and commentary. The Andrews Festschrift (Maratea, 1998). *Sém. Lothar. Combin.* 42 (1999), Art. B42c.
- [4] BLICHFELDT, B. The minimum values of positive quadratic forms in six, seven and eight variables. *Math. Z.* 39 (1935), 1–15.
- [5] BLOMER, V. Binary quadratic forms with large discriminants and sums of two squareful numbers. *J. Reine Angew. Math.* 569 (2004), 213–234.
- [6] —— Binary quadratic forms with large discriminants and sums of two squareful integers II. *J. London Math. Soc.* (2) 71 (2005), 69–84.
- [7] BLOMER, V. and A. GRANVILLE. Estimates for representation numbers of quadratic forms. *Duke Math. J.* 135 (2006), 261–302.
- [8] CHOIE, Y.-J., N. LICHARDOPOL, P. MOREE and P. SOLÉ. On Robin's criterion for the Riemann Hypothesis. <http://front.math.ucdavis.edu/math.NT/0604314> and to appear in *J. Théor. Nombres Bordeaux*.

- [9] CONWAY, J. and N. SLOANE. Lattices with few distances. *J. Number Theory* 39 (1991), 75–90.
- [10] COX, D. *Primes of the Form $x^2 + ny^2$* . Wiley, New York, 1989.
- [11] FINCH, S. *Mathematical Constants*. Encyclopedia of Mathematics and its Applications 94. Cambridge University Press, Cambridge, 2003.
- [12] FOMENKO, O. Distribution of values of Fourier coefficients of modular forms of weight 1. *J. Math. Sci. (New York)* 89 (1998), 1050–1071.
- [13] IWANIEC, H. The half dimensional sieve. *Acta Arith.* 29 (1976), 69–95.
- [14] JAMES, R. The distribution of integers represented by quadratic forms. *Amer. J. Math.* 60 (1938), 737–744.
- [15] KAPLAN, P. and WILLIAMS, K. The genera representing a positive integer. *Acta Arith.* 102 (2002), 353–361.
- [16] KÜHNLEIN, S. Partial solution of a conjecture of Schmutz. *Arch. Math. (Basel)* 67 (1996), 164–172.
- [17] LANDAU, E. Über die Einteilung der positiven ganzen Zahlen in vier Klassen nach der Mindestzahl der zu ihrer additiven Zusammensetzung erforderlichen Quadrate. *Arch. der Math. und Phys. (3)* 13 (1908), 305–312.
- [18] MOREE, P. Approximation of singular series and automata. *Manuscripta Math.* 101 (2000), 385–399.
- [19] —— Chebyshev’s bias for composite numbers with restricted prime divisors. *Math. Comp.* 73 (2004), 425–449.
- [20] —— On some claims in Ramanujan’s ‘unpublished’ manuscript on the partition and tau functions. *Ramanujan J.* 8 (2004), 317–330.
- [21] MOREE, P. and J. CAZARAN. On a claim of Ramanujan in his first letter to Hardy. *Exposition. Math.* 17 (1999), 289–311.
- [22] MOREE, P. and H. TE RIELE. The hexagonal versus the square lattice. *Math. Comp.* 73 (2004), 451–473.
- [23] NICOLAS, J. Petites valeurs de la fonction d’Euler. *J. Number Theory* 17 (1983), 375–388.
- [24] ODONI, R. Representations of algebraic integers by binary quadratic forms and norm forms from full modules of extension fields. *J. Number Theory* 10 (1978), 324–333.
- [25] —— The distribution of integral and prime-integral values of systems of full-norm polynomials and affine-decomposable polynomials. *Mathematika* 26 (1979), 80–87.
- [26] —— A problem of Erdős on sums of two squarefull numbers. *Acta Arith.* 39 (1981), 145–162.
- [27] PALL, G. The distribution of integers represented by binary quadratic forms. *Bull. Amer. Math. Soc.* 49 (1943), 447–449.
- [28] REID, C. *Hilbert*. Springer-Verlag, New York-Berlin, 1970.
- [29] RIEGER, G. Zum Satz von Landau über die Summe aus zwei Quadraten. *J. Reine Angew. Math.* 244 (1970), 198–200.
- [30] SCHARLAU, W. and H. OPOLKA. *Von Fermat bis Minkowski. Eine Vorlesung über Zahlentheorie und ihre Entwicklung*. Springer-Verlag, Berlin-New York, 1980.

- [31] SCHMUTZ, P. Arithmetic groups and the length spectrum of Riemann surfaces. *Duke Math. J.* 84 (1996), 199–215.
- [32] SCHMUTZ SCHALLER, P. Geometry of Riemann surfaces based on closed geodesics. *Bull. Amer. Math. Soc. (N.S.)* 35 (1998), 193–214.
- [33] SERRE, J.-P. Divisibilité de certaines fonctions arithmétiques. *L'Enseignement Math.* (2) 22 (1976), 227–260.
- [34] SHANKS, D. The second-order term in the asymptotic expansion of $B(x)$. *Math. Comp.* 18 (1964), 75–86.
- [35] SHANKS, D. and L. SCHMID. Variations on a theorem of Landau. I. *Math. Comp.* 20 (1966), 551–569.
- [36] SMITH, W. Few-distance sets and the second Erdős number. *Unpublished preprint*, 1990.
- [37] SUN, Z. and K. WILLIAMS. On the number of representations of n by $ax^2 + bxy + cy^2$. *Acta Arith.* 122 (2006), 101–171.
- [38] WILLIAMS, K. Note on integers representable by binary quadratic forms. *Canad. Math. Bull.* 18 (1975), 123–125.
- [39] WIRSING, E. Das asymptotische Verhalten von Summen über multiplikative Funktionen. *Math. Ann.* 143 (1961), 75–102.

(Reçu le 8 avril 2006)

Pieter Moree

Max-Planck-Institut für Mathematik
Vivatsgasse 7
D-53111 Bonn
Germany
e-mail : moree@mpim-bonn.mpg.de

Robert Osburn

School of Mathematical Sciences
University College Dublin
Belfield
Dublin 4
Ireland
e-mail : robert.osburn@ucd.ie