

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 54 (2008)
Heft: 1-2

Artikel: A conjecture in number theory
Autor: Hilton, Peter
DOI: <https://doi.org/10.5169/seals-109908>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 07.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

39

A CONJECTURE IN NUMBER THEORY

by Peter HILTON

Given positive integers b , a , odd, $a < \frac{b}{2}$, $\gcd(a, b) = 1$, we construct a *symbol* or *coach*

$$(39.3) \quad b \left| \begin{array}{c} a_1 a_2 \cdots a_r \\ k_1 k_2 \cdots k_r \end{array} \right|, \quad a_1 = a,$$

where $b - a_i = 2^{k_i} a_{i+1}$, with k_i maximal positive ($i = 1, 2, \dots, r$), $a_{r+1} = a_1$. Then each a_i is odd with $a_i < \frac{b}{2}$. It is, moreover, known (see Chapter 4 of [1], [2]) that, if $k = \sum_i k_i$, then k is the *quasi-order* of 2 mod b , that is, k is the smallest positive integer such that $2^k \equiv \pm 1 \pmod{b}$. In fact,

$$(39.4) \quad 2^k \equiv (-1)^r \pmod{b}.$$

As indicated, if S is the set of all positive integers satisfying the conditions on a above, then $a_i \in S$, $1 \leq i \leq r$. It is possible that the set $\{a_i, 1 \leq i \leq r\}$ exhausts S . If not we may, of course, construct further coaches based on b . For example, with $b = 65$, there are 4 coaches

$$(39.5) \quad 65 \left| \begin{array}{c|c|c|c|c} 1 & 3 & 31 & 17 & 7 \\ \hline 6 & 1 & 1 & 4 & 1 \end{array} \right| \begin{array}{c|c|c|c|c} 7 & 29 & 9 & 11 & 27 \\ \hline 1 & 2 & 3 & 1 & 1 \end{array} \left| \begin{array}{c|c|c|c|c} 19 & 23 & 21 & & \\ \hline 1 & 1 & 1 & 1 & 2 \end{array} \right|,$$

forming what we call the *complete symbol* for $b = 65$. We write $c = c(b)$ for the number of coaches in a complete symbol.

We conjecture that it should be possible to determine if a complete symbol has only one coach ($c = 1$), or, more generally, to determine the number of coaches, without having to construct the coaches — and thus determining the quasi-order of 2 mod b . It is, moreover, clear that the theory can be extended to arbitrary bases t and is not confined to the case $t = 2$.

REMARK 39.1. In fact, we know that $\Phi(b) = 2ck$, where Φ is the Euler totient function. Thus $c = 1$ if, and only if, $k = \frac{1}{2}\Phi(b)$. The rule

$$(39.6) \quad \Phi(b) = 2ck$$

is proved in [3], which is the contribution of Peter Hilton, Jean Pedersen and Byron Walden to a Festschrift for Martin Gardner.

REFERENCES

- [1] HILTON, P., D. HOLTON and J. PEDERSEN. *Mathematical Reflections. In a Room with Many Mirrors*. Undergraduate Texts in Mathematics. Springer-Verlag, New York, 1997.
- [2] HILTON, P., D. HOLTON and J. PEDERSEN. *Mathematical Vistas. From a Room with Many Windows*. Undergraduate Texts in Mathematics. Springer-Verlag, New York, 2002.
- [3] HILTON, P., J. PEDERSEN and B. WALDEN. A property of complete symbols. In: *Festschrift for Martin Gardner*, to appear.

Peter Hilton

Department of Mathematical Sciences
Binghamton University (SUNY)
Binghamton, NY 13902-6000
USA
e-mail: peter@math.binghamton.edu