

Zeitschrift:	L'Enseignement Mathématique
Herausgeber:	Commission Internationale de l'Enseignement Mathématique
Band:	54 (2008)
Heft:	3-4
Artikel:	A note on the connectivity of certain complexes associated to surfaces
Autor:	Putman, Andrew
Bibliographie	
DOI:	https://doi.org/10.5169/seals-109940

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 06.08.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

any correct expression will work. Now, using an argument of Humphries [9], for $1 \leq i \leq g-2$ we can express $T_{\delta_{i+2}}$ as a complicated product of elements in

$$\{T_{\alpha_i}, T_{\alpha_{i+1}}, T_{\alpha_{i+2}}, T_{\beta_i}, T_{\beta_{i+1}}, T_{\delta_i}, T_{\delta_{i+1}}\}^{\pm 1}.$$

This allows us eliminate T_{δ_i} from S for $i \geq 3$ by adding relations which do not involve both $T_{\beta_1}^{\pm 1}$ and $T_{\beta_{g-1}}^{\pm 1}$. Our final relation is $[h, T_{\delta_g}] = 1$; since this does not involve either T_{β_1} or $T_{\beta_{g-1}}$, we are done. \square

ACKNOWLEDGEMENTS. I wish to thank my advisor Benson Farb for his enthusiasm and numerous comments, Dan Margalit and Saul Schleimer for encouraging me to write this paper, and Matt Day and Julia Putman for offering corrections to previous versions of this paper. I also wish to thank the mathematics department of the Georgia Institute of Technology for their hospitality during the time in which this paper was conceived.

REFERENCES

- [1] BIRMAN, J. S. and B. WAJNRYB. Presentations of the mapping class group. Errata: “3-fold branched coverings and the mapping class group of a surface”. In: *Geometry and Topology (College Park, MD, 1983/84)*, 24–46. Lecture Notes in Mathematics 1167. Springer, Berlin, 1985. And by WAJNRYB: “A simple presentation of the mapping class group of an orientable surface”. *Israel J. Math.* 45 (1983), 157–174. Errata in: *Israel J. Math.* 88 (1994), 425–427.
- [2] BOWDITCH, B. H. and D. B. A. EPSTEIN. Natural triangulations associated to a surface. *Topology* 27 (1988), 91–117.
- [3] FARB, B. and N. V. IVANOV. The Torelli geometry and its applications: research announcement. *Math. Res. Lett.* 12 (2005), 293–301.
- [4] HARER, J. L. The virtual cohomological dimension of the mapping class group of an orientable surface. *Invent. Math.* 84 (1986), 157–176.
- [5] HARVEY, W. J. Geometric structure of surface mapping class groups. In: *Homological Group Theory (Proc. Sympos., Durham, 1977)*, 255–269. Cambridge Univ. Press, Cambridge, 1979.
- [6] HATCHER, A. On triangulations of surfaces. *Topology Appl.* 40 (1991), 189–194.
- [7] HATCHER, A. and W. THURSTON. A presentation for the mapping class group of a closed orientable surface. *Topology* 19 (1980), 221–237.
- [8] HATCHER, A. and K. VOGTMANN. Personal communication.
- [9] HUMPHRIES, S. P. Generators for the mapping class group. In: *Topology of Low-Dimensional Manifolds* (Proc. Second Sussex Conf., Chelwood Gate, 1977), 44–47. Lecture Notes in Mathematics 722. Springer, Berlin, 1979.

- [10] IVANOV, N. V. Complexes of curves and Teichmüller modular groups. *Uspekhi Mat. Nauk* 42 (1987), 49–91.
- [11] —— Mapping class groups. In: *Handbook of Geometric Topology*, 523–633. North-Holland, Amsterdam, 2002.
- [12] JOHNSON, D. The structure of the Torelli group. I. A finite set of generators for \mathcal{T} . *Ann. of Math.* (2) 118 (1983), 423–442.
- [13] LICKORISH, W. B. R. A representation of orientable combinatorial 3-manifolds. *Ann. of Math.* (2) 76 (1962), 531–540.
- [14] MASUR, H. and S. SCHLEIMER. The pants complex has only one end. In: *Spaces of Kleinian Groups*, 209–218. Cambridge Univ. Press, Cambridge, 2006.
- [15] McCARTHY, J. and W. VAUTAW. Automorphisms of Torelli groups. Preprint 2003.
- [16] MCCULLOUGH, D. and A. MILLER. The genus 2 Torelli group is not finitely generated. *Topology Appl.* 22 (1986), 43–49.
- [17] PENNER, R. C. The decorated Teichmüller space of punctured surfaces. *Comm. Math. Phys.* 113 (1987), 299–339.
- [18] PUTMAN, A. Cutting and pasting in the Torelli group. *Geom. Topol.* 11 (2007), 829–865.
- [19] SCHLEIMER, S. Notes on the complex of curves. Unpublished notes.
- [20] WAJNRYB, B. A simple presentation for the mapping class group of an orientable surface. *Israel J. Math.* 45 (1983), 157–174.
- [21] —— An elementary approach to the mapping class group of a surface. *Geom. Topol.* 3 (1999), 405–466 (electronic).

(Reçu le 17 mai 2007)

Andrew Putman

Department of Mathematics; MIT, 2-306
 77 Massachusetts Avenue
 Cambridge, MA 02139-4307
 USA
e-mail : andyp@math.mit.edu