

Zeitschrift: L'Enseignement Mathématique
Herausgeber: Commission Internationale de l'Enseignement Mathématique
Band: 54 (2008)
Heft: 1-2

Artikel: Cohomological finiteness conditions : spaces versus H-spaces
Autor: Castellana, Natàlia / Crespo, Juan A / Scherer, Jérôme
DOI: <https://doi.org/10.5169/seals-109891>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 27.04.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

22

COHOMOLOGICAL FINITENESS CONDITIONS: SPACES VERSUS H -SPACES

by Natàlia CASTELLANA, Juan A. CRESPO and Jérôme SCHERER

We wish to ask a very naive and classically flavored question. Consider a finite complex X and an integer n . Does its n -connected cover $X\langle n \rangle$ satisfy any cohomological finiteness property? When X is an H -space we have:

THEOREM 22.1 ([3]). *Let X be a finite H -space and n an integer. Then $H^*(X\langle n \rangle; \mathbf{F}_p)$ is finitely generated as an algebra over the Steenrod algebra.*

This leads naturally to ask whether the same statement holds for arbitrary spaces. Of course, some restriction on the fundamental group will be needed, as the universal cover of $S^1 \vee S^2$ is an infinite wedge of copies of S^2 .

QUESTION 22.2. *Let X be a simply connected finite space and $n \geq 2$. Is $H^*(X\langle n \rangle; \mathbf{F}_p)$ finitely generated as an algebra over the Steenrod algebra?*

The “difference” between a space and its n -connected cover is a Postnikov piece. Thus, a first step towards a solution to Question 22.2 would be to understand the cohomology of finite type Postnikov pieces.

QUESTION 22.3. *Is the cohomology of a finite-type Postnikov piece finitely generated as an algebra over the Steenrod algebra?*

Again, we know from [3], Corollary 3.8, that the answer is yes if the Postnikov piece is an H -space. The proof of Theorem 22.1 is based on L. Smith’s analysis of the Eilenberg–Moore spectral sequence, and the following algebraic result, whose proof relies deeply on the Borel–Hopf structure theorem.

THEOREM 22.4 ([3]). *Let A be an unstable Hopf algebra which is finitely generated as an algebra over the Steenrod algebra. Then so is any unstable Hopf subalgebra $B \subset A$.*

For plain unstable algebras, this is false, as pointed out to us by Hans-Werner Henn. Consider the unstable algebra $H^*(\mathbf{C}P^\infty \times S^2; \mathbf{F}_p) \cong \mathbf{F}_p[x] \otimes E(y)$ where both x and y have degree 2. Turn the ideal generated by y into an unstable subalgebra by adding 1. This is isomorphic, as an unstable algebra, to $\mathbf{F}_p \oplus \Sigma^2 \mathbf{F}_p \oplus \Sigma^2 \tilde{H}^*(\mathbf{C}P^\infty; \mathbf{F}_p)$, which is not finitely generated.

Where do these questions come from? The condition that $H^*(X; \mathbf{F}_p)$ is finitely generated as an algebra over the Steenrod algebra is equivalent to the condition that the indecomposables $QH^*(X; \mathbf{F}_p)$ are finitely generated as a module over the Steenrod algebra. This guarantees that $QH^*(X; \mathbf{F}_p)$ lives in the Krull filtration of the category \mathcal{U} of unstable modules, introduced by Schwartz in [5]: an unstable module M lives in \mathcal{U}_n if and only if $\bar{T}^{n+1}M = 0$, where \bar{T} denotes Lannes' reduced T functor. This algebraic filtration can be compared with Bousfield's $B\mathbf{Z}/p$ -nullification filtration, [1] (a connected space X is $B\mathbf{Z}/p$ -null if the space of pointed maps $\text{map}_*(B\mathbf{Z}/p, X)$ is contractible).

THEOREM 22.5 ([2]). *Let X be a connected H -space satisfying that $T_V H^*(X; \mathbf{F}_p)$ is of finite type for any elementary abelian p -group V . Then $QH^*(X; \mathbf{F}_p)$ is in \mathcal{U}_n if and only if $\Omega^{n+1}X$ is $B\mathbf{Z}/p$ -null.*

Dwyer and Wilkerson have shown in [4] that the case $n = 0$ holds for arbitrary spaces. However, our methods rely so deeply on the H -structure that we still don't know if one should look for a positive or negative answer to our last question.

QUESTION 22.6. *Let X be a connected space such that $T_V H^*(X; \mathbf{F}_p)$ is of finite type for any elementary abelian p -group V , and let $n \geq 1$. Is it true that $QH^*(X; \mathbf{F}_p)$ is in \mathcal{U}_n if and only if $\Omega^{n+1}X$ is $B\mathbf{Z}/p$ -null?*

REFERENCES

- [1] BOUSFIELD, A. K. Localization and periodicity in unstable homotopy theory. *J. Amer. Math. Soc.* 7 (1994), 831–873.
- [2] CASTELLANA, N., J.A. CRESPO and J. SCHERER. Deconstructing Hopf spaces. *Invent. Math.* 167 (2007), 1–18.

- [3] CASTELLANA, N., J.A. CRESPO and J. SCHERER. On the cohomology of highly connected covers of finite Hopf spaces. *Adv. Math.* 215 (2007), 250–262.
- [4] DWYER, W.G. and C.W. WILKERSON. Spaces of null homotopic maps. In: *Proceedings of the 1988 Luminy Conference*, 97–108. Astérisque 191, Soc. Math. France, 1990.
- [5] SCHWARTZ, L. *Unstable Modules over the Steenrod Algebra and Sullivan's Fixed Point Set Conjecture*. Chicago Lectures in Mathematics. University of Chicago Press, Chicago, 1994.

Natàlia Castellana

Departament de Matemàtiques
Universitat Autònoma de Barcelona
E-08193 Bellaterra
Spain
e-mail: natalia@mat.uab.es

Juan A. Crespo

Departamento de Economía
Universidad Carlos III de Madrid
E-28903 Getafe
Spain
e-mail: jacrespo@eco.uc3m.es

Jérôme Scherer

Departament de Matemàtiques
Universitat Autònoma de Barcelona
E-08193 Bellaterra
Spain
e-mail: jscherer@mat.uab.es