

Objektyp: **ReferenceList**

Zeitschrift: **L'Enseignement Mathématique**

Band (Jahr): **38 (1992)**

Heft 1-2: **L'ENSEIGNEMENT MATHÉMATIQUE**

PDF erstellt am: **25.04.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

REFERENCES

- [1] AKRITAS, A. G. On the solution of polynomial equations using continued fractions. *Inform. Process. Lett.* 9 (1979), 182-184.
- [2] ——— The fastest exact algorithms for the isolation of the real roots of a polynomial equation. *Computing* 24 (1980), 299-313. MR 82e # 65054.
- [3] ——— An implementation of Vincent's theorem. *Numer. Math.* 36 (1980), 53-62. MR 82d # 26009.
- [4] ——— Vincent's forgotten theorem, its extension and application. *Comput. Math. Appl.* 7 (1981), 309-317. MR 83e # 65088.
- [5] ——— There is no "Uspensky's method". In *Symsac '86-Proceedings of the 1986 Symposium on Symbolic and Algebraic Manipulation* (Waterloo, Ont., Canada, July 21-23, 1986), pages 88-90. ACM, New York, 1986.
- [6] AKRITAS, A. G. and K. H. NG. Exact algorithms for polynomial real root approximation using continued fractions. *Computing* 30 (1983), 63-76. MR 84d # 65031.
- [7] ——— Polynomial real root approximation using continued fractions. *Internat. J. Comput. Math.* 14 (1983), 59-71. MR 84m # 65062.
- [8] ALLOUCHE, J.-P. Sur le développement en fraction continue de certaines séries formelles. *C. R. Acad. Sci. Paris* 307 (1988), 631-633. MR 89m # 11067.
- [9] ALLOUCHE, J.-P., J. BETREMA and J. SHALLIT. Sur des points fixes de morphismes d'un monoïde libre. *RAIRO Informatique Théorique et Applications* 23 (1989), 235-249.
- [10] ALLOUCHE, J.-P., M. MENDÈS FRANCE and A. J. VAN DER POORTEN. An infinite product with bounded partial quotients. Technical Report 90-0049, Macquarie Mathematics Reports, Macquarie University, April 1990. To appear, *Acta Arith.* 59 (1992).
- [11] ANGELL, D. The limiting behaviour of certain sequences of continued fractions. *Bull. Austral. Math. Soc.* 38 (1988), 67-76. MR 90a # 11015.
- [12] BABENKO, K. I. On a problem of Gauss. *Dokl. Akad. Nauk SSSR* 238 (1978), 1021-1024. (In Russian); English translation in *Soviet Math. Dokl.* 19 (1978), 136-140. MR 57 # 12436.
- [13] BABENKO, K. I. and S. P. JUR'EV. On the discretization of a problem of Gauss. *Dokl. Akad. Nauk SSSR* 240 (1978), 1273-1276. (In Russian); English translation in *Soviet Math. Dokl.* 19 (1978), 731-735. MR 81h # 65015.
- [14] BAGGETT, L. and K. MERRILL. Representations of the Mautner group and cocycles of an irrational rotation. *Michigan Math. J.* 33 (1986), 221-229. MR 87h # 22011.
- [15] ——— Equivalence of cocycles under an irrational rotation. *Proc. Amer. Math. Soc.* 104 (1988), 1050-1053. MR 89h # 28022b.
- [16] BAKER, A. Continued fractions of transcendental numbers. *Mathematika* 9 (1962), 1-8. MR 26 # 2394.
- [17] ——— On Mahler's classification of transcendental numbers. *Acta Math.* 111 (1964), 97-120. MR 28 # 1171.
- [18] ——— Rational approximations to $\sqrt[3]{2}$ and other algebraic numbers. *Quart. J. Math. Oxford* 15 (1964), 375-383. MR 30 # 1977.
- [19] ——— Rational approximations to certain algebraic numbers. *Proc. Lond. Math. Soc.* 14 (1964), 385-398. MR 28 # 5029.
- [20] ——— *A Concise Introduction to the Theory of Numbers*. Cambridge University Press, 1984. MR 86f # 11001.

- [21] BAKER, A. and W. M. SCHMIDT. Diophantine approximation and Hausdorff dimension. *Proc. Lond. Math. Soc.* 21 (1970), 1-11. MR 42 # 5916.
- [22] BAKER, A. and C. L. STEWART. On effective approximations to cubic irrationals. In A. Baker, editor, *New Advances in Transcendence Theory*, pages 1-24. Cambridge Univ. Press, 1988. MR 89m # 11065.
- [23] BAUM, L. E. and M. M. SWEET. Continued fractions of algebraic power series in characteristic 2. *Ann. Math.* 103 (1976), 593-610. MR 53 # 13127.
- [24] ———. Badly approximable power series in characteristic 2. *Ann. Math.* 105 (1977), 573-580. MR 56 # 2928.
- [25] BECK, J. and W. W. L. CHEN. *Irregularities of Distribution*. Cambridge University Press, 1987.
- [26] BERNOULLI, J. III. *Recueil pour les Astronomes*, Sur une nouvelle espèce de calcul, volume I, pages 255-284. Berlin, 1772.
- [27] BERNSTEIN, F. Über eine Anwendung der Mengenlehre auf ein aus der Theorie der säkularen Störungen herrührendes Problem. *Math. Ann.* 71 (1912), 417-439.
- [28] BERSTEL, J. Fibonacci words — a survey. In G. Rozenberg and A. Salomaa, editors, *The Book of L*, pages 13-27. Springer-Verlag, 1986.
- [29] BERŠTEIN, A. A. On necessary and sufficient conditions for the occurrence of Markov spectrum points in the Lagrange spectrum. *Dokl. Akad. Nauk SSSR* 191 (1970), 971-973. (In Russian); English translation in *Soviet Math. Dokl.* 11 (1970), 463-466. MR 41 # 3403.
- [30] BESICOVITCH, A. S. Sets of fractional dimensions (IV): On rational approximation to real numbers. *J. London Math. Soc.* 9 (1934), 126-131.
- [31] BILLINGSLEY, P. *Ergodic Theory and Information*. John Wiley & Sons, New York, 1965.
- [32] BILLINGSLEY, P. and I. HENNINGSEN. Hausdorff dimension of some continued-fraction sets. *Z. Wahrscheinlichkeitstheorie verw. Gebiete* 31 (1975), 163-173. MR 51 # 5535.
- [33] BLANCHARD, A. and M. MENDÈS FRANCE. Symétrie et transcendance. *Bull. Sci. Math.* 106 (1982), 325-335. MR 84d # 10041.
- [34] BLINOV, I. N. and M. G. RABINOVICH. Efficient estimates of the denominators of the convergents of continued fractions of algebraic numbers. *Mat. Zametki* 40 (1986), 289-309. (In Russian); English translation in *Math. Notes* 40 (1986), 667-680. MR 88d # 11064.
- [35] BOMBIERI, E. On the Thue-Siegel-Dyson theorem. *Acta Math.* 148 (1982), 255-296. MR 83m # 10052.
- [36] BOMBIERI, E. and J. MUELLER. On effective measures of irrationality for $\sqrt[r]{\frac{a}{b}}$ and related numbers. *J. Reine Angew. Math.* 342 (1983), 173-196. MR 84m # 10023.
- [37] BOMBIERI, E. and A. J. VAN DER POORTEN. Continued fractions of algebraic numbers. Macquarie Mathematics Reports 86-0070, School of Mathematics and Physics, Macquarie University, January 1986.
- [38] BOREL, E. Les probabilités dénombrables et leurs applications arithmétiques. *Rend. Circ. Mat. Palermo* 27 (1909), 247-271.
- [39] ———. Sur un problème de probabilités relatif aux fractions continues. *Math. Ann.* 72 (1912), 578-584.
- [40] ———. *Eléments de la Théorie des Ensembles*. Editions Albin Michel, Paris, 1949.

- [41] BOROSH, I. Rational continued fractions with small partial quotients. *Notices Amer. Math. Soc.* 23 (1976), A-52. Abstract 731-10-29.
- [42] BOROSH, I. and H. NIEDERREITER. Optimal multipliers for pseudo-random number generation by the linear congruential method. *BIT* 23 (1983), 65-74. MR 84e # 65012.
- [43] BOYD, D. W. and J. M. STEELE. Monotone subsequences in the sequence of fractional parts of multiples of an irrational. *J. Reine Angew. Math.* 306 (1979), 49-59. MR 80h # 10044.
- [44] BREZINSKI, C. *History of Continued Fractions and Padé Approximants*. Volume 12 of Springer Series in Computational Mathematics. Springer-Verlag, 1991.
- [45] BRODÉN, T. Wahrscheinlichkeitsbestimmungen bei der gewöhnlichen Kettenbruchentwicklung reeller Zahlen. *Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar (Stockholm)* 57 (1900), 239-266.
- [46] BRYUNO, A. D. Continued fraction expansion of algebraic numbers. *Zh. Vychisl. Mat. i Mat. Fiz.* 4(2) (1964), 211-221. (In Russian); English translation in *U.S.S.R. Comput. Math. Math. Phys.* 4(2) (1964), 1-15.
- [47] BUMBY, R. T. The Markov spectrum. In C. F. Osgood, editor, *Diophantine Approximation and its Applications*, pages 25-28. Academic Press, New York, 1973. MR 52 # 8045.
- [48] ——— Hausdorff dimension of sets arising in number theory. In D. V. Chudnovsky, G. V. Chudnovsky, H. Cohn, and M. B. Nathanson, editors, *Number Theory*, volume 1135 of Lecture Notes in Mathematics, pages 1-8. Springer-Verlag, 1985. MR 87a # 11074.
- [49] BUNDSCHUH, P. Über eine Klasse reeller transzendenter Zahlen mit explizit angegebener g-adischer und Kettenbruch-Entwicklung. *J. Reine Angew. Math.* 318 (1980), 110-119. MR 82e # 10061.
- [50] CANTOR, D., P. GALYEAN and H. ZIMMER. A continued fraction algorithm for real algebraic numbers. *Math. Comp.* 26 (1972), 785-791. MR 48 # 8456.
- [51] CASSELS, J. W. S. On a method of Marshall Hall. *Mathematika* 3 (1956), 109-110. MR 18-875.
- [52] ——— *An Introduction to Diophantine Approximation*. Cambridge University Press, 1957. MR 19-396.
- [53] CHOWLA, S. D. Note on a trigonometric sum. *J. London Math. Soc.* 5 (1930), 176-178.
- [54] ——— Some problems of diophantine approximation (I). *Math. Zeitschrift* 33 (1931), 544-563.
- [55] CHUDNOVSKY, G. V. On the method of Thue-Siegel. *Ann. Math.* 117 (1983), 325-382. MR 85g # 10058.
- [56] CHURCHHOUSE, R. F. Efficient computation of algebraic continued fractions. In *Journées Algorithmiques (Ecole Norm. Sup., Paris, 1975)*, pages 23-32. Soc. Math. France, Paris, 1976. (Astérisque, n° 38-39).
- [57] CHURCHHOUSE, R. F. and S. T. E. MUIR. Continued fractions, algebraic numbers and modular invariants. *J. Inst. Math. Appl.* 5 (1969), 318-328. MR 41 # 155.
- [58] COTES, R. Logometria. *Phil. Trans. Royal Soc. London* 29 (1714), 5-45.
- [59] CUSICK, T. W. Measures of diophantine approximation. *Boll. Un. Mat. Ital.* 3 (1970), 761-767. MR 46 # 145.
- [60] ——— Sums and products of continued fractions. *Proc. Amer. Math. Soc.* 27 (1971), 35-38. MR 42 # 4498.

- [61] — On M. Hall's continued fraction theorem. *Proc. Amer. Math. Soc.* 38 (1973), 253-254. MR 46 # 4980.
- [62] — The connection between the Lagrange and Markoff spectra. *Duke Math. J.* 42 (1975), 507-517. MR 51 # 10240.
- [63] — Continuants with bounded digits. *Mathematika* 24 (1977), 166-171. MR 57 # 12413.
- [64] — Continuants with bounded digits, II. *Mathematika* 25 (1978), 107-109. MR 58 # 16539.
- [65] — Continuants with bounded digits, III. *Monatshefte Math.* 99 (1985), 105-109. MR 86c # 11050.
- [66] — Products of simultaneous approximations of rational numbers. *Arch. Math.* 53 (1989), 154-158. MR 90i # 11071.
- [67] CUSICK, T. W. and M. E. FLAHERTY. *The Markoff and Lagrange Spectra*. Volume 30 of Mathematical Surveys and Monographs. Amer. Math. Soc., 1989. MR 90i # 11069.
- [68] CUSICK, T. W. and R. A. LEE. Sums of sets of continued fractions. *Proc. Amer. Math. Soc.* 30 (1971), 241-246. MR 44 # 158.
- [69] CUSICK, T. W. and M. MENDÈS FRANCE. The Lagrange spectrum of a set. *Acta Arith.* 34 (1979), 287-293. MR 80i # 10038a.
- [70] DANI, S. G. Bounded orbits of flows on homogeneous spaces. *Comment. Math. Helvetici* 61 (1986), 636-660. MR 88i # 22011.
- [71] — On orbits of endomorphisms of tori and the Schmidt game. *Ergod. Theory & Dynam. Sys.* 8 (1988), 523-529. MR 90b # 58145.
- [72] — On badly approximable numbers, Schmidt games and bounded orbits of flows. In M. M. Dodson and J. A. G. Vickers, editors, *Number Theory and Dynamical Systems*, volume 134 of London Mathematical Society Lecture Note Series, pages 69-86. Cambridge Univ. Press, 1989.
- [73] DAVENPORT, H. Note on irregularities of distribution. *Mathematika* 3 (1956), 131-135. MR 18 # 566.
- [74] — A note on Diophantine approximation. In G. Szegő, C. Loewner, S. Bergman, M. M. Schiffer, J. Neyman, D. Gilbarg and H. Solomon, editors, *Studies in Mathematical Analysis and Related Topics (Essays in Honor of George Pólya)*, pages 77-81. Stanford University Press, 1962. MR 26 # 3671.
- [75] — A note on Diophantine approximation (II). *Mathematika* 11 (1964), 50-58. MR 29 # 3432.
- [76] — A remark on continued fractions. *Michigan Math. J.* 11 (1964), 343-344. MR 29 # 5788.
- [77] DAVENPORT, H. and K. F. ROTH. Rational approximations to algebraic numbers. *Mathematika* 2 (1955), 160-167. MR 17, 1060.
- [78] DAVIS, N. and J. R. KINNEY. Quadratic irrationals in the lower Lagrange spectrum. *Canad. J. Math.* 25 (1973), 578-584. MR 47 # 8444.
- [79] DAVIDSON, J. L. A class of transcendental numbers with bounded partial quotients. In R. A. Mollin, editor, *Number Theory and Applications*, pages 365-371. Kluwer Academic Publishers, 1989.
- [80] DEKKING, M., A. VAN DER POORTEN and M. MENDÈS FRANCE. Folds! *Math. Intell.* 4 (1982), 130-138, 173-181, 190-195. (Errata in 5 (1983), 5.) MR 84f # 10016abc.
- [81] DELIGNE, P. Les difféomorphismes du cercle (d'après M. R. Herman). In *Séminaire Bourbaki 1975/76*, Exposé # 477, volume 567 of Lecture

Notes in Mathematics, pages 99-121. Springer-Verlag, 1977. MR 56 # 13291b.

- [82] DELONE, B. N. and D. K. FADDEEV. *The Theory of Irrationalities of the Third Degree*. American Mathematical Society, Providence, R. I., 1964.
- [83] DENJOY, A. Sur les fractions continues. *C. R. Acad. Sci. Paris* 202 (1936), 371-374.
- [84] ——— Sur une formule de Gauss. *C. R. Acad. Sci. Paris* 202 (1936), 537-540.
- [85] ——— Physique et métrique des ensembles. A propos d'une note de M. Paul Lévy. *C. R. Acad. Sci. Paris* 202 (1936), 1140-1142.
- [86] DEREVYANKO, N. I. Approximation of the values of certain functions. *Vest. Moskov. Univ. Mat.* 44 (1989), 45-49. (In Russian); English translation in *Moscow Univ. Math. Bulletin* 44 (1989), 64-70. MR 90e # 11105.
- [87] DIETER, U. Pseudo-random numbers: the exact distribution of pairs. *Math. Comp.* 25 (1971), 855-883. MR 45 # 7776.
- [88] ——— Statistical interdependence of pseudo-random numbers generated by the linear congruential method. In S. K. Zaremba, editor, *Applications of Number Theory to Numerical Analysis*, pages 287-317. Academic Press, New York, 1972. MR 50 # 6105.
- [89] DIETZ, B. On the gaps of the Lagrange spectrum. *Acta Arith.* 45 (1985), 59-64. MR 86h # 11050.
- [90] DIVIŠ B. On the sums of continued fractions. *Acta Arith.* 22 (1973), 157-173. MR 51 # 8043.
- [91] DOEBLIN, W. Remarques sur la théorie métrique des fractions continues. *Compositio Math.* 7 (1940), 353-371.
- [92] DROBOT, V. Uniform partitions of an interval. *Trans. Amer. Math. Soc.* 268 (1981), 151-160. MR 83f # 10054.
- [93] ——— On dispersion and Markov constants. *Acta. Math. Hung.* 47 (1986), 89-93. MR 87k # 11082.
- [94] DUPAIN, Y. and V. T. SÓS. On the one-sided boundedness of discrepancy-function of the sequence $\{n\alpha\}$. *Acta Arith.* 37 (1980), 363-374. MR 82c # 10058.
- [95] ——— On the discrepancy of $(n\alpha)$ sequences. In *Topics in Classical Number Theory V. I*, volume 34 of Colloq. Math. Soc. Janos Bolyai, pages 355-387. 1981. MR 87c # 11065.
- [96] DYSON, F. J. On the order of the magnitude of the partial quotients of a continued fraction. *J. London Math. Soc.* 18 (1943), 40-43.
- [97] ——— The approximation to algebraic numbers by rationals. *Acta Math.* 79 (1947), 225-240. MR 9, 412.
- [98] DZENSKEVICH, E. A. and A. P. SHAPIRO. On the expansion of irrationalities of third and fourth degree into a continued fraction. In *Algorithmic and Numerical Problems in Algebra and Number Theory*, pages 3-9. Akad. Nauk SSSR, Dalnevostochn. Otdel., Vladivostok, 1987. MR 90k # 11083.
- [99] EASTON, D. Effective irrationality measures for certain algebraic numbers. *Math. Comp.* 46 (1986), 613-622. MR 87f # 11047.
- [100] ENNOLA, V. On the distribution of fractional parts of sequences. *Ann. Univ. Turku. Ser. A*, 91 (1966), MR 34 # 4239.
- [101] ——— On the distribution of fractional parts of sequences. II. *Ann. Univ. Turku. Ser. A*, 92 (1966). MR 34 # 4240.
- [102] EULER, L. De fractionibus continuis, dissertatio. *Comment. Acad. Sci. Petrop.* 9 (1737), 98-137. (= *Opera Omnia*, (1) 14, 187-215).

- [103] FALCONER, K. *Fractal Geometry: Mathematical Foundations and Applications*. John Wiley & Sons, Chichester, 1990.
- [104] FAĬZIEV, R. A certain sum that is connected with fractional parts. *Dokl. Akad. Nauk. Tadžik* 15 (1972), 15-17. MR 48 # 6011.
- [105] FELDMAN, N. I. An effective refinement of the exponent in Liouville's theorem. *Izv. Akad. Nauk. SSSR Ser. Mat.* 35 (1971), 973-990. (In Russian); English translation in *Math. USSR Izvestija* 5 (1971), 985-1002. MR 44 # 6609.
- [106] FLICKER, Y. Z. Algebraic independence by a method of Mahler. *J. Austral. Math. Soc. Ser. A*, 27 (1979), 173-188. MR 80i # 10043.
- [107] FRAENKEL, A. S., M. MUSHKIN and U. TASSA. Determination of $[n\theta]$ by its sequence of differences. *Canad. Math. Bull.* 21 (1978), 441-446. 80d # 10051.
- [108] FREDHOLM, I. *Oeuvres Complètes*. Litos Reprotyck, Malmö, 1955.
- [109] FREILING, C. An answer to a question of Schmidt on (α, β) games. *J. Number Theory* 15 (1982), 226-228. MR 83j # 10041.
- [110] ——— Some new games and badly approximable numbers. *J. Number Theory* 19 (1984), 195-202. MR 86e # 11060.
- [111] FREIMAN, G. A. Noncoincidence of the Markoff and Lagrange spectra. *Mat. Zametki* 3 (1968), 195-200. (In Russian); English translation in *Math. Notes* 3 (1968), 125-128. MR 37 # 2695.
- [112] GALAMBOS, J. The distribution of the largest coefficient in continued fraction expansions. *Quart. J. Math. Oxford* 23 (1972), 147-151. MR 45 # 8624.
- [113] ——— The largest coefficient in continued fractions and related problems. In C. F. Osgood, editor, *Diophantine Approximation and its Applications*, pages 101-109. Academic Press, New York, 1973. MR 50 # 4516.
- [114] ——— An iterated logarithm type theorem for the largest coefficient in continued fractions. *Acta Arith* 25 (1974), 359-364. MR 49 # 8952.
- [115] GARDNER, R. J. and R. D. MAULDIN. On the Hausdorff dimension of a set of complex continued fractions. *Illinois. J. Math.* 27 (1983), 334-345. MR 84f # 30008.
- [116] GAUSS, C. F. *Werke*. Letter from Gauss to Laplace, January 30, 1812, volume X_I, pages 371-374. Königlichen Gesellschaft der Wissenschaften, Göttingen, 1917.
- [117] GBUR, M. E. (= FLAHIVE). Accumulation points of the Lagrange and Markov spectra. *Monatshefte Math.* 84 (1977), 91-108. MR 56 # 15569.
- [118] GOOD, I. J. The fractional dimensional theory of continued fractions. *Proc. Cambridge Phil. Soc.* 37 (1941), 199-228. (Corrigenda: 105 (1989), 607).
- [119] GRAHAM, R. and J. H. VAN LINT. On the distribution of $n\theta \bmod 1$. *Canad. J. Math.* 20 (1968), 1020-1024. MR 37 # 4027.
- [120] GRANT, R. The converse of Liouville's theorem. *Amer. Math. Monthly* 98 (1991), 354.
- [121] GREENE, J. M. and R. S. MACKAY. An approximation to the critical commuting pair for breakup of noble tori. *Physics Letters A*, 107 (1985), 1-4. MR 86g # 58055.
- [122] GUTIERREZ, C. On the C^r -closing lemma for flows on the torus T^2 . *Ergod Theory & Dynam. Sys.* 6 (1986), 45-56. MR 87h # 58193.
- [123] GYLDÉN, H. Quelques remarques relatives à la représentation de nombres irrationnels au moyen des fractions continues. *C. R. Acad. Sci. Paris* 106 (1888), 1584-1587.

- [124] ——— Quelques remarques relatives à la représentation de nombres irrationnels au moyen des fractions continues. *C. R. Acad. Sci. Paris* 106 (1888), 1777-1781.
- [125] HABER, S. and C. F. OSGOOD. On the sum $\Sigma \langle n\alpha \rangle^{-t}$ and numerical integration. *Pacific J. Math.* 31 (1969), 383-394. MR 41 # 4801.
- [126] HALL, M. JR. On the sum and product of continued fractions. *Ann. Math.* 48 (1947), 966-993. MR 9, 226.
- [127] HARDY, G. H. *Collected Papers of G. H. Hardy*, volume I. Oxford Univ. Press, 1966.
- [128] HARDY, G. H. and J. E. LITTLEWOOD. Some problems of Diophantine approximation. In *Proc. 5th International Congress of Mathematicians (1912)*, volume I, pages 223-229, Cambridge, 1913.
- [129] ——— Some problems of Diophantine approximation. *Acta Math.* 37 (1914), 155-191.
- [130] ——— Some problems of Diophantine approximation II. The trigonometrical series associated with the elliptic ϑ -functions. *Acta Math.* 37 (1914), 193-238.
- [131] ——— Some problems of Diophantine approximation: a further note on the trigonometrical series associated with the elliptic theta-functions. *Proc. Cambridge Phil. Soc.* 21 (1922), 1-5.
- [132] ——— Some problems of Diophantine approximation: the lattice-points of a right-angled triangle. *Proc. Lond. Math. Soc.* 20 (1922), 15-36.
- [133] ——— Some problems of Diophantine approximation: the lattice-points of a right-angled triangle (second memoir). *Abh. Math. Sem. Hamburg* 1 (1922), 212-249.
- [134] ——— Some problems of Diophantine approximation: a series of cosecants. *Bull. Calcutta Math. Soc.* 20 (1930), 251-266.
- [135] HARDY, G. H. and E. M. WRIGHT. *An Introduction to the Theory of Numbers*. Oxford University Press, 5th edition, 1989.
- [136] HARTMAN, S. Quelques propriétés ergodiques des fractions continues. *Studia Math.* 12 (1951), 271-278. MR 13-758.
- [137] HARTMAN, S., E. MARCZEWSKI and C. RYLL-NARDZEWSKI. Théorèmes ergodiques et leurs applications. *Colloq. Math.* 2 (1951), 109-123. MR 13-758.
- [138] HEAWOOD, P. J. The classification of rational approximations. *Proc. Lond. Math. Soc.* 20 (1922), 233-250.
- [139] HENSLEY, D. The distribution of badly approximable numbers and continuants with bounded digits. In J.-M. de Koninck and C. Levesque, editors, *Number Theory: Proceedings of the International Number Theory Conference held at Université Laval, July 5-18, 1987*, pages 371-385. Walter de Gruyter, Berlin, 1989.
- [140] ——— The Hausdorff dimensions of some continued fraction Cantor sets. *J. Number Theory* 33 (1989), 182-198.
- [141] ——— The distribution of badly approximable rationals and continuants with bounded digits, II. *J. Number Theory* 34 (1990), 293-334.
- [142] HERMANN, M. R. Sur la conjugaison différentiable des difféomorphismes du cercle à des rotations. *Publ. Math. I. H. E. S.* (49) (1979), 5-233. MR 81h # 58039.
- [143] ——— Sur les difféomorphismes du cercle de nombre de rotation de type constant. In W. Beckner, A. P. Calderón, R. Fefferman and P. W. Jones,

- editors, *Conference on Harmonic Analysis in Honor of Antoni Zygmund*, volume II, pages 708-725. Wadsworth International Group, Belmont, California, 1983. MR 86b # 58070.
- [144] — Sur les courbes invariantes par les difféomorphismes de l'anneau, Vol. 1. *Astérisque*, n° 103-104, pages 23-32, 1983. Chapitre IV. MR 85m # 58062.
- [145] — Exemples de fractions rationnelles ayant une orbite dense sur la sphère de Riemann. *Bull. Soc. Math. France* 112 (1984), 93-142. MR 86d # 58055.
- [146] — Sur les courbes invariantes par les difféomorphismes de l'anneau, Vol. 2. *Astérisque*, n° 144, pages 1-243, 1986. MR 88f # 58131.
- [147] HIRST, K. E. A problem in the fractional dimension theory of continued fractions. *Quart. J. Math. Oxford* 21 (1970), 29-35. MR 41 # 3424.
- [148] — Continued fractions with sequences of partial quotients. *Proc. Amer. Math. Soc.* 38 (1973), 221-227. MR 47 # 143.
- [149] HLAVKA, J. L. Results on sums of continued fractions. *Trans. Amer. Math. Soc.* 211 (1975), 123-134. MR 51 # 12720.
- [150] HURWITZ, A. Ueber die angenäherte Darstellung der Irrationalzahlen durch rationale Brüche. *Math. Ann.* 39 (1891), 279-284.
- [151] IVANOV, V. A. A theorem of Dirichlet in the theory of Diophantine approximations. *Mat. Zametki* 24 (1978), 459-474, 589. (In Russian); English translation in *Math. Notes* 24 (1978), 747-755. MR 80f # 10040.
- [152] JARNÍK, V. Zur metrischen Theorie der diophantischen Approximationen. *Prace Mat.-Fiz.* 36 (1928), 91-106.
- [153] — Diophantische Approximationen und Hausdorffsches Mass. *Mat. Sbornik* 36 (1929), 371-382.
- [154] DEL JUNCO, A. A family of counterexamples in ergodic theory. *Israel J. Math.* 44 (1983), 160-188. MR 85b # 28012.
- [155] KARHUMÄKI, J. On cube-free ω -words generated by binary morphisms. *Disc. Appl. Math.* 5 (1983), 279-297. MR 84j # 03081.
- [156] KATZNELSON, Y. Sigma-finite invariant measures for smooth mappings of the circle. *J. d'Analyse Math.* 31 (1977), 1-18. MR 58 # 6161.
- [157] KATZNELSON, Y. and D. ORNSTEIN. The absolute continuity of the conjugation of certain diffeomorphisms of the circle. *Ergod. Theory & Dynam. Sys.* 9 (1989), 681-690.
- [158] KAUFMAN, R. Continued fractions and Fourier transforms. *Mathematika* 27 (1980), 262-267. MR 82h # 10065.
- [159] KEMPNER, A. J. On transcendental numbers. *Trans. Amer. Math. Soc.* 17 (1916), 476-482.
- [160] KHINCHIN A. YA. (= KHINTCHINE). *Continued Fractions*. University of Chicago Press, 1964. MR 28 # 5037.
- [161] KHINTCHINE, A. Ein Satz über Kettenbrüche, mit arithmetischen Anwendungen. *Math. Zeitschrift* 18 (1923), 289-306.
- [162] — Metrische Kettenbruchprobleme. *Compositio Math.* 1 (1935), 361-382.
- [163] — Zur metrischen Kettenbruchtheorie. *Compositio Math.* 3 (1936), 276-285.
- [164] KHINTCHINE, YA. A. *Continued Fractions*. (In Russian). Gosudarstv. Izdat. Tehn.-Teor. Lit., Moscow-Leningrad, 2nd edition, 1949. MR 13 # 444f.
- [165] — *Kettenbrüche*. B. G. Teubner, Leipzig, 1956. MR 18 # 274f.
- [166] KINNEY, J. R. and T. S. PITCHER. On the lower range of Perron's modular function. *Canad. J. Math.* 21 (1969), 808-816. MR 40 # 1343.

- [167] KMOŠEK, M. Rozwinięcie niektórych liczb niewymiernych na ułamki łańcuchowe. Master's thesis, Uniwersytet Warszawski, 1979.
- [168] KNOPP, K. Mengentheoretische Behandlung einiger Probleme der diophantischen Approximationen und der transfiniten Wahrscheinlichkeiten. *Math. Ann.* 95 (1926), 409-426.
- [169] KNUTH, D. E. *Sorting and Searching*, volume III of *The Art of Computer Programming*. Addison-Wesley, 1973.
- [170] ——— *Seminumerical Algorithms*, volume II of *The Art of Computer Programming*. Addison-Wesley, 1981.
- [171] KÖHLER, G. Some more predictable continued fractions. *Monatshefte Math.* 89 (1980), 95-100. MR 81g # 10017.
- [172] KOKSMA, J. F. *Diophantische Approximationen*. Springer-Verlag, Berlin, 1936.
- [173] KUIPERS, L. and H. NIEDERREITER. *Uniform Distribution of Sequences*. John Wiley & Sons, New York, 1974, pp. 121-126; MR 54 # 7415.
- [174] KUZMIN, R. O. Sur un problème de Gauss. In *Atti Congr. Intern. Bologna*, volume 6, pages 83-89. 1928.
- [175] ——— Ob odnoi zadache Gaussa. *Dokl. Akad. Nauk. Ser. A* (1928), 375-380.
- [176] LACZKOVICH, M. On Kemperman's inequality $2f(x) \leq f(x+h) + f(x+2h)$. *Colloq. Math.* 49 (1984), 109-115. MR 86g # 26028.
- [177] LAGRANGE, J. L. Sur la résolution des équations numériques. In *Oeuvres*, volume 2, pages 539-652. Gauthiers-Villars, Paris, 1868.
- [178] ——— Additions aux éléments d'algèbre d'Euler. In *Oeuvres*, volume 7, pages 5-180. Gauthiers-Villars, Paris, 1877.
- [179] LANG, S. *Introduction to Diophantine Approximations*. Addison-Wesley, Reading, Mass., 1966. Pp. 24-26. MR 35 # 129.
- [180] ——— Transcendental numbers and Diophantine approximations. *Bull. Amer. Math. Soc.* 77 (1971), 635-677.
- [181] LANG, S. and H. TROTTER. Continued fractions for some algebraic numbers. *J. Reine Angew. Math.* 255 (1972), 112-134. MR 46 # 5258. Addendum, 267 (1974), 219-220. MR 50 # 2086.
- [182] LARCHER, G. On the distribution of sequences connected with good lattice points. *Monatshefte Math.* 101 (1986), 135-150. MR 87j # 11074.
- [183] LEHMER, D. H. Mathematical methods in large-scale computing units. In *Proceedings of a Second Symposium on Large-Scale Digital Calculating Machinery, 1949*, pages 141-146, Cambridge, Mass., 1951. Harvard Univ. Press.
- [184] LERCH, M. Question 1547. *L'Intermédiaire des mathématiciens* 11 (1904), 144-145.
- [185] LESCA, J. *Sur les approximations diophantiennes à une dimension*. PhD thesis, Univ. Grenoble, 1968.
- [186] LÉVY, P. Sur les lois de probabilité dont dépendent les quotients complets et incomplets d'une fraction continue. *Bull. Soc. Math. France* 57 (1929), 178-194.
- [187] ——— Sur la probabilité et la fréquence asymptotiques des différentes valeurs des quotients complets et incomplets d'une fraction continue. *C. R. Acad. Sci Paris* 190 (1930), 608-610.
- [188] ——— Sur le développement en fraction continue d'un nombre choisi au hasard. *Compositio Math.* 3 (1936), 286-303.

- [189] ——— Observations sur une note de M. Denjoy. *C. R. Acad. Sci. Paris* 202 (1936), 812-813.
- [190] ——— Fractions continues aléatoires. *Rend. Circ. Mat. Palermo* 2 (1952), 170-208. MR 16-600.
- [191] ——— *Théorie de l'Addition des Variables Aléatoires*. Gauthier-Villars, Paris, 1954.
- [192] LIOUVILLE, J. Sur des classes très-étendues de quantités dont la valeur n'est ni algébrique ni même réductible à des irrationnelles algébriques. *J. Math. Pures Appl.* 16 (1851), 133-142.
- [193] DE LA LLAVE, R. A simple proof of a particular case of C. Siegel's center theorem. *J. Math. Phys.* 24 (1983), 2118-2121. MR 85c # 58060.
- [194] ——— Remarks on J. Langer and D. A. Singer decomposition theorem for diffeomorphisms of the circle. *Commun. Math. Phys.* 104 (1986), 387-401. MR 87h # 58174.
- [195] LOXTON, J. H. and A. J. VAN DER POORTEN. Transcendence and algebraic independence by a method of Mahler. In A. Baker and D. W. Masser, editors, *Transcendence Theory: Advances and Applications*, pages 212-226. Academic Press, 1977. MR 57 # 16219.
- [196] MACKAY, R. S. A renormalisation approach to invariant circles in area-preserving maps. *Physica D* 7 (1983), 283-300. MR 85f # 58045.
- [197] ——— Transition to chaos for area-preserving maps. In *Nonlinear Dynamic Aspects of Particle Accelerators*, volume 247 of Lecture Notes in Physics, pages 390-454. Springer-Verlag, 1986. MR 87k # 58181.
- [198] MACKAY, R. S., J. D. MEISS and I. C. PERCIVAL. Transport in Hamiltonian systems. *Physica D* 13 (1984), 55-81. MR 86m # 58057.
- [199] MACKAY, R. S. and J. STARK. Evaluation of an approximate renormalisation scheme for area-preserving maps. *Physics Letters A* 138 (1989), 113-122. MR 90g # 58114.
- [200] MAHLER, K. Arithmetische Eigenschaften der Lösungen einer Klasse von Funktionalgleichungen. *Math. Annalen* 101 (1929), 342-366.
- [201] MAILLET, E. *Introduction à la Théorie des Nombres Transcendants et des Propriétés Arithmétiques des Fonctions*. Gauthier-Villars, Paris, 1906. Chapitre VII.
- [202] MARION, J. Dimension de Hausdorff et fractions continues. *C. R. Acad. Sci. Paris* 292 (1981), 311-313. MR 82b # 10073.
- [203] MARKOFF, A. Sur les formes quadratiques binaires indéfinies. *Math. Ann.* 15 (1879), 381-406.
- [204] ——— Sur les formes quadratiques binaires indéfinies. (Second mémoire). *Math. Ann.* 17 (1880), 379-399.
- [205] ——— Sur une question de Jean Bernoulli. *Math. Ann.* 19 (1882), 27-36.
- [206] MENDÈS FRANCE, M. On a theorem of Davenport concerning continued fractions. *Mathematika* 23 (1976), 136-141.
- [207] ——— Principe de la symétrie perturbée. In *Seminar on Number Theory, Paris 1979-80*, pages 77-98. Birkhauser, Boston, 1981. MR 83a # 10089.
- [208] ——— Folding paper and thermodynamics. *Physics Reports (Review Section of Physics Letters)* 103 (1984), 161-172.
- [209] MENDÈS FRANCE, M. and J. O. SHALLIT. Wire bending. *J. Combin. Theory, Series A*, 50 (1989), 1-23.
- [210] MESIROV, J. P. and M. M. SWEET. Continued fraction expansions of rational expressions with irreducible denominators in characteristic 2. *J. Number Theory* 27 (1987), 144-148. MR 89a # 11016.

- [211] MEYER, Y. Sur un problème de Michael Herman. In W. Beckner, A. P. Calderón, R. Fefferman, and P. W. Jones, editors, *Conference on Harmonic Analysis in Honor of Antoni Zygmund*, volume II, pages 726-731. Wadsworth International Group, Belmont, California, 1983. MR 85c # 42011.
- [212] MIGNOSI, F. Infinite words with linear subword complexity. *Theoret. Comput. Sci.* 65 (1989), 221-242.
- [213] MIGNOTTE, M. Approximation des nombres par certaines suites de rationnels. In *Séminaire Delange-Pisot-Poitou (Théorie des Nombres)*, volume 18, pages 16.01-16.03, 1976/77. MR 81c # 10041.
- [214] MILLS, W. H. and D. P. ROBBINS. Continued fractions for certain algebraic power series. *J. Number Theory* 23 (1986), 388-404. MR 87k # 11073.
- [215] MITTAG-LEFFLER, G. M. Sur une transcendante remarquable trouvée par M. Fredholm. *Acta Math.* 15 (1891), 279-280.
- [216] MULLEN, G. L. and NIEDERREITER, H. Optimal characteristic polynomials for digital multistep pseudorandom numbers. *Computing* 39 (1987), 155-163.
- [217] VON NEUMANN, J. and B. TUCKERMAN. Continued fraction expansion of $2^{1/3}$. *Math. Tables Aids Comput.* 9 (1955), 23-24. MR 16-961.
- [218] NIEDERREITER, H. Application of Diophantine approximations to numerical integration. In C. F. Osgood, editor, *Diophantine Approximation and its Applications*, pages 129-199. Academic Press, New York, 1973. MR 50 # 9825.
- [219] ——— Pseudo-random numbers and optimal coefficients. *Adv. Math.* 26 (1977), 99-181. MR 57 # 16238.
- [220] ——— Quasi-Monte Carlo methods and pseudo-random numbers. *Bull. Amer. Math. Soc.* 84 (1978), 957-1041. MR 80d # 65016.
- [221] ——— On a measure of denseness for sequences. In *Topics in Classical Number Theory V. II*, volume 34 of Colloq. Math. Soc. Janos Bolyai, pages 1163-1208. 1981. MR 86h # 11058.
- [222] ——— Number-theoretic problems in pseudorandom number generation. In *Proc. Symp. on Applications of Number Theory to Numerical Analysis (Kyoto, 1984)*, Lecture Notes No. 537, pages 18-28. Research Inst. of Math. Sciences, Kyoto Univ., 1984.
- [223] ——— Dyadic fractions with small partial quotients. *Monatshefte Math.* 101 (1986), 309-315. MR 87k # 11015.
- [224] ——— Continued fractions with small partial quotients. In Y. Morita, editor, *Proc. 1986 Nagasaki Symposium on Number Theory*, pages 1-11. Tōhoku Univ., Sendai, Japan, 1987.
- [225] ——— Rational functions with partial quotients of small degree in their continued fraction expansion. *Monatshefte Math.* 103 (1987), 269-288. MR 88h # 12002.
- [226] ——— The probabilistic theory of linear complexity. In C. G. Günther, editor, *Advances in Cryptology-EUROCRYPT '88*, volume 330 of Lecture Notes in Computer Science, pages 191-209. Springer-Verlag, 1988.
- [227] ——— Sequences with almost perfect linear complexity profile. In D. Chaum and W. L. Price, editors, *Advances in Cryptology-EUROCRYPT '87*, volume 304 of Lecture Notes in Computer Science, pages 37-51. Springer-Verlag, 1988.
- [228] OPPENHEIM, A. The approximate functional equation for the multiple theta-function and the trigonometric sums associated therewith. *Proc. Lond. Math. Soc.* 28 (1928), 476-483.

- [229] OREVKOV, V. P. On the complexity of expansion of algebraic irrationalities in continued fractions. *Trudy Mat. Inst. Steklov* 129 (1973), 24-29, 267. (In Russian); English translation in *Proc. Steklov Inst. Math.* 129 (1973), 20-24. MR 55 # 12647.
- [230] OSTROWSKI, A. Bemerkungen zur Theorie der Diophantischen Approximationen. *Abh. Math. Sem. Hamburg* 1 (1922), 77-98.
- [231] PASS, R. P. On the partial quotients of algebraic integers. *J. Number Theory* 11 (1979), 14-15. MR 80b # 10045.
- [232] PAVONE, M. On the condensation points of the Lagrange spectrum. *Rend. Circ. Mat. Palermo* 35 (1986), 444-447. MR 89d # 11056.
- [233] ——— The Cantor set and a geometric construction. *Enseign. Math.* 35 (1989), 41-49. MR 90g # 11016.
- [234] PERRON, O. Über die Approximation irrationaler Zahlen durch rationale. *Sitzungsberichte der Heidelberger Akademie der Wissenschaften, Abh.* 4 (1921), 3-17.
- [235] ——— Über die Approximation irrationaler Zahlen durch rationale. II. *Sitzungsberichte der Heidelberger Akademie der Wissenschaften, Abh.* 8 (1921), 1-12.
- [236] ——— *Die Lehre von den Kettenbrüchen*. B. G. Teubner, Stuttgart, 1954.
- [237] PETHÖ, A. Simple continued fractions for the Fredholm numbers. *J. Number Theory* 14 (1982), 232-236. MR 83k # 10015.
- [238] ——— On the representation of 1 by binary cubic forms with positive discriminant. In H.-P. Schlickewei and E. Wirsing, editors, *Number Theory (Proceedings of the "Journées Arithmétiques" held in Ulm, FRG, September 14-18, 1987)*, volume 1380 of Lecture Notes in Mathematics, pages 185-196. Springer, 1989. MR 90k # 11027.
- [239] PHILIPP, W. Some metrical problems in number theory. *Pacific J. Math.* 20 (1967), 109-127. MR 34 # 5755.
- [240] ——— Das Gesetz vom iterierten Logarithmus mit Anwendungen auf die Zahlentheorie. *Math. Ann.* 180 (1969), 75-94. MR 39 # 1423. Corrigendum, 190: 338, 1971; MR 43 # 4789.
- [241] ——— Some metrical theorems in number theory, II. *Duke Math. J.* 37 (1970), 447-458. MR 42 # 7620. Errata, 37 (1970), 788. MR 43 # 177.
- [242] ——— *Mixing Sequences of Random Variables and probabilistic Number Theory*. Number 114 in Memoirs Amer. Math. Soc. American Math. Soc., Providence, Rhode Island, 1971. MR 55 # 10411.
- [243] ——— A conjecture of Erdős on continued fractions. *Acta Arith.* 28 (1976), 379-386. MR 52 # 8069.
- [244] PHILIPP, W. and O. P. STACKELBERG. Zwei Grenzwertsätze für Kettenbrüche. *Math. Ann.* 181 (1969), 152-156. MR 39 # 5503.
- [245] POLLINGTON, A. D. The Hausdorff dimension of a set of non-normal well approximable numbers. In M. B. Nathanson, editor, *Number Theory (Carbondale, 1979)*, volume 751 of Lecture Notes in Mathematics, pages 256-264. Springer-Verlag, 1979. MR 81j # 10082.
- [246] VAN DER POORTEN, A. J. An introduction to continued fractions. In J. H. Loxton and A. J. van der Poorten, editors, *Diophantine Analysis*, pages 99-138. Cambridge University Press, 1986. MR 88d # 11006.
- [247] ——— Remarks on the continued fractions of algebraic numbers. In *Groupe de Travail en Théorie Analytique et Élémentaire des Nombres*, Publications Mathématiques d'Orsay, 88-01, pages 89-90. 1988.

- [248] VAN DER POORTEN, A. J. and J. SHALLIT. Folded continued fractions. *J. Number Theory* 40 (1992), 237-250.
- [249] PRASAD, K. C. On gaps of Lagrange spectrum. *J. Indian Math Soc.* 53 (1988), 251-255. MR 90i # 11070.
- [250] PROINOV, P. D. Points of constant type and upper bounds of the square deviation for a class of infinite sequences. *C. R. Acad. Bulgare Sci.* 35 (1982), 753-755. MR 85g # 11064.
- [251] ——— Estimation of L^2 discrepancy of a class of infinite sequences. *C. R. Acad. Bulgare Sci.* 36 (1983), 37-40. MR 86a # 11030.
- [252] ——— On the L^2 discrepancy of some infinite sequences. *Serdica. Bulg. Math. Publ.* 11 (1985), 3-12. MR 87a # 11071.
- [253] RAMHARTER, G. Some metrical properties of continued fractions. *Mathematika* 30 (1983), 117-132. MR 85c # 11058.
- [254] ——— Eine Bemerkung über gewisse Nullmengen von Kettenbrüchen. *Ann. Univ. Sci. Eötvös Sect. Math.* 28 (1985), 11-15. MR 88a # 11072.
- [255] RAND, D. A. Global phase space universality, smooth conjugacies and renormalization I. The $C^{1+\alpha}$ case. *Nonlinearity* 1 (1988), 181-202. MR 89g # 58109.
- [256] RANEY, G. N. On continued fractions and finite automata. *Math. Ann.* 206 (1973), 265-283. MR 49 # 4922.
- [257] RÉNYI, A. Representations for real numbers and their ergodic properties. *Acta. Math. Acad. Sci. Hungar.* 8 (1957), 477-493. MR 20 # 3843.
- [258] RICHERT, N. Hypocycloids, continued fractions, and distribution modulo one. *Amer. Math. Monthly* 98 (1991), 133-139.
- [259] RICHTMYER, R. D. Continued fraction expansion of algebraic numbers. *Adv. Math.* 16 (1975), 362-367. MR 51 # 8020. Also appeared in *Surveys in Applied Mathematics (Proc. First Los Alamos Sympos. Math. in Natural Sci., Los Alamos, N. M., 1974)*, N. Metropolis, S. Orszag, and G.-C. Rota, eds., Academic Press, New York, pages 117-122. MR 58 # 27727.
- [260] RICHTMYER, R. D., M. DEVANEY and N. METROPOLIS. Continued fraction expansions of algebraic numbers. *Numer. Math.* 4 (1962), 68-84. MR 25 # 44.
- [261] RIEGER, G. J. Die metrische Theorie der Kettenbrüche seit Gauss. *Abh. Braunschweig. Wiss. Gesell.* 27 (1977), 103-117. MR 58 # 21996.
- [262] ROGERS, C. A. Some sets of continued fractions. *Proc. Lond. Math. Soc.* 14 (1964), 29-44. MR 28 # 1420.
- [263] ——— *Hausdorff Measures*. Cambridge Univ. Press, 1970, pp. 135-147; MR 43 # 7576.
- [264] ROSEN, D. and J. SHALLIT. A continued fraction algorithm for approximating all real polynomial roots. *Math. Mag.* 51 (1978), 112-116. MR 58 # 8219.
- [265] ROTH, K. F. Rational approximations to algebraic numbers. *Mathematika* 2 (1955), 1-20. Corrigendum, 2 (1955), 168. MR 17-242.
- [266] RYLL-NARDZEWSKI, C. On the ergodic theorems (II). *Studia Math.* 12 (1951), 74-79. MR 13-757.
- [267] ŠALÁT, T. Bemerkung zu einem Satz von P. Lévy in der metrischen Theorie der Kettenbrüche. *Math. Nachrichten* 41 (1969), 91-94. MR 40 # 98.
- [268] SANDER, J. W. On a conjecture of Zaremba. *Monatshefte Math.* 104 (1987), 133-137. MR 89b # 11013.

- [269] SCHMIDT, W. M. On badly approximable numbers. *Mathematika* 12 (1965), 10-20. MR 31 # 5838.
- [270] ——— On badly approximable numbers and certain games. *Trans. Amer. Math. Soc.* 123 (1966), 178-199. MR 33 # 3793.
- [271] ——— Badly approximable systems of linear forms. *J. Number Theory* 1 (1969), 139-154. MR 40 # 1344.
- [272] ——— *Diophantine Approximation*. Volume 785 of Lecture Notes in Mathematics. Springer-Verlag, 1980. MR 81j # 10038.
- [273] SCHNEIDER, T. *Einführung in die Transzendenten Zahlen*. Volume 81 of Grundlehren der Mathematischen Wissenschaften. Springer-Verlag, Berlin, 1957.
- [274] SCHOISSENGEIER, J. An asymptotic expansion for $\sum_{n \leq N} \{n\alpha + \beta\}$. In H. Hlawka and R. F. Tichy, editors, *Number-Theoretic Analysis*, volume 1452 of Lecture Notes in Mathematics, pages 199-205. Springer-Verlag, 1990.
- [275] SHALLIT, J. Simple continued fractions for some irrational numbers. *J. Number Theory* 11 (1979), 209-217. MR 80k # 10006.
- [276] ——— Explicit descriptions of some continued fractions. *Fibonacci Quart.* 20 (1982), 77-81. MR 83j # 10012.
- [277] ——— Simple continued fractions for some irrational numbers, II. *J. Number Theory* 14 (1982), 228-231. MR 84a # 10035.
- [278] ——— Some facts about continued fractions that should be better known. University of Waterloo, Dept. of Computer Science, Technical Report CS-91-30, July 1991.
- [279] SHOREY, T. N. Divisors of convergents of a continued fraction. *J. Number Theory* 17 (1983), 127-133. MR 85d # 11068.
- [280] SIEGEL, C. Approximation algebraischer Zahlen. *Math. Zeitschrift* 10 (1921), 173-213.
- [281] ——— Über den Thueschen Satz. *Norske Vid. Selsk. Skr.* 16 (1921), 1-12.
- [282] SINAI, YA. G. and K. M. KHANIN. Smoothness of conjugacies of diffeomorphisms of the circle with rotations. *Uspekhi Math. Nauk* 44 (1989), 57-82. (In Russian); English translation in *Russian Math. Surveys* 44 (1989), 69-99.
- [283] STACKELBERG, O. P. On the law of the iterated logarithm for continued fractions. *Duke Math. J.* 33 (1966), 801-819. MR 36 # 6369.
- [284] STARK, H. M. An explanation of some exotic continued fractions found by Brillhart. In A. O. L. Atkin and B. J. Birch, editors, *Computers in Number Theory*, pages 21-35. Academic Press, 1971. MR 49 # 2570.
- [285] STARK, J. Smooth conjugacy and renormalization for diffeomorphisms of the circle. *Nonlinearity* 1 (1988), 541-575. MR 90b # 58246.
- [286] STEWART, M. Irregularities of uniform distribution. *Acta Math. Acad. Sci. Hungar.* 37 (1981), 185-221. MR 82k # 10072.
- [287] STOLARSKY, K. B. Beatty sequences, continued fractions, and certain shift operators. *Canad. Math. Bull.* 19 (1976), 473-482. MR 56 # 2908.
- [288] STRAUCH, O. Two properties of the sequence $n\alpha \pmod{1}$. *Acta Math. Univ. Comenian.* 44/45 (1984), 67-73. MR 86d # 11057.
- [289] SZÜSZ, P. Über einen Kusminschen Satz. *Acta Math. Acad. Sci. Hungar.* 12 (1961), 447-453. MR 27 # 124.
- [290] ——— On Kuzmin's theorem, II. *Duke Math. J.* 35 (1968), 535-540. MR 37 # 1336.

- [291] THUE, A. Über Annäherungswerte algebraischer Zahlen. *J. Reine Angew. Math.* 135 (1909), 284-305.
- [292] THULL, K. Approximation by continued fraction of a polynomial real root. In *EUROSAM 84 (Cambridge, 1984)*, volume 174 of Lecture Notes in Computer Science, pages 367-377. Springer, Berlin, 1984.
- [293] VEECH, W. A. Strict ergodicity in zero dimensional dynamical systems and the Kronecker-Weyl theorem mod 2. *Trans. Amer. Math. Soc.* 140 (1969), 1-33. MR 39 # 1410.
- [294] VINCENT, A. J. H. Sur la résolution des équations numériques. *J. Math. Pures Appl.* 1 (1836), 341-372.
- [295] VINOGRADOV, A. M., B. DELONE and D. FUKS. Rational approximations to irrational numbers with bounded partial quotients. *Dokl. Akad. Nauk SSSR (N.S.)* 118 (1958), 862-865. MR 21 # 40.
- [296] VROEDT, C. de. Measure-theoretical investigations concerning continued fractions. *Proc. Konin. Neder. Akad. Wet.* 65 A (1962), 583-591. (= *Indag. Math.* 24). MR 27 # 2483.
- [297] ——— Metrical problems concerning continued fractions. *Compositio Math.* 16 (1964), 191-195. MR 30 # 3058.
- [298] WALFISZ, A. Über einige trigonometrische Summen. *Math. Zeitschrift* 33 (1931), 564-601.
- [299] ——— Über eine trigonometrische Summe. *J. London Math. Soc.* 6 (1931), 169-172.
- [300] ——— Über einige trigonometrische Summen. (Zweite Abhandlung). *Math. Zeitschrift* 35 (1932), 774-788.
- [301] WILSON, S. M. J. Limit points in the Lagrange spectrum of a quadratic field. *Bull. Soc. Math. France* 108 (1980), 137-141. MR 82m # 10056.
- [302] WIMAN, A. Über eine Wahrscheinlichkeitsaufgabe bei Kettenbruchentwicklungen. *Öfversigt af Kongl. Vetenskaps-Akademiens Förhandlingar (Stockholm)* 57 (1900), 829-841.
- [303] WIRSING, E. On the theorem of Gauss-Kusmin-Lévy and a Frobenius-type theorem for function spaces. *Acta Arith.* 24 (1974), 507-528. MR 49 # 2637.
- [304] WOLFSKILL, J. A growth bound on the partial quotients of cubic numbers. *J. Reine Angew. Math* 346 (1984), 129-140. MR 85f # 11050.
- [305] WU, T. On the proof of continued fraction expansions for irrationals. *J. Number Theory* 23 (1986), 55-59. MR 87h # 11066.
- [306] ZAREMBA, S. K. Good lattice points, discrepancy, and numerical integration. *Ann. Mat. Pura Appl.* 73 (1966), 293-317. MR 36 # 1107.
- [307] ——— La méthode des «bons treillis» pour le calcul des intégrales multiples. In S. K. Zaremba, editor, *Applications of Number Theory to Numerical Analysis*, pages 39-119 Academic Press, New York, 1972. MR 49 # 8271.
- [308] HENSLEY, D. A polynomial time algorithm for the Hausdorff dimension of continued fraction Cantor sets. Manuscript.
- [309] ——— Continued fraction Cantor sets, Hausdorff dimension, and functional analysis. Manuscript.
- [310] STEINHAUS, H. Nowa własność mnogości G. Cantora. *Wektor* 6 (1916/17), 105-107. Reprinted in *Hugo Steinhaus: Selected papers*, Polish Scientific Publishers, 1985.
- [311] LARCHER, G. A new extremal property of the Fibonacci ratio. *Fib. Quart.* 26 (1988), 247-255.

- [312] — A convergence problem connected with continued fractions. *Proc. Amer. Math. Soc.* 103 (1988), 718-722.
- [313] KRAAIKAMP, C. and P. LIARDET. Good approximation and continued fractions. *Pro. Amer. Math. Soc.* 112 (1991), 303-309.
- [314] SCHOISSENGEIER, J. Abschätzungen für $\sum_{n \leq N} B_1(n\alpha)$. *Monatshefte Math.* 102 (1986), 59-77.
- [315] HENSLEY, D. The distribution mod n of fractions with bounded partial quotients. Manuscript.

(Reçu le 4 juin 1991)

Jeffrey Shallit

Department of Computer Science
University of Waterloo
Waterloo, Ontario
Canada N2L 3G1

vide-leer-empty