**Zeitschrift:** Bulletin de la Société Fribourgeoise des Sciences Naturelles = Bulletin der Naturforschenden Gesellschaft Freiburg

**Herausgeber:** Société Fribourgeoise des Sciences Naturelles

**Band:** 105 (2016)

**Artikel:** The massive particle as a quantum-locked state of movement

**Autor:** Müller, Edgar

**DOI:** https://doi.org/10.5169/seals-696914

**Nutzungsbedingungen**

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Mehr erfahren

**Conditions d'utilisation**

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. En savoir plus

**Terms of use**

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. Find out more

**Download PDF:** 29.01.2026

**ETH-Bibliothek Zürich, E-Periodica, https://www.e-periodica.ch**

# The massive particle as a quantum-locked state of movement

EDGAR MÜLLER, CHEMIN DES BOULEAUX 14, 1012 LAUSANNE

**Summary**

*According to the relativistic energy invariant, the rest mass $m_0$ is a fourth, locked component of movement, orthogonal to the free components $p_x$, $p_y$, $p_z$. From this it must be concluded that $m_0$ is a quantum-locked state of movement, determined by the spectrum $\square\Psi = \lambda\Psi$ of the D'ALEMBERT operator.*

**Résumé**

*D'après l'invariance d'énergie relativiste, la masse au repos $m_0$ est une quatrième composante du mouvement, verrouillée et orthogonale aux composantes $p_x$, $p_y$, $p_z$, qui à leur tour sont libres. On doit en conclure que $m_0$ est un état quantique verrouillé du mouvement, déterminé par le spectre $\square\Psi = \lambda\Psi$ de l'opérateur de D'ALEMBERT.*

**Zusammenfassung**

*Aus der relativistischen Energie-Invarianz folgt, dass die Ruhemasse $m_0$ eine vierte Komponente der Bewegung ist, verriegelt und senkrecht zu den Komponenten $p_x$, $p_y$, $p_z$, die ihrerseits frei sind. Man muss daraus schliessen dass $m_0$ ein verriegelter Quantenzustand der Bewegung ist, bestimmt durch das Spektrum $\square\Psi = \lambda\Psi$ des D'ALEMBERT'schen-Operators.*

As shown in a previous paper[i], physical reality is conditioned by the algebraic 2-squares, 4-squares, and 8-squares identities. These identities are mathematical singularities, which give rise to the complex numbers, the quaternions, and the octonions, respectively. In quaternion space $\mathbb{H}$, which is the physical 4-space with negative metric signature (+1,-1,-1,-1), POISSON'S equation becomes a wave equation[ii]:

$$\Delta(\boldsymbol{\varphi}(\boldsymbol{x})) = \frac{\partial^2\varphi}{\partial {x_0}^2} - \frac{\partial^2\varphi}{\partial {x_1}^2} - \frac{\partial^2\varphi}{\partial {x_2}^2} - \frac{\partial^2\varphi}{\partial {x_3}^2} = \boldsymbol{\rho}(\boldsymbol{x}). \tag{1}$$

In its most general form, this wave equation represents the *fundamental equation of electrodynamics*, which is the LORENTZ-invariant form of MAXWELL'S equations:

$$\Box A = \left(\frac{1}{c^2}\frac{\partial^2}{\partial t^2} - \frac{\partial^2}{\partial {x_1}^2} - \frac{\partial^2}{\partial {x_2}^2} - \frac{\partial^2}{\partial {x_3}^2}\right) A = \mu_0 J, \tag{2}$$

wherein $\Box$ represents D'ALEMBERT's operator ; $A = \left(\frac{\varphi}{c}, (A_1, A_2, A_3)\right)$ the 4-potential, composed of scalar and vector potential, and $J = (\rho c, (J_1, J_2, J_3))$ the 4-current density, composed of charge and current.

Equation (2) reflects the structure of the relativistic energy invariant:

$$\frac{E^2}{c^2} - \vec{p}^2 = {m_0}^2 c^2. \tag{3}$$

If we measure distance in light-seconds[iii] instead of meters, c equals 1, and the relativistic energy invariant simplifies to: $E^2 - \vec{p}^2 = {m_0}^2$, or $E^2 = {m_0}^2 + \vec{p}^2$ .

From this equations it is immediately evident that moment $\vec{p} = (p_x, p_y, p_z)$ and rest mass $m_0$ are mutually orthogonal components of the total energy **E**, which means that **the rest mass $m_0$ is a fourth component of movement**.

Whereas we experimentally know that the components of movement $\mathbf{p_x}$, $\mathbf{p_y}$, $\mathbf{p_z}$ may take arbitrary values, we also experimentally know that the rest mass $m_0$ is tied to determined discrete values, i.e. the rest masses of the known elementary particles and of their possible compounds[iv].

From this it must be concluded that **the rest mass $m_0$ is determined by the spectrum[v] of the D'ALEMBERT operator $\Box$** :

$$\Box \Psi = \left(\frac{1}{c^2}\frac{\partial^2}{\partial t^2} - \frac{\partial^2}{\partial {x_1}^2} - \frac{\partial^2}{\partial {x_2}^2} - \frac{\partial^2}{\partial {x_3}^2}\right) \Psi = \lambda \Psi, \tag{4}$$

wherein the variable **$\Psi$ is a quaternion wave-function expressing movement in 4-space**.

In particle physics, the octonion equivalent of this formula must ultimately also be considered:

$$\bigcirc \Psi = \left(\frac{1}{c^2}\frac{\partial^2}{\partial t^2} - \frac{\partial^2}{\partial {x_1}^2} - \frac{\partial^2}{\partial {x_2}^2} - \frac{\partial^2}{\partial {x_3}^2} - \frac{\partial^2}{\partial {x_4}^2} - \frac{\partial^2}{\partial {x_5}^2} - \frac{\partial^2}{\partial {x_6}^2} - \frac{\partial^2}{\partial {x_7}^2}\right) \Psi = \lambda \Psi, \tag{5}$$

wherein **$\psi$ is an octonion wave function expressing movement in 8-space[vi]**.

The massive particle therefore appears as a quantum-locked state of movement in four or eight dimensions. It has previously been shown by DIRAC that this holds for the electron / positron in 4-space:

Setting the scalar $\boldsymbol{\lambda} = -\frac{m^2c^2}{\hbar^2}$ and taking a scalar wave function ψ instead of a quaternion function **Ψ**, equation (4) goes over into the well-known KLEIN-GORDON[vii] equation:

$$\frac{1}{c^2}\frac{\partial^2}{\partial t^2}\psi - \nabla^2\psi + \frac{m^2c^2}{\hbar^2}\psi = 0. \tag{6}$$

This equation was the starting point for DIRAC'S[viii] derivation of a quantum mechanical description of the electron, which factors the operator and obtains a first-order differential equation for the electron's wave function:

$$\left(\beta mc^2 + c(\alpha_1 p_1 + \alpha_2 p_2 + \alpha_3 p_3)\right)\psi(x,t) = i\hbar\frac{\partial\psi(x,t)}{\partial t}. \tag{7}$$

The factors $\alpha_1$, $\alpha_2$, $\alpha_3$, and β are 4x4 matrices with the multiplicative properties required to factor equation (6).

Equations (4) and (5) can also be factorized[ix] into first-order differential equations using *DIRAC's coup*, which makes the spectra of eigenvalues and the corresponding eigenfunctions of the D'ALEMBERT operator in quaternion 4-space, and their homologues in octonion 8-space, accessible to calculation.

**Acknowlegements**

Prof. JEAN-PAUL BERRUT is kindly acknowledged for reading the manuscript and for his valuable comments.

**REFERENCES**

---

[i] EDGAR MÜLLER, *De la réalité des nombres*, Bull. Soc. Frib. Sc. Nat. Vol. **103** (2014) p. 83-90

[ii] Note that ρ(x) changes sign in a space with negative metrics, because of GAUSS' law: In positive metrics GAUSS' law states that $div(E) = \partial E_x/\partial x + \partial E_y/\partial y + \partial E_z/\partial z = -\rho$. In negative metrics (in quaternion or MINKOWSKI space) E becomes ($iE_x$, $jE_y$, $kE_z$), and *div* becomes $\left(\frac{i\partial}{\partial x}, \frac{j\partial}{\partial y}, \frac{k\partial}{\partial z}\right)$, with $i^2 = j^2 = k^2 = ijk = -1$, which changes the sign of ρ in the formula. The same holds for the fundamental equation of electrodynamics, where $\mu_0 J$ is positive.

[iii] After the invention of the *optical frequency comb*, which allows a direct measurement of the frequency of light waves, the *meter* has ceased to be a primary unit of physics; it is now merely defined via the product of time and light speed c: 1 nano-light-second (*nls*) being a convenient unit for daily use, equaling about 30 cm.

[iv] For a compound there is a mass lack corresponding to the binding energy of the components.

[v] LYNN A. STEEN, Highlights in the history of spectral theory, *The American Mathematical Monthly*, vol. 80, 1973, pp. 359-381.

[vi] In analogy to the *Quabla* operator □ in 4-space, we use the *Octogon* ⬡ as a symbol for the corresponding operator in 8-space.

[vii] OSKAR KLEIN, *Z. Phys.* , **37** (1926) pp. 895–906; WALTER GORDON, *Z. Phys.* , **40** (1926–1927) pp. 117–133.

[viii] PAUL A. M. DIRAC, The Quantum Theory of the Electron; *Proceedings of the Royal Society of London. Series A, Containing Papers of a Mathematical and Physical Character*, Vol. **117**, No. 778 (Feb. 1, 1928), pp. 610-624.

[ix] The amenability to factoring is obvious from the multiplicative norm holding in quaternion and in octonion space: a sum of four, respectively eight squares can always be written as a bilinear product of two sums of four, respectively eight squares, where both factors may be chosen equal; hence the square root of the operator may be taken.