

List of the figures and plants in volume 1

Objekttyp: **Index**

Zeitschrift: **Veröffentlichungen des Geobotanischen Institutes der Eidg. Tech. Hochschule, Stiftung Rübel, in Zürich**

Band (Jahr): **71 (1986)**

PDF erstellt am: **30.04.2024**

Nutzungsbedingungen

Die ETH-Bibliothek ist Anbieterin der digitalisierten Zeitschriften. Sie besitzt keine Urheberrechte an den Inhalten der Zeitschriften. Die Rechte liegen in der Regel bei den Herausgebern.

Die auf der Plattform e-periodica veröffentlichten Dokumente stehen für nicht-kommerzielle Zwecke in Lehre und Forschung sowie für die private Nutzung frei zur Verfügung. Einzelne Dateien oder Ausdrucke aus diesem Angebot können zusammen mit diesen Nutzungsbedingungen und den korrekten Herkunftsbezeichnungen weitergegeben werden.

Das Veröffentlichen von Bildern in Print- und Online-Publikationen ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. Die systematische Speicherung von Teilen des elektronischen Angebots auf anderen Servern bedarf ebenfalls des schriftlichen Einverständnisses der Rechteinhaber.

Haftungsausschluss

Alle Angaben erfolgen ohne Gewähr für Vollständigkeit oder Richtigkeit. Es wird keine Haftung übernommen für Schäden durch die Verwendung von Informationen aus diesem Online-Angebot oder durch das Fehlen von Informationen. Dies gilt auch für Inhalte Dritter, die über dieses Angebot zugänglich sind.

LIST OF THE FIGURES AND PLATES IN VOLUME 1

2. 1. Groups of fronds of various <u>Lemnaceae</u>	14
2. 2. Young fronds of <u>Spirodela polyrrhiza</u>	16
2. 3. Longitudinal section of <u>Wolffiella lingulata</u>	17
2. 4. Longitudinal section of <u>Wolffia arrhiza</u>	18
2. 5. Light micrographs of <u>Wolffia arrhiza</u>	19
2. 6. Interpretation of the <u>Spirodela</u> frond, according to BRUNAUD (1974a,b)	21
2. 7. Interpretation of the <u>Lemnaceae</u> frond, according to BROOKS (1940) and DAUBS (1965)	22
2. 8. Interpretation of the <u>Lemna</u> frond, according to ASHBY et al. (1949).	23
2. 9. Homology in <u>Pistia</u> and <u>Spirodela</u> , according to MEUSEL (1951)	24
2.10. Interpretation of the <u>Lemnaceae</u> frond in the present work	25
2.11. Changes of frond area of <u>Lemna minor</u> grown at 20°C and 5000 lux light intensity in the course of generations	30
2.12. Diagram of the vegetative growth cycle of <u>Lemna</u> <u>aequinoctialis</u>	32
2.13. Frond chains in <u>Lemna trisulca</u>	33
2.14. <u>Lemna trisulca</u> producing spiral chains in the half-shade	34
2.15. Young frond primordia of <u>Wolffia arrhiza</u> arising in the reproductive pouch of a mother frond	40
2.16. Ultrastructure of a parenchymatic cell of <u>Spirodela</u> <u>polyrrhiza</u>	41
2.17. Ultrastructure of a guard cell of a mature frond of <u>Wolffia arrhiza</u>	42
2.18. Chloroplast of <u>Spirodela polyrrhiza</u>	43
2.19. Chloroplasts of <u>Lemna</u> sp.	44
2.20. Ultrastructure of young daughter frond cells of <u>Wolffia</u> <u>arrhiza</u>	45
2.21. Upper epidermis of <u>Lemna aequinoctialis</u> and <u>Wolffia</u> <u>brasiliensis</u>	49
2.22. Comparison of chloroplasts of <u>Wolffia arrhiza</u> in epidermal and in palisade-like cells	50
2.23. Longitudinal section of stomata cells of <u>Lemna minor</u>	51
2.24. <u>Wolffia brasiliensis</u> with a prominent papilla	53
2.25. Transverse section of the distal part of <u>Lemna gibba</u> , showing the aerenchymatous tissue	55
2.26. <u>Lemna gibba</u> . Gibbous fronds from below showing air spaces and roots	55
2.27. Transverse sections of <u>Lemna gibba</u> fronds	57
2.28. Basal part of the <u>Lemna trisulca</u> frond	59
2.29. Nerves of <u>Lemna gibba</u> and <u>Lemna minor</u>	60
2.30. Section of a frond segment of <u>Spirodela punctata</u>	62
2.31. Raphide cell from the root of <u>Lemna minor</u>	62
2.32. A developing young frond of <u>Lemna aequinoctialis</u>	65
2.33. Transverse section of a young root sheath of <u>Lemna aequinoctialis</u>	71
2.34. Rootcap of <u>Lemna gibba</u>	72
2.35. Longitudinal section of the root tip of <u>Lemna minor</u>	73
2.36. Transverse section of the root tip of <u>Spirodela</u> <u>polyrrhiza</u> and <u>Lemna minor</u>	75
2.37. Transverse section of the root tip of <u>Lemna minor</u>	76

2.38. Organs of stabilization	78
2.39. Turion of <u>Spirodela polyrrhiza</u> from below	82
2.40. Flowering <u>Wolffiella Welwitschii</u>	90
2.41. Two flowering fronds of <u>Wolffia columbiana</u>	90
2.42. Flower of <u>Lemna disperma</u>	93
2.43. Flower of <u>Wolffia angusta</u>	93
2.44. Flowers of <u>Spirodela polyrrhiza</u> and <u>Lemna trisulca</u>	94
2.45. Flower diagram of <u>Spirodela polyrrhiza</u>	94
2.46. Flower of <u>Lemna aequinoctialis</u>	95
2.47. Longitudinal section of a flowering frond of <u>Wolffia microscopica</u>	95
2.48. Frond and flower primordia of <u>Lemna gibba</u>	96
2.49. Transverse section of an anther of <u>Spirodela polyrrhiza</u>	98
2.50. Longitudinal section of an anther of <u>Lemna aequinoctialis</u> during meiosis	98
2.51. Size of pollen grains of two clones each of <u>Lemna</u> <u>aequinoctialis</u> and <u>Lemna turionifera</u> with varying chromosome numbers (2n=40 and 80)	99
2.52. Pollen grain of <u>Lemna minor</u>	99
2.53. Pollen grains of different <u>Lemnaceae</u>	100
2.54. Surface of a pollen grain of <u>Lemna trisulca</u>	102
2.55. Ovule with mature embryo sac of <u>Spirodela polyrrhiza</u>	107
2.56. Ovule of <u>Lemna aequinoctialis</u>	108
2.57. Pollen grains of <u>Lemna aequinoctialis</u> germinating on the stigma	109
2.58. Fertilized embryo sac of <u>Lemna aequinoctialis</u> showing proembryo and 8-celled endosperm	110
2.59. Longitudinal section of a seed of <u>Wolffia microscopica</u>	111
2.60. Longitudinal section of the distal part of a seed of <u>Lemna aequinoctialis</u>	112
2.61. Spherical droplet on the stigma of <u>Wolffiella lingulata</u>	113
2.62. Fruits of different <u>Lemnaceae</u>	116
2.63. Seeds of some <u>Lemnaceae</u>	118
2.64. Seeds of different <u>Lemnaceae</u>	120
2.65. Seed structures of different <u>Lemnaceae</u>	121
2.66. Transverse sections of the fruits of <u>Lemna aequinoctialis</u> and <u>Lemna perpusilla</u>	122
2.67. Transverse section through a germinating seed of <u>Lemna gibba</u>	124
3.1. Chromosome preparations by URBANSKA	129
3.2. Chromosome preparations by BEPPU	131
3.3. Chromosome preparations by GEBER	133
4.1. <u>Lemna minor</u> growing in the drip of a waterfall in Semien (Ethiopia)	141
5.1. Mass and energy flow in a duckweed system	187
5.2. Schematic presentation of a <u>Lemnetea</u> community	207
5.3. <u>Lemna minuscula</u> as a pioneer species in an outlet of a spring (Argentina)	211
5.4. Association of <u>Lemna gibba</u> and <u>Wolffiella oblonga</u> (Argentina)	223
6.1. Geographic divisions of the world	234
6.2. Distribution of the family of <u>Lemnaceae</u>	235
6.3. Number of <u>Lemnaceae</u> species within the different regions of the world	236
6.4. Distribution of <u>Spirodela intermedia</u>	242

6.5. Distribution of <u>Spirodela polyrrhiza</u>	254
6.6. Distribution of <u>Spirodela punctata</u>	261
6.7. Distribution of <u>Lemna gibba</u> and <u>L. disperma</u>	272
6.8. Distribution of <u>Lemna minor</u> and <u>L. japonica</u>	282
6.9. Distribution of <u>Lemna ecuadorensis</u> and <u>L. obscura</u>	286
6.10. Distribution of <u>Lemna turionifera</u>	291
6.11. Distribution of <u>Lemna trisulca</u>	300
6.12. Distribution of <u>Lemna perpusilla</u> and <u>L. tenera</u>	302
6.13. Distribution of <u>Lemna aequinoctialis</u>	319
6.14. Distribution of <u>Lemna valdiviana</u>	326
6.15. Distribution of <u>Lemna minuscula</u>	334
6.16. Distribution of <u>Wolffia hyalina</u> , <u>W. repanda</u> , <u>W. rotunda</u> and <u>W. neotropica</u>	338
6.17. Distribution of <u>Wolffia Welwitschii</u>	342
6.18. Distribution of <u>Wolffia lingulata</u>	346
6.19. Distribution of <u>Wolffia oblonga</u>	351
6.20. Distribution of <u>Wolffia gladiata</u> and <u>W. denticulata</u>	354
6.21. Distribution of <u>Wolffia microscopica</u> and <u>W. elongata</u>	356
6.22. Distribution of <u>Wolffia brasiliensis</u>	361
6.23. Distribution of <u>Wolffia borealis</u> and <u>W. australiana</u>	364
6.24. Distribution of <u>Wolffia angusta</u> and <u>W. arrhiza</u>	370
6.25. Distribution of <u>Wolffia columbiana</u>	376
6.26. Distribution of <u>Wolffia globosa</u>	380
6.27. Highest known stations of <u>Spirodela polyrrhiza</u> in relation to the latitude	385
6.28. Highest known stations of <u>Lemna gibba</u> in relation to the latitude	385
6.29. Highest known stations of <u>Lemna minor</u> in relation to the latitude	387
6.30. Highest known stations of <u>Lemna trisulca</u> in relation to the latitude	387
6.31. Highest known stations of <u>Lemna aequinoctialis</u> in relation to the latitude	389
6.32. Highest known stations of <u>Lemna minuscula</u> in relation to the latitude	389
6.33. Highest known stations of <u>Wolffia oblonga</u> in relation to the latitude	390
6.34. Climate zones of the world	405
6.35. Distribution of <u>Spirodela punctata</u> with the year of the first record	407
7.1. Correlation between the DNA content and the degree of primitivity	419
7.2. Supposed relationship between the genera of the <u>Lemnaceae</u>	420
7.3. Genetic distance between some species of <u>Lemna</u>	423
7.4. Supposed taxonomical relationship within the genus <u>Lemna</u>	424
7.5. Supposed taxonomical relationship within the section <u>Lemna</u>	425
7.6. Supposed taxonomical relationship within the genus <u>Wolffia</u>	426
7.7. Supposed taxonomical relationship within the genus <u>Wolffia</u>	427
7.8. Supposed taxonomical relationship within the section <u>Wolffia</u>	428
9.1. Transparent preparations of <u>Spirodela</u> species	497
9.2. Transparent preparations of <u>Lemna</u> species	498
9.3. Transparent preparations of <u>Wolffia</u> species	503
9.4. Transparent preparations of <u>Wolffia</u> species	508

LIST OF THE TABLES IN VOLUME 1

3.1. Chromosome numbers of <u>Lemnaceae</u>	134
3.2. DNA content of the chromosomes of <u>Lemnaceae</u> and <u>Pistia</u>	137
4.1. Range of nutrient content in waters with <u>Lemnaceae</u>	150
4.2. Lowest yearly mean of some nutrients in waters of Central Europe with <u>Lemnaceae</u> species	150
4.3. Lowest nutrient demand of some <u>Lemnaceae</u> species	165
4.4. Three levels of approximate minimum nutrient requirements in <u>Lemnaceae</u>	165
4.5. Flowering and fruiting percentage of <u>Lemnaceae</u> species in nature	169
4.6. Flowering and fruiting time of <u>Lemnaceae</u> species	172
4.7. Chemical composition of waters with flowering <u>Lemnaceae</u>	176
5.1. Competition for nitrogen and phosphorus between <u>Lemna turionifera</u> , <u>Spirodela polyrrhiza</u> , and <u>Wolffia borealis</u>	206
5.2. Seasonal changes of the <u>Lemnaceae</u> vegetation in a pond in California	209
6.1. Number of species of each genus of the <u>Lemnaceae</u> within main regions of the world	237
6.2. The highest known localities of some species of <u>Lemnaceae</u>	382
6.3. Ecological limits of <u>Lemnaceae</u> distribution	393
6.4. Minimal duration of days with mean temperatures higher than 10°C for <u>Lemnaceae</u> species	395
6.5. Temperature limits of the three coolest months for <u>Lemnaceae</u> species	397
6.6. Temperature limits of the three warmest months for <u>Lemnaceae</u> species	399
6.7. Lowest mean temperature of the three warmest months needed for <u>Lemnaceae</u> species	400
6.8. Limits of the occurrence of <u>Lemnaceae</u> according to the aridity factor of Martonne	401
6.9. Occurrence of <u>Lemnaceae</u> species within climate zones	403
7.1. Different characteristics of <u>Spirodela</u> and <u>Pistia</u>	415
7.2. Primitive and derived characteristics within the <u>Lemnaceae</u> family	418
7.3. Degree of primitivity of the <u>Lemnaceae</u> species	422
9.1. Characteristics of the species of section <u>Lemna</u>	478
9.2. Occurrence of the species of section <u>Lemna</u>	479
9.3. Morphological characteristics of <u>Lemna aoukikusa</u>	488
9.4. Characteristics typical for species of the <u>Wolffiella oblonga</u> group	539