

Zeitschrift: Veröffentlichungen des Geobotanischen Institutes der Eidg. Tech. Hochschule, Stiftung Rübel, in Zürich
Herausgeber: Geobotanisches Institut, Stiftung Rübel (Zürich)
Band: 115 (1994)

Artikel: Experimental investigation of alpine plant communities in the Northwestern Caucasus
Autor: Onipchenko, Vladimir G. / Blinnikov, Mikhail S. / Sennov, Andrej V.
Bibliographie
DOI: <https://doi.org/10.5169/seals-308979>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 31.07.2025

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

REFERENCES

- ABDALADZE O.G., 1987: CO₂ exchange of plants in subalpine zone, the Central Caucasus (In Russ.). Botan.Zhurn. (Soviet Journal of Botany), 72 (8), 1042-1049.
- AKATOV V.V., 1989: On syntaxonomy of high mountain bogs and wet meadows of the West Caucasus. (In Russ.) VINITI (Deponir. rukopis N 7472-B89), Moscow. 28 pp.
- ANDREJKO M. and COHEN A., 1984: Scanning electron microscopy of silicophytoliths from the Okefenokee swamp-march complex. In: COHEN A.D., CASAGRANDE D.L., ANDREJKO M.J. and BEST G.R. (eds.), The Okefenokee swamp: Its natural history, geology and geochemistry. Wetland surveys, Los Alamos, New Mexico. 468-491.
- ARCHIBOLD O.W., 1984: A comparison of seed reserves in arctic, subarctic and alpine soils. Can.Field Natur. 98 (3), 337-344.
- BAKER G., 1959: Opal phytoliths in some Victorian soils and "Red rain" residues. Austr.J. Bot. 7, 64-87.
- BLACKMAN E., 1971: Opaline silica in the range grasses of southern Alberta. Can.J.Bot. 49, 769-781.
- BLINNIKOV M.S., 1992: Phytolith analysis of plants and soils of alpine communities in the Northwestern Caucasus. (In Russ.) Diploma work, Geobotany Dept., Faculty of Biology, Moscow State Univ. 94 pp.
- BOUMA J., HOEKS J., VAN DER PLAS L. and VAN SCHERRENBURG B., 1969: Genesis and morphology of some Alpine Podzol Profiles. J.Soil Sci. 20, 384-398.
- BOUMA J. and PLAS VAN DER L., 1971: Genesis and morphology of some alpine pseudogley profiles. J.Soil Sci. 22, 81-93.
- BROWN D.A., 1984: Prospects and limits of a phytoliths key for grasses in the Central United States. J.Archaeol.Sci. 11 (4), 345-368.
- CARBONE V., 1977: Phytoliths as paleoecological indicators. Ann. N.Y. Acad.Sci. 288, 194-205.
- CHUYO H., 1985: Patternd grounds and vegetation in the alpine area of Mt. Ontake, central Japan. J.Sci.Hiroshima Univ., Ser.2B 19 (2), 171-236.
- CLEMENTS F.E., 1905: Research methods in ecology. Univ. Publ. Co., Lincoln. 334 pp.
- CLEMENTS F.E. and HALL H.M., 1918: Reciprocal transplants. Carnegie Inst.Wash. Year Book, 17, 292 pp.
- CLEMENTS F.E. and WEAVER J.E., 1924: Experimental vegetation. Carnegie Inst.Wash. 601 pp.
- COLLINS S.L. and BARBER S.C., 1986: Effects on disturbance on diversity in mixed-grass prairie. Vegetatio 64 (2-3), 87-94.
- CONNELL J.H., 1990: Apparent versus "real" competition in plants. In: GRACE J.B., TILMAN D. (ed.), Perspectives on plant competition. Acad.Press, San Diego. 9-26.
- COSTIN A.B., 1955: Alpine soils in Australia with reference to conditions in Europe and New Zealand. J.Soil Sci. 6 (1), 35-50.
- COSTIN A.B., HALLSWORTH E.G. and WOOD M., 1952: Studies in pedogenesis in New South Wales. III. The Alpine Humus Soils. J.Soil Sci. 3 (2), 190-218.
- DEL MORAL R., 1983: Competition as a control mechanism in subalpine meadows. Am.J. Bot. 70 (2), 232-245.
- DINESMAN L.G., KISELEVA N.K. and KNYASEV A.V., 1989: The history of steppe ecosystems in Mongolia [Istoriya stepnykh ecosistem MNR]. (In Russ.). Nauka, Moscow. 214 pp.
- EBERSOLE J.J., 1989: Role of the seed bank in providing colonizers on a tundra disturbance in Alaska. Can.J.Bot. 67 (2), 466-471.
- ELLENBERG H., 1953: Physiologisches und ökologisches Verhalten derselben Pflanzenarten. Ber.Deut.Bot.Ges. 65, 351-352.
- ELLENBERG H., 1954: Über einige Fortschritte der kausalen Vegetationskunde. Vegetatio

- 5/6, 199-211.
- FENNER M., 1985: Seed ecology. Chapman and Hall, London. 160 pp.
- FOMIN S.V., ONIPCHENKO V.G. and SENNOV A.V., 1989: Feeding and digging activities of the pine vole (*Pitymys majori* Thos.) in alpine coenoses of the Northwestern Caucasus. (In Russ.) Byull. Mosk. o-va ispyt. prir. otd. biol. 94 (3), 6-13.
- GEIS J.W., 1973: Biogenetic silica in selected species of deciduous angiosperms. J.Soil Sci. 116, 113-130.
- GIGON A., 1971: Vergleich alpiner Rasen auf Silikat- und Karbonatboden. Veröff.Geobot. Inst.ETH, Stiftung Rübel, Zürich 48. 159 pp.
- GIGON A., 1983: Welches ist der wichtigste Standortsfaktor für die floristischen Unterschiede zwischen benachbarten Pflanzengesellschaften? Verh.Ges.Ökol. (Festschrift El- lenberg) 11, 145-160.
- GIGON A., 1987: A hierarchic approach in causal ecosystem analysis the calcifuge-calcico- le problem in alpine grasslands. In: SCHULZE E.-D. and ZWÖLFER H. (eds.) Potentials and limitat. ecosyst. anal. (Ecol. Stud. 61). Springer, Berlin. 228-244.
- GOGINA E.E., 1960: Seed productivity of some high mountain meadow edificators in South Osetia. (In Russ.) Botan. Zhurn. 45 (9), 1330-1336.
- GORCHAKOVSKY P.L., 1975: Flora and vegetation of high mountain zone of the Ural. [Ras- titelnyi mir visocogornogo Urala] (In Russ.). Nauka, Moscow. 283 pp.
- GRABHERR G., 1987a: Produktion und Produktionsstrategien im Krummseggenrasen (*Caricetum curvulae*) der Silikatalpen und ihre Bedeutung für die Bestandesstruktur. Ver- öff.Österr. MaB-Programm. Österr.Akad.Wiss. 10, 233-241.
- GRABHERR G., 1987b: High alpine flora and vegetation of the Tyrolean Alps (W. Austria). 14th Int.Botan.Congr. Excursion Guide (exc. 18). Berlin. 82 pp.
- GRABHERR G., 1989: On community structure in high alpine grasslands. Vegetatio 83, 223-227.
- GRABHERR G., MAHR T. and REISIGL H., 1978: Nettoprimärproduktion und Reproduktion in einem Krummseggenrasen (*Caricetum curvulae*) der Ötztaler Alpen. Tirol. Oecol. Plant. 13 (3), 227-252.
- GRACANIN Z., 1972: Die Böden der Alpen. In: GANSSEN R. and GRACANIN Z., Bodengeo- graphie mit besonderer Berücksichtigung der Böden Mitteleuropas. Koehler, Stuttgart. 172-191.
- GRIME J.P., 1979: Plant strategies and vegetation processes. Wiley, Chichester. 222 pp.
- GRIME J.P., 1981: Plant strategies in shade. In: SMITH H. (ed), Plants and the daylight spec- trum. Acad. Press, London. 159-186.
- GRISHINA L.A., CHERKINSKY A.O., ZHAKOVA O.E. and ONIPCHENKO V.G., 1987: Radiocar- bon age of mountain meadow alpine soils of the Northwestern Caucasus. (In Russ.). Doklady Akademii nauk SSSR. [Reports of Soviet Acad. of Sci.] 296 (1), 218-220.
- GRISHINA L.A., ONIPCHENKO V.G., MAKAROV M.I. et al., 1986: Composition and structure of alpine heath biogeocoenosis [Sostav i struktura biogeocenozov alpijskih pustoshei] (In Russ.). Moscow Univ.Press, Moscow. 88 pp.
- GRISHINA L.A., ONIPCHENKO V.G., MAKAROV M.I. and VANJASIN V.A., 1993: The features of alpine mountain-meadow soils at different ecological conditions in the Northwestern Caucasus. Sov.Soil Sci. [Pochvovedenie] 4, 5-13.
- GROSSHEIM A.A., 1948: Vegetation of the Caucasus (In Russ.) [Rastitelnyi pokrov Kavka- sa]. Mosc. Soc. Natur., New serie, 4 (XII). 268 pp.
- GRUBB P., 1977: The maintenance of species richness in plant communities: the impor- tance of the regeneration niche. Biol.Rev. 52 (1), 107-145.
- GUBANOV I.A., KISELEVA K.V., NOVIKOV V.S. and TIKHOMIROV V.N., 1990: Meadow plants. (In Russ.) [Lugovie travjanistye rastenia]. Agropromizdat, Moscow. 183 pp.
- HATT M., 1991: Samenvorrat von zwei alpinen Böden. Ber.Geobot.Inst.ETH, Stiftung Rübel, Zürich 57, 41-71.

- HODACHEK E.A., 1985: Soil seed banks of tundras (Taimyr) and polar deserts (Novaja Zemla). (In Russ.). Botan. Zhurn. 70 (7), 896-908.
- HOFER H., 1981: Der Einfluss des Massenschilaufes auf alpine Sauerbödenrasen am Beispiel der Gurgler Heide (Ötztal/ Tirol) und Beobachtungen zur Phänologie des *Curvuletum*. Ber. Naturwiss.-med.Ver. Innsbruck 68, 31-56.
- HUTCHINSON G.E., 1957: Concluding remarks. Cold Spring Harbor Symp. Quant. Biol. 22, 415-422.
- JOHNSSON D.D. and CLINE A.J., 1965: Colorado mountain soils. Advances in agronomy. Acad.Press, New York and London 17, 233-281.
- JONASSON S., 1992: Plant responses to fertilization and species removal in tundra related to community structure and clonality. Oikos 63 (3), 420-429.
- KHAPAEV S.A., 1976: Timberline oscillation in Teberda State Reserve. (In Russ.) In: AGAHANJANZ O.E. et al. (ed.) High mountain geoecology [Vysokogornaya geoecologia]. Inst.Geogr.Acad.Sci. USSR, Moscow. 55-57.
- KISELEVA N.K., 1982: Phytolith soil studies as a tool for the investigation of the history of East Mongolia steppes. (In Russ.). Izvestiya AN SSSR. [News of Soviet Acad.Sci.] ser. Geogr. 2, 95-106.
- KISELEVA N.K., 1992: Botanical and phytolith analysis of Holocene zoogenic deposits in North Osetia. (In Russ.). In: DINESMAN L.G. (ed.), Historical ecology of wild and domestic ungulates: History of pasture ecosystems. [Istoricheskaya ekologiya dikikh kopytnykh.] Nauka, Moscow. 24-83.
- KLEIN R.L. and GEIS J.W., 1978: Biogenetic silica in the Pinaceae. J.Soil Sci. 126, 145-156.
- KLÖTZLI F., 1980: Zur Verpfanzung von Streu- und Moorwiesen. ANL Tag.Ber. 5, 41-50.
- KNIGHT D.H., WEAVER S.W., STARR C.R. and ROMME W.H., 1979: Differential response of subalpine meadow vegetation to snow augmentation. J.Range Manag. 32 (5), 356-359.
- KÖRNER Ch., 1982: CO₂-exchange in the alpine sedge *Carex curvula* as influenced by canopy structure, light and temperature. Oecologia (Berlin) 53, 98-104.
- KOROTKOV V.N., 1991: The new paradigm in forest ecology. (In Russ.). Biol.nauki 8, 7-20.
- LEPS J. and STURSA T., 1989: Species-area curve, life history strategies and succession: a field test of relationships. Vegetatio 83 (1-2), 249-257.
- LIKENS G.E. (ed.), 1989: Long-term studies in ecology. Springer, New York. 214 pp.
- MAKAROV M.I., 1985: Dynamics of some properties of the soils of alpine lichen heath in the Northwestern Caucasus. Vestn. Mosk. Univ., ser.17, 1, 71- 73.
- MAKHOVA Yu.V. and PATYK-KARA N.G., 1961: On the history of high mountain vegetation of the Great Caucasus in Holocene. (In Russ.). In: MARKOV K.K. (ed.), Paleogeography of Quaternary period in the USSR [Paleogeographia chetvertichnogo perioda SSSR]. Moscow. 125-130.
- MARGALITADZE N.A. and KIMERIDZE K.R., 1985: Holocene history of vegetation of Upper Svanetia. (In Russ.). In: NAKHUTSRISHVILI G.S. (ed.), Flora and vegetation of Svanetia [Flora i rastitelnost' Svanetii]. Mezniereba, Tbilisi. 240-260.
- MAY D.E., WEBBER P.J. and MAY T.A., 1982: Success of transplanted alpine plants on Niwot Ridge, Colorado. Univ.Color.Inst.Arct. and Alp.Res.Occas.Pap. 37, 73-81.
- McGROW J.B. and VAVREK M.C., 1989: The role of buried viable seeds in arctic and alpine plant communities. In: LECK M.A. et al.(ed.), Ecology of soil seed banks. Acad. Press, London. 91-105.
- MCKENDRICK J.D., BATZLI G.O., EVERETT K.R. and SWANSONS J., 1980: Some effects of mammalian herbivores and fertilization on tundra soils and vegetation. Arct. and Alp. Res. 12 (4), 565-578.
- MEHRA P.N. and SHARMA O.P., 1965: Epidermal silica cells in the *Cyperaceae*. Bot.Gaz. 126 (1), 53 -58.

- METCALFE C.R., 1960: Anatomy of the Monocotyledons. I. Gramineae. Clarendon Press, Oxford. 731 pp.
- MORIN H. and PAYETTE S., 1988: Buried seed populations in the montane, subalpine, and alpine belts of Mont Jacques-Cartier, Quebec. Can.J.Bot. 66 (1), 101-107.
- MUELLER M., 1987: Bodenbildung auf Silikatunterlage in der alpinen Stufe des Oberengadins (Zentralalpen, Schweiz). Catena 14, 419-437.
- NAKHUTSRISHVILI G.S., 1974: Ecology of high-mountain plants and plant communities of the Central Caucasus. Phenology, photosynthesis and life forms. (In Russ.). [Ekologija visokogornih rastenij i fitozenosov Zentralnogo Kavkaza]. Mezniereba, Tbilisi. 194 pp.
- NAKHUTSRISHVILI G.S., 1988: Ecological characteristic of high mountain meadow vegetation (Kazbegi, Central Caucasus). (In Russ.). In: NAKHUTSRISHVILI G.Sh. (ed.), The ecology of high mountains. Mezniereba, Tbilisi. 175-200.
- NESTROY O., 1984: Aspekte der Bodenentwicklung unter Almen der Ostalpen. Wien.Geo-gr.Schr., 59-60, 67-72.
- OLSVIG-WHITTAKER L., 1988: Relating small-scale vegetation patterns to the environment. In: DURING H.J. et al. (ed.), Diversity and pattern in plant communities. SPB Acad. Publ., Hague. 87-84.
- ONIPCHENKO V.G., 1982: The biomass of fruticose lichens in the alpine heath of the Teberdinsk Nature Reserve. (In Russ.). Byull. Mosk. o-va ispyt.prir. otd.biol. 87 (1), 97 - 99.
- ONIPCHENKO V.G., 1984: Experimental investigation of alpine lichen heath's structure. (In Russ.). Doklady Mosk. o-va ispyt. prir. Zoologija i botanika. Nauka, Moscow. 78-81.
- ONIPCHENKO V.G., 1985: The structure, phytomass and production of alpine lichen heaths. (In Russ.) Byull. Mosk. o-va ispyt.prir. otd.biol. 90 (1), 59-66.
- ONIPCHENKO V.G., 1987: Mechanisms of ecological niches separation in terrestrial plants. (In Russ.). Zhurn. obtsh. biol. (Soviet Journal of General Biology) 48 (5), 687-695.
- ONIPCHENKO V.G., 1990: Phytomass of the alpine communities in the Northwestern Caucasus. (In Russ.) Byull. Mosk. o-va ispyt.prir. otd.biol. 95 (6), 52-62.
- ONIPCHENKO V.G., GUZHOVA G.A., SEMENOVA G.V. and RABOTNOVA M.V., 1991: Population strategies of alpine plants of the Northwestern Caucasus. (In Russ.). In: SHILOV I.A. (ed.), Ekologija populazij (Population ecology). Nauka, Moscow. 165-180.
- ONIPCHENKO V.G., LUBEZNOVA N.V., POKARZHEVSKAYA G.A. and RABOTNOVA M.V., 1992: Syntaxonomy of alpine plant communities in the Teberda Reserve. Class Salicetea herbaceae Br.-Bl. 1947. (In Russ.). VINITI (Deponir.rukopis N 2828-B92), Moscow. 20 pp.
- ONIPCHENKO V.G., MINAEVA T.Y. and RABOTNOVA M.V., 1987: On syntaxonomy of alpine plant communities of Teberda reserve. (In Russ.). VINITI (Deponir. rukopis N 1675-B87), Moscow. 33 pp.
- ONIPCHENKO V.G. and SEMENOVA G.V., 1988: Species richness of some alpine plant communities of the N.-W. Caucasus. Vestn. Mosk. Univ. ser. 16 (Biol.), 3, 42-45.
- ONIPCHENKO V.G. and SENNOV A.V. 1992: Syntaxonomy of Rhododendron caucasicum - communities in the Teberda reserve (the Northwestern Caucasus). (In Russ.). Biol. nauki 4, 14-22.
- PALMER M.W., 1990: Spatial scale and patterns of species - environment relationships in Hardwood forest of the North Carolina Piedmont. Coenoses 5 (2), 79-87.
- PALMER P.G., 1976: Grass cuticles: a new paleoecological tool for East African lake sediments. Can.J.Bot. 54, 1725-1734.
- PARISH R. and TURKINGTON R., 1990a: The influence of dung pats and molehills on pasture composition. Can.J.Bot. 68 (8), 1698-1705.
- PARISH R. and TURKINGTON R., 1990b: The colonization of dung pats and molehills in permanent pastures. Can.J.Bot. 68 (8), 1706-1711.
- PARTRIDGE T.R. and WILSON F.B., 1988: The use of field transplants in determining envi-

- romental tolerance in salt marshes of Otago, New Zealand. N.Z.J.Bot. 26 (2), 183-192.
- PAVLOVA I.V. and ONIPCHENKO V.G., 1992: Holocene dynamics of the Northwestern Caucasus alpine vegetation. (In Russ.). In: DINESMAN L.G. (ed.), Historical ecology of wild and domestic ungulates: History of pasture ecosystems. [Istoricheskaja ekologija dikh i domashnih kopytnykh. Istoria pastbitznyh ekosistem.]. Nauka, Moscow. 109-122.
- PICKETT S.T.A. and WHITE P.S. (ed.), 1985: The ecology of natural disturbance and patch dynamics. Acad.Press, Orlando. 472 pp.
- PIGOTT C.D., 1982: The experimental study of vegetation. New Phytol. 90 (3), 389-404.
- PIPERNO D.R., 1988: Phytolith analysis: An archaeological and geological perspective. Acad.Press, San Diego. 260 pp.
- PIPERNO D.R., 1991: The status of phytolith analysis in the American tropics. J.World Pre-hist. 5 (2), 155-191.
- POSCH A., 1977: Bodenkundliche Untersuchungen im Bereich der Glocknerstrasse in den Hohen Tauern (2300-2600 m MH). In: CERNUSCA A. (ed.), Alpine Grasheide Hohe Tauern. Ergebnisse der Ökosystemstudie. Innsbruck 1, 111-121.
- RABOTNOV T.A., 1982: Viable seeds in soils of natural biogeocoenoses of the USSR (In Russ.). In: DROSDOV N.N. et al. (ed.), Theoretical and applied aspects of biogeography. Nauka, Moscow. 35-59.
- RABOTNOV T.A., 1983: Phytocoenology [Phytocoenologiya]. (In Russ.). Mosc.Univ. Press, Moscow. 292 pp.
- RABOTNOV T.A. (ed.), 1987a: Biogeocoenoses of alpine heaths (NW Caucasus). (In Russ.). Nauka, Moscow. 76 pp.
- RABOTNOV T.A., 1987b: Experimental phytocoenology [Experimentalnaj phytozenologia] (In Russ.). Mosc.Univ. Press, Moscow. 160 pp.
- RABOTNOVA M.V., ONIPCHENKO V.G. and USTINOVA J.A. 1992: Influence of artifical shading on alpine lichen heaths. (In Russ. and Engl. transl.). Vestn.Mosk.Univ., ser. 16 Biol., 1, 57-65.
- RAMENSKY L.G., 1938: Introduction to complex soil and geobotanical investigation of lands [Vvedenie v komplexnoe pochveno-geobotanicheskoe izuchenie zemel] (In Russ.). Selhozgiz, Moscow. 620 pp.
- RETZER J.L., 1956: Alpine soils of the Rocky Mountains. J. Soil Sci. 7 (1), 22-32.
- RETZER J.L., 1974: Alpine soils. In: IVES J.D. and BARRY R.G. (ed.), Arctic and alpine environments. Methuen, London. 771-802.
- ROVNER I., 1971: Potential of opal phytoliths for use in paleoecological reconstruction. Quatern. Res. 1, 343-359.
- RYSER P., 1990: Influence of gaps and neighbouring plants on seedling establishment in limestone grassland. Veröff.Geobot.Inst.ETH, Stiftung Rübel, Zürich 104. 71 pp.
- SAVINETSKY A.B., 1992: Centenary changes of pasture ecosystems in North Osetia. (In Russ.). In: DINESMAN L.G. (ed.), Historical ecology of wild and domestic ungulates: History of pasture ecosystems. [Istoricheskaja ekologija dikh i domashnih kopytnykh. Istoria pastbitznyh ekosistem.]. Nauka, Moscow. 165-171.
- SEDELNIKOV V.P., 1988: High mountain vegetation of Altai and Sajan montains [Visokogornaj rastitelnoct altae-sajanskoi gornoj oblasti]. (In Russ.). Nauka, Novosibirsk. 222 pp.
- SEMENOVA G.V. and ONIPCHENKO V.G., 1990: Soil seed banks in the alpine communities in the Teberda Reserve, the Northwestern Caucasus. (In Russ.). Byull.Mosk.o-va ispyt. prir. otd.biol.95 (5), 77-87.
- SEMENOVA G.V. and ONIPCHENKO V.G., 1991: Field investigation of the soil diasporae bank in alpine communities. (In Russ.). Byull. Mosk.o-va ispyt.prir. otd.biol. 96 (4), 117-122.
- SENDSTAD E., 1981: Soil ecology of a lichen heath at Spitsbergen, Svalbard: effects of artificial removal of the lichen plant cover. J. Range Manag. 34 (6), 442-445.

- SEREBRYANY L.R., GEY N.A., DZHAPARIDZE R.N. et al., 1980: Vegetation of the central part of the high mountain Caucasus in Holocene. (In Russ.). Bull. Commiss Quatern. studies [Buletten' Comissii po izucheniyu chetvertichnogo perioda.] 50, 123-137.
- SHATVORJAN P.V., 1981: Influence of different fertilizers on production of alpine meadows with *Carum caucasicum*. (In Russ.). Armen.agricul.inst. Erevan 4, 105-111.
- SHENNIKOV A.P., 1942: Experimental view on natural factors of plant distribution. (In Russ.). Zhurn.obtch.biol. (J. Gen. Biology) 3 (5-6), 331-361.
- SHMIDA A. and ELLNER S., 1984: Coexistence of plant species with similar niches. Vegetatio 58, 29-55.
- SMITHSON F., 1958: Grass opal in British soils. J.Soil Sci. 9 (1), 148 -154.
- SOHLBERG E.H., BLISS L.C., 1984: Microscale pattern of vascular plant distribution in two high arctic plant communities. Can.J.Bot. 62 (10), 2033-2042.
- SOKOLOVA N.S., 1982: On the history of vegetation of the Great Caucasus. (In Russ.). Vestn.Mosk.Univ., ser. 5 (Geography), 5, 40-44.
- STANJUKOVICH K.B., 1960: High mountain vegetation of the USSR. [Rastitelnost visokogorii SSSR]. (In Russ.). Acad.sci. Tadzhik SSR, Stalinabad. 172 pp.
- STEPANOV A.L. and ONIPCHENKO V.G., 1989: Assessment of respiration rate and nitrogen-fixing and denitrifying activity in high-meadow alpine soils of Northwestern Caucasus. Vestn.Mosk.Univ., ser. 17, 44 (2), 55-56.
- Supplement to soil classification system (7-th Approximation), 1967: Soil Survey Staff, Soil Conservation Service, U.S.D.A. 207 pp.
- SYDES C.L., GRIME J.P., 1984: A comparative study of root development using a simulated rock crevice. J.Ecol. 72 (3), 937-946.
- TAPPEINER U., CERNUSCA A. and NAKHURISHVILI G.S. 1989: Bestandesstruktur und Lichtklima ausgewählter Pflanzenbestände der subalpinen Stufe des Zentral-Kaukasus. Sitzungberichte der Österr. Akademie der Wissenschaften Mathem.-naturw. Kl., Wien, Abt.1, 197 (5-10), 395- 421.
- TILMAN D., 1988: Plant strategies and the dynamics and structure of plant communities. Monographs in population biology (v.26). Princeton Univ.Press, Princeton, New Jersey. 360 pp.
- TUSHINSKY G.K., 1962: Rythms in glaciation and snowness in Teberda State Reserve. (In Russ.). Transactions of Teberda State Reserve [Trudy Teberdinskogo Gos. Zapovednika.]. Stavropol 4, 57-71.
- TWISS P.S., SUESS E. and SMITH R.M., 1969: Morphological classification of grass phytoliths. Soil Sci.Soc.Am.Proc. 33 (1), 109-115.
- VADUNINA A.F. and KORCHAGINA Z.A., 1986: Techniques for studying of physics properties of soils. (In Russ.). Agropromizdat, Moscow. 230 pp.
- VORONINA I.N., ONIPCHENKO V.G. and IGNATOVA O.V., 1986: Components of biological turnover in alpine lichen barrens of the Northwestern Caucasus. Sov.Soil Sci. 18 (3), 20-29.
- WALTER H., HARNICKELL E. and MUELLER-DOMBOIS D. 1975: Klimadiagramm-Karten. Fischer, Stuttgart. 36 pp.
- WATT A.S., 1947: Pattern and process in the plant community. J.Ecol. 35 (1), 1-22.
- WILDING L.P., DREES L.R., 1971: Biogenetic opal in Ohio soils. Soil Sci.Soc.Am.Proc. 35, 1004 -1010.
- WILSON J.B., 1990: Mechanisms of species coexistence: twelve explanations for Hutchinson's "Paradox of the Plankton": Evidence from New Zealand plant communities. N. Z. J. Ecol. 13, 17-42.
- WIELGOLASKI F.E., 1980: Tundra plant structure and production in relation to the environment. Int.J.Biometeorol., 24 (1), 23-30.
- WITTY J.E., KNOX E.G., 1964: Grass opal in some Chestnut and Forest soils in north central Oregon. Soil Sci.Soc.Am.Proc. 28, 685 - 687.

- ZINGG Th., 1961: Beitrag zum Klima vom Weissfluhjoch. Winterberg. Eidg. Inst. Schnee- und Lawinenforsch. 24, 102-127.
- ZIROJAN A.N., 1988: Phytocoenotic properties and productivity of main vegetation types of Armenia. (In Russ.). Autoreferat doct. disser. Erevan. 43 pp.

ADDRESSES OF THE AUTHORS:

Mikhail S. BLINNIKOV
Vladimir G. ONIPCHENKO
Galina A. POKARZHEVSKAYA
Maria V. RABOTNOVA
Galina V. SEMENOVA
Andrej V. SENNOV

Department of Geobotany
Faculty of Biology
Moscow State University
119899 Moscow, Russia