

Zeitschrift: Helvetica Physica Acta
Band: 34 (1961)
Heft: [6]: Supplementum 6. Proceedings of the International Symposium on polarization phenomena of nucleons

Artikel: D-phase dependence of nucleon-helium polarization
Autor: White, R.E.
DOI: <https://doi.org/10.5169/seals-513281>

Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

Download PDF: 21.02.2026

ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>

D-Phase Dependence of Nucleon-Helium Polarization

By R. E. WHITE, A. E. R. E., HARWELL

Above 10 MeV nucleon energy *D* phases begin to contribute significantly to both the cross-section and the polarization in nucleon-helium scattering [1, 2, 3]¹⁾. At present these *D* phases, while small, are only poorly determined, a collection of assignments made by various workers is shown in figure 1 [2, 4, 5].




Figure 1

The effect of this uncertainty on the polarization is illustrated for 14 MeV nucleon energy in figure 2 which shows polarization angular

¹⁾ Numbers in brackets refer to References, page 336.

distributions for four extreme sets of D phases consistent with the assignments in figure 1. S and P phases were taken to be $\delta_0 = -92^\circ$, $\delta_{1+} = 92^\circ$, $\delta_{1-} = 45^\circ$ in each case. The true polarization angular distribution should lie among these curves, and it is seen that the uncertainty is sufficiently large that above about 10 MeV available polarization graphs [1, 2, 3] should be used with caution.

One point measured at 14.4 MeV [6] is also shown in figure 2, but many more such measurements are needed to remove this ambiguity.




Figure 2

REFERENCES

- [1] G. C. PHILLIPS and P. D. MILLER, *Phys. Rev.* **115**, 1268 (1959).
- [2] J. L. GAMMEL and R. M. THALER, *Phys. Rev.* **109**, 2041 (1958).
- [3] K. W. BROCKMAN, *Phys. Rev.* **110**, 163 (1958).
- [4] P. D. MILLER and G. C. PHILLIPS, *Phys. Rev.* **112**, 2043 (1958).
- [5] P. E. HODGSON, *Phil. Mag.*, Supp. **7**, 1 (1958).
- [6] J. SANADA, K. NISIMURA, S. SUWA, I. HAYASHI, K. FUKUNAGA, N. RYU, and M. SEKI, *Inst. for Nuclear Study Rep. No. 9*, Univ. Tokyo, Tanashi-Machi, Tokyo (also these proceedings).