

**Zeitschrift:** Helvetica Physica Acta  
**Band:** 34 (1961)  
**Heft:** [6]: Supplementum 6. Proceedings of the International Symposium on polarization phenomena of nucleons

**Artikel:** Polarization contours for T- and He3- scattering  
**Autor:** Gammel, J.L. / Thaler, R.M.  
**DOI:** <https://doi.org/10.5169/seals-513288>

#### Nutzungsbedingungen

Die ETH-Bibliothek ist die Anbieterin der digitalisierten Zeitschriften auf E-Periodica. Sie besitzt keine Urheberrechte an den Zeitschriften und ist nicht verantwortlich für deren Inhalte. Die Rechte liegen in der Regel bei den Herausgebern beziehungsweise den externen Rechteinhabern. Das Veröffentlichen von Bildern in Print- und Online-Publikationen sowie auf Social Media-Kanälen oder Webseiten ist nur mit vorheriger Genehmigung der Rechteinhaber erlaubt. [Mehr erfahren](#)

#### Conditions d'utilisation

L'ETH Library est le fournisseur des revues numérisées. Elle ne détient aucun droit d'auteur sur les revues et n'est pas responsable de leur contenu. En règle générale, les droits sont détenus par les éditeurs ou les détenteurs de droits externes. La reproduction d'images dans des publications imprimées ou en ligne ainsi que sur des canaux de médias sociaux ou des sites web n'est autorisée qu'avec l'accord préalable des détenteurs des droits. [En savoir plus](#)

#### Terms of use

The ETH Library is the provider of the digitised journals. It does not own any copyrights to the journals and is not responsible for their content. The rights usually lie with the publishers or the external rights holders. Publishing images in print and online publications, as well as on social media channels or websites, is only permitted with the prior consent of the rights holders. [Find out more](#)

**Download PDF:** 09.08.2025

**ETH-Bibliothek Zürich, E-Periodica, <https://www.e-periodica.ch>**

## Polarization Contours for $T - \alpha$ and $\text{He}^3 - \alpha$ Scattering<sup>1)</sup>

By J. L. GAMMEL and R. M. THALER<sup>2)</sup>

Los Alamos Scientific Laboratory, University of California

We have made a phase shift analysis of the  $T-\alpha$  elastic scattering data of BROLLEY and ROSEN [1] at 9.225 MeV (tritium laboratory energy; actually 12.3 MeV alphas were scattered from tritium). PHILLIPS and MILLER [2] have already analyzed the lower energy  $\text{He}^3-\alpha$  data, and found a negative  $S_{1/2}$  phase shift, negative and unsplit  $P_{1/2}$  and  $P_{3/2}$  phase shifts, zero  $D_{3/2}$ ,  $D_{5/2}$ , and  $F_{5/2}$  phase shifts, and a  $F_{7/2}$  phase shift which shows a resonance at about 5.5 MeV (laboratory  $\text{He}^3$  energy). Our phase shifts for 9.225 MeV are reasonable graphical extrapolations of PHILLIPS' and MILLER's phase shifts. The phase shifts are shown in figure 1 as a function of energy.




Figure 1

<sup>1)</sup> This work done under the auspices of the United States Atomic Energy Commission.

<sup>2)</sup> Presently at the Case Institute of Technology, Cleveland, Ohio.

The  $F_{1/2}$  resonance is given by an optical model potential 22 MeV deep and 4 f wide.

Using the phase shifts shown in figure 1, we have calculated the T- $\alpha$  or He<sup>3</sup>- $\alpha$  polarization as a function of energy. The results are shown in figure 2. This polarization function is only semi-quantitative, and applies to either T- $\alpha$  or He<sup>3</sup>- $\alpha$  scattering. It provides a basis for planning the experiment described in the accompanying note by BROLLEY, GAMMEL, and ROSEN.




Figure 2

#### REFERENCES

- [1] E. BROLLEY, Jr. and L. ROSEN, to be published in Phys. Rev.
- [2] T. D. MILLER and G. C. PHILLIPS, Phys. Rev. 112, 2048 (1958) and 115, 1268 (1959).